



Public Health
Environmental Health Services

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

FACILITY NAME EGGMASTER INC		DATE 6/15/2015	REINSPECTION DATE Not Specified	PERMIT EXPIRATION 8/31/2015
LOCATION 10863 FREMONT ST, YUCAIPA, CA 92399			INSPECTOR Andrea Bettencourt	
MAILING ADDRESS 10863 FREMONT ST, YUCAIPA, CA 92399			IDENTIFIER: None	
			SERVICE: 001 - INSPECTION - ROUTINE	
TIME IN 11:06 AM	TIME OUT 12:55 PM	FACILITY ID FA0007341	RELATED ID PR0010397	PE 4001
			RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU	
			ACTION: 29 - NOTICE OF VIOLATION ISSUED	

MOSQUITO AND VECTOR CONTROL - Poultry Ranch Permit ALL

40K044 Disposal - Waste Egg

Comply by: 6/29/2015

Inspector Comments: WASTE EGGS MUST BE REMOVED AND NOT DROPPED ON THE GROUND.

Not In Compliance

Reference - SBCC - 33.0920 (d)(2)

Description: Waste eggs shall be disposed of by one of the following methods:

- (A) Placed daily in the dead bird disposal;
- (B) Placed in fly-tight containers or structures and removed from the premises at least weekly.

40K120 Operation - Drying and Coning

Comply by: 6/29/2015

Inspector Comments: WET MANURE MUST BE REMOVED. WET MANURE MUST BE REMOVED FROM THE AISLES.

Not In Compliance

Reference - SBCC - 33.0920 (b)(1)

Description: If the commercial poultry ranch owner or operator employs the drying and coning operation method of manure management, the following shall be complied with:

- (A) The process shall begin on dry ground or on a pad of dry manure in order to harbor predators and parasites and to provide an absorbent surface for fresh droppings. A deeper pad of dry manure may be necessary if the area beneath the poultry cages is sunk below the levels of the aisles. If necessary, to facilitate drying, broken up fresh droppings shall be stirred or otherwise mixed with the dry pad until a satisfactorily dry condition is attained.
- (B) Any system used for watering the poultry shall be maintained so as to prevent water from reaching the manure. System leaks shall be promptly repaired so as not to disrupt the effectiveness of the drying method. When necessary, the watering system shall be changed or upgraded to eliminate future leaks.
- (C) All wet spots in the manure created by water leaks or diarrhetic poultry shall be thoroughly removed and replaced with an adequate base of dry material as necessary.
- (D) Whenever it becomes necessary to remove the manure from under the cages, a six to eight inch pad of dry manure shall be left to facilitate the drying of the new cones and maintain a habitat for predators and parasites by one of the following methods:
 - (I) Removing every other row, then pushing half of the manure from the remaining row into the cleaned out row.
 - (II) Cleaning so as to leave at least six to eight inches of manure in each row.
 - (III) Cleaning out all manure and replacing it with at least a six to eight inch pad of dry manure from some other source.

40K141 Operation - Frequent Manure Removal

Comply by: 6/29/2015

Inspector Comments: WET MANURE MUST BE REMOVED.

Not In Compliance

Reference - SBCC - 33.0920 (b)(2)

Description: If the commercial poultry ranch owner or operator employs the frequent manure removal operation method of manure management, the following procedures shall be complied with:

- (A) Manure shall be removed frequently enough from under poultry cages to prevent fly larval migration and adult emergence.
- (B) Each time manure is removed from under the poultry cages, larvae and pupae shall also be removed in the fringe areas.
- (C) Aisles and borders of the poultry houses shall be cleaned of feathers and other debris frequently to eliminate pupation areas for fly larvae.

40K142 Operations - Chemical

Comply by: 6/29/2015

Inspector Comments: RANCH MUST ADULTICIDE 2 TIMES A DAY UNTIL THE ADULT POPULATION HAS DROPPED. LYME MUST BE PLACED ON THE WET SPOTS. NEPROXEN MUST BE PLACED ON THE BREEDING AREAS.

Not In Compliance

Reference - SBCC - 33.0920 (e)(2)

Description: Whenever necessary, the fly population on the ranch shall be chemically controlled to prevent nuisances. Larviciding shall be kept at a minimum. Appropriate adulticides, including both sprays and baits, may be used to control adult fly populations.



Public Health
Environmental Health Services

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

FACILITY NAME EGGMASTER INC	DATE 6/15/2015
LOCATION 10863 FREMONT ST, YUCAIPA, CA 92399	INSPECTOR Andrea Bettencourt

40K146 Operations - Fly Breeding Hazard

Comply by: 6/22/2015

Inspector Comments: HEAVY FLY BREEDING FOUND ON THE RANCH.

Not In Compliance

Reference - SBCC - 33.0912

Description: The accumulation, existence or maintenance of any substance, matter, material, or condition resulting or likely to result in the breeding of flies in an amount or manner such as to endanger public health or safety, or to create unreasonable interference with the comfortable enjoyment and use of life and property by others.

Overall Inspection Comments

Waste eggs down all aisles. Manure is wet and breeding heavy for flies. Lyme is not being applied on the wet spots it is next to the wet spots. Dead birds at the end of 2 houses they appear to be fresh dead. NOV issued. Ranch must spray adulticide 2x a day. Ranch must used neporex and lyme. Wet manure must be removed.

Signature(s) of Acknowledgement

NAME:

TITLE:

Total # of Images: 0