



Public Health
Environmental Health Services

www.SBCounty.gov

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

FACILITY NAME HOOVER RANCH 7		DATE 6/29/2015	REINSPECTION DATE Not Specified	PERMIT EXPIRATION 12/31/2014
LOCATION 35870 FIR ST, YUCAIPA, CA 92399			INSPECTOR Stacy Toynebee	
MAILING ADDRESS 10550 JEFFERSON ST, YUCAIPA CA 92399			IDENTIFIER: CONVENTIONAL HOUSES A-H	
<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT			SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
TIME IN 9:50 AM	TIME OUT 12:11 PM	FACILITY ID FA0006134	RELATED ID PR0007018	PE 4001
			RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQ	
			ACTION: 03 - REINSPECTION REQUIRED	

MOSQUITO AND VECTOR CONTROL - Poultry Ranch Permit ALL

40PT18 Nyguard - McLaughlin Gormley King Co.

Compliance Date: Not Specified Inspector Comments: Treated approx 1,500 sqft for new breeding.
 Not In Compliance
 Reference -

Description:

Overall Inspection Comments

Inspection of community found adult fly presence moderate within .25 mile from ranch. .25 to .5 mile from ranch sees a considerable drop off in numbers. Spoke with resident from West of Fremont street and stated, "Flies now are nothing compared to 2 weeks ago."
 Inspection of ranch found adult fly population moderate. Pesticide log records continued twice daily adulticiding with IGR/Neporex applied on the 18th of June. Also observed liberal use of lime and scatter bait.
 Lids on dead bird and waste egg barrels. Barrels being used and emptied often.
 No active watering system leaks observed. Areas of prior leaks have lime applied and is being removed and thin spread to dry.
 Cooling system leaks is being managed at this time with barrels and buckets to catch water and is not being allowed to reach manure.
 Bait stations are being maintained.
 Observed ranch operator replacing broken feed troughs to correct spilled feed problem.
 Manure in house C needs to be watched closely and removed as needed. Large areas of semi dry manure is starting to breed. Pointed out area to operator.
 Manure in staging area in now being thin spread and is drying well. Breeding down to light and manure spread less than 2 inches thick at this time. Vector Control sprayed spread manure at newly placed manure and new breeding sites with Nygard.
 Also applied spot treatment in houses F, G, and H.

Area of concern:

Ground house behind laying boxes on East side and fenced area between ground house and house G need to be cleaned out. Waste eggs in large numbers with manure and debris.

Continue twice daily adulticidng and re-treatment with Neporex as soon as label allows.
 Continue to follow thin spreading ordnances.

Signature(s) of Acknowledgement

SN A

NAME:
 TITLE:
 Total # of Images: 0