



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MCDONALD'S		DATE 6/9/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 6/30/2016
LOCATION 10143 SIERRA AV, FONTANA, CA 92335			INSPECTOR Kyi Hlaing	
MAILING ADDRESS 10143 SIERRA AV, FONTANA, CA 92335			IDENTIFIER: None	
TIME IN 8:50 AM	TIME OUT 10:30 AM	FACILITY ID FA0009702	RELATED ID PR0002529	PE 1621
			SERVICE: 001 - Inspection - Routine RESULT: 03 - Corrective Action / No Follow up Required ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).



SCORE 95

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
○ In	N/O 1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
○ In	2. Communicable disease; reporting, restrictions & excl		4	
○ N/O	3. No discharge from eyes, nose, and mouth			2
○ N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
○ In	N/O 5. Hands clean and properly washed; gloves used prop		4	2
○ In	6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS				
○ In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
○ N/O	N/A 8. Time as a public health control; procedures & record		4	2
○ In	N/O N/A 9. Proper cooling methods		4	2
○ In	N/O N/A 10. Proper cooking time & temperatures		4	
○ N/O	N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
○ N/O	N/A 12. Returned and reserve of food			2
○ In	13. Food in good condition, safe and unadulterated		4	2
○ In	N/O N/A 14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
○ In	15. Food obtained from approved source		4	
○ N/O	○ N/A 16. Compliance with shell stock tags, condition, display			2
○ N/O	○ N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
○ N/A	18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY				
○ N/O	○ N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS				
○ N/A	20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER				
○ In	21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL				
○ In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
○ In	23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	⊗
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MCDONALD'S	DATE 6/9/2016
LOCATION 10143 SIERRA AV, FONTANA, CA 92335	INSPECTOR Kyi Hlaing

33. NONFOOD-CONTACT SURFACES CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114115 (c)	Inspector Comments: Thoroughly clean and maintain equipment, utensils, shelvings, and all refrigeration units. Observed: i. Very dirty inside the cabinet below customer soda dispenser unit at front. ii Dirty tubing and heads of soda juice boxes at the storage area, downstairs.
---------------------------	---	---

Violation Description: All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

36. EQUIPMENT, UTENSILS AND LINENS: STORAGE AND USE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114074, 114081, 114119	Inspector Comments: Discontinue storing new, to-go utensil packs immediately next to trash bin (some even touching) as observed under customer soda dispenser unit.
---------------------------	---	--

Violation Description: All clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces. (114185.3 - 114185.4) Utensils and equipment shall be handled and stored so as to be protected from contamination. (114074 - 114075, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.5) Pressurized cylinders must be securely fastened to a rigid structure. (114172)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114149, 114149.1	Inspector Comments: Clean and maintain hoods and its filters. Observed dirty filters and some parts of hood at some deep fryer hods here.
---------------------------	---	---

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	Inspector Comments: Clean and properly maintain plumbing units in good order. Observed: (i) improperly functioning (not able to turn off) cold water faucet at ware wash sink. (ii) Missing a knob (handle) of cold water faucet at mop sink faucet. (iii) Dirty floor sink under customer soda units cabinet at front.
---------------------------	---	---

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: Clean and maintain floors, walls, ceilings. Observed: (i) dusty ceiling vent above the toilet bowl in male restroom. (ii) Some ceiling air vent in customer area dusty and dirty.
---------------------------	---	---

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

No summary comments have been made for this inspection.



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MCDONALD'S	DATE 6/9/2016
LOCATION 10143 SIERRA AV, FONTANA, CA 92335	INSPECTOR Kyi Hlaing

Signature(s) of Acknowledgement

SINA

NAME:
TITLE: