



KUNZMAN ASSOCIATES, INC.

LING YEN MOUNTAIN TEMPLE

**AIR QUALITY AND GLOBAL CLIMATE CHANGE
IMPACT ANALYSIS**

July 31, 2014



KUNZMAN ASSOCIATES, INC.

**LING YEN MOUNTAIN TEMPLE
AIR QUALITY AND GLOBAL CLIMATE CHANGE
IMPACT ANALYSIS**

July 31, 2014

Prepared by:

**Katie Wilson, M.S.
Carl Ballard, LEED GA
William Kunzman, P.E.**

**1111 Town & Country Road, Suite 34
Orange, California 92868
(714) 973-8383**

www.traffic-engineer.com

5226b

Table of Contents

I.	Introduction and Setting	1
A.	Purpose and Objectives	1
B.	Project Location	1
C.	Project Description	1
D.	Phasing and Timing	2
E.	Sensitive Receptors in Project Vicinity	3
F.	Executive Summary of Findings	4
II.	Atmospheric Setting	8
A.	Local Air Quality	8
III.	Pollutants	11
A.	Criteria Pollutants	11
1.	Nitrogen Dioxide	11
2.	Ozone	11
3.	Carbon Monoxide.....	12
4.	Sulfur Dioxide	12
5.	Lead	12
6.	Particulate Matter	13
7.	Volatile Organic Compounds (VOC)	13
B.	Other Pollutants of Concern	13
1.	Toxic Air Contaminants	13
2.	Asbestos	14
C.	Greenhouse Gases	14
1.	Water Vapor	15
2.	Carbon Dioxide	15
3.	Methane	16
4.	Nitrous Oxide	16
5.	Chlorofluorocarbons	16
6.	Hydrofluorocarbons	16
7.	Perfluorocarbons.....	17
8.	Sulfur Hexafluoride	17
9.	Aerosols.....	17
10.	Global Warming Potential.....	17
IV.	Air Quality Management	19
A.	Regulatory Setting.....	19
1.	International.....	19
2.	Federal - United States Environmental Protection Agency	19
3.	State – California Air Resources Board	21
4.	Regional.....	28
5.	Local – County of San Bernardino	34
B.	Monitored Air Quality	35
V.	Air Quality Standards	40
A.	Regional Air Quality	40

B.	Local Air Quality	40
C.	Toxic Air Contaminants	40
D.	Odor Impacts.....	41
E.	Greenhouse Gases	41
VI.	Short-Term Construction Impacts.....	45
A.	Construction-Related Regional Impacts	45
1.	Construction-Related Criteria Pollutants Analysis	45
B.	Construction-Related Local Impacts	47
1.	Local Air Quality Impacts from Construction	47
2.	Construction-Related Toxic Air Contaminant Impacts.....	48
3.	Construction-Related Odor Impacts	48
VII.	Long-Term Air Quality Operational Impacts	52
A.	Operations-Related Regional Air Quality Impacts	52
1.	Operations-Related Criteria Pollutant Analysis.....	52
2.	Cumulative Regional Air Quality Impacts.....	53
B.	Operations-Related Local Air Quality Impacts	54
1.	Local CO Emission Impacts from Project-Generated Vehicular Trips	54
2.	Local Air Quality Impacts from On-Site Operations	54
3.	Operations-Related Odor Impacts	55
VIII.	Global Climate Change Analysis.....	57
A.	Methodology.....	57
1.	Area Sources.....	57
2.	Energy Usage.....	57
3.	Mobile Sources.....	57
4.	Waste	57
5.	Water	58
6.	Construction.....	58
B.	Project Greenhouse Gas Emissions.....	58
C.	Greenhouse Gas Plan Consistency.....	60
IX.	Air Quality Compliance	64
A.	Criterion 1 - Increase in the Frequency or Severity of Violations	64
B.	Criterion 2 - Exceed Assumptions in the AQMP?.....	64
X.	Mitigation Measures.....	66
A.	Construction Measures.....	66
B.	Operational Measures	66
XI.	References.....	67

APPENDICES

Appendix A – Glossary of Terms

Appendix B – CalEEMod Model Daily Emissions Printouts

Appendix C – CalEEMod Model Annual Emissions Printouts

List of Tables

Table 1.	Rancho Cucamonga Monthly Climate Data	10
Table 2.	Global Warming Potentials and Atmospheric Lifetimes	18
Table 3.	State and Federal Criteria Pollutant Standards	37
Table 4.	South Coast Air Basin Attainment Status.....	38
Table 5.	Air Quality Monitoring Summary	39
Table 6.	SCAQMD Air Quality Significance Thresholds	44
Table 7.	Construction-Related Regional Criteria Pollutant Emissions	49
Table 8.	Maximum Number of Acres Disturbed Per Day.....	50
Table 9.	Local Construction Emissions at the Nearest Receptors	51
Table 10.	Operational Criteria Pollutants Regional Air Emissions	56
Table 11.	Project-Related Greenhouse Gas Emissions	62
Table 12.	CARB Scoping Plan Measures Project Comparison.....	63

List of Figures

Figure 1. Project Location Map5
Figure 2. Site Plan6
Figure 3. Phasing Plan7

I. Introduction and Setting

A. Purpose and Objectives

This study was performed to address the possibility of regional and local air quality impacts, and global climate change impacts, from air emissions. The objectives of the study include:

- documentation of the atmospheric setting
- discussion of criteria pollutants and greenhouse gases
- discussion of the air quality and global climate change regulatory framework
- discussion of the air quality, greenhouse gases, and cancer risk thresholds of significance
- analysis of the construction related air quality and greenhouse gas emissions
- analysis of the operations related air quality and greenhouse gas emissions
- analysis of the conformity of the proposed project with the South Coast Air Quality Management District (SCAQMD) Air Quality Management Plan (AQMP)
- recommendations for mitigation measures

The County of San Bernardino is the lead agency responsible for preparation of this air quality analysis, in accordance with the California Environmental Quality Act authorizing legislation. Although this is a technical report, every effort has been made to write the report clearly and concisely. To assist the reader with terms unique to air quality and global climate change, a definition of terms has been provided in Appendix A.

B. Project Location

The Ling Yen Mountain Temple (LYMT), project site is located in the San Bernardino County unincorporated community of Etiwanda within the Sphere of Influence of the City of Rancho Cucamonga. LYMT is proposing to develop a Buddhist Temple and Retreat on approximately 35 acres generally south of the existing temple and west of Dawnridge Drive. Access to the site is at the terminus of Wardman Bullock Road, and is addressed as 13938 DeCliff Drive, an east-west trending road that traverses the Los Angeles Department of Water and Power (LADWP) power line easement. The project site has been the home of this LYMT temple since the early 1990's and is currently located in a converted 6,800 square foot residence at the northerly terminus of Wardman-Bullock Road, in the foothills of the San Gabriel Mountains. The vicinity map showing the project location is provided on Figure 1.

C. Project Description

LYMT is developing a Temple Campus Master Plan on approximately 35 acres including a 10.7-acre "buildable area" for a total of 159,377 square feet of habitable structures. The remaining 24.3 acres will be developed with non-habitable structures, roads, parking lots, gardens and other landscape/hardscape areas. The Campus Master Plan includes as a perimeter fuel modification zone because the project site is located within a High Fire Hazard Area where a fuel modification and maintenance program is required. The

approximately 35-acre development site is divided into four Planning Areas for the purposes of site grading and development. Figure 2 illustrates the project site plan.

Planning Areas

Area 1 – 9.38 acres generally located between the property boundary on the west, limits of the “buildable area” on the north as defined in the site specific Fault Hazard Investigation, east side of Dawnridge Drive on the east, and on the south, the approximate location of the main internal fire access road across the center of the 35-acre development site.

Area 2 – 10.29 acres generally located between the property boundary on the west, limits of the “buildable area” on the south adjacent to the unnamed east-west access road, east side of Dawnridge Drive on the east, and on the north, the approximate location of the main internal fire access road across the center of 35-acre development site.

Area 3 – 9.49 acres generally located within the Los Angeles Department of Water and power line easement (LYMT is the underlying property owner).

Area 4 - 5.85 acres generally located north of the “buildable area” as defined in the site specific Fault Hazard Investigation, and south of the proposed northerly perimeter road that will connect the existing LYMT driveway on the west, to Dawnridge Drive on the east. This area is expected to be minimally graded to establish the road, some walking paths, some landscape areas and for fuel modification.

D. Phasing and Timing

Phase one (I) – Building Development in Area 1 and Infrastructure/Road Development

Initial Development (Phase one) of the LYMT Campus Master Plan includes the development of Area 1 which consists of 9.38 acres including, the northern 5.3-acre portion of the 10.7-acre “buildable area.” Buildings in Phase one will total 65,138 square feet. As part of Phase one, the Entry Road (extension of Wardman Bullock Road), the east-west unnamed access road between Wardman Bullock Road and Dawnridge Drive, Dawnridge Drive, the connector road connecting the internal road on the west to Dawnridge Drive on the east, and the extension of Dawnridge Drive southerly to connect to Colonbero Road (emergency access only) will also be completed. In addition, fuel modification zones must be established around the perimeter of Area 1, including establishing a fuel modification zone on the north side of Area 4. The total area of disturbance for Phase one will be approximately 16.5 acres, including grading of the 9.38-acre Planning Area 1. Phase one will also include parking to accommodate 58 vehicles in a parking lot at the northeast corner of Area 1 and on the west side of Planning Area 1 west of Building 23.

Because of the necessary road and infrastructure improvements that will be required in Phase one, this Phase is anticipated to begin construction no sooner than September 2015 and take approximately four (4) years. Grading, Road Development and Backbone Infrastructure for the site is anticipated to take up to six (6) months. Building Construction, Site Finishing including parking lots, internal circulation, and landscaping is anticipated to take 42 months for a total of four (4) years.

Phase two (II) – Grading and Building Development in Planning Area, 2 and Overflow Parking Lot in Planning Area 3

Similar to Phase one, mass grading and infrastructure development for the entire Area 2 will occur in Phase two, with precise grading of individual building pads and building related infrastructure being completed. Buildings in Phase two will total 53,142 square feet. Phase two also includes development of the Overflow Parking Lot in Planning Area 3. This parking area is approximately 9.49 acres. Therefore, total site disturbance in Phase two would be approximately 19.78 acres. Site grading will require an average of five (5) feet of over excavation across the planning areas to accommodate the loss of material (oversized boulders and rocks). Phase two is anticipated to also take 4 years to complete and will occur after Phase one construction is complete. Grading of Areas 2 and 3 is anticipated to take six (6) months to complete. Development of the parking lot is anticipated to be completed in four (4) months and this work will coincide with development in Area 2. Development of Area 2 includes Building Construction, Site Finishing including parking lots, internal circulation, landscaping and the development of the entry gates towers and main plaza is anticipated to take 42 months.

Phase three (III) – Development of remaining Buildings in Planning Areas 1 and 2 and Completion of Gardens and Walkways in Planning Area 4

In Phase three, all development of buildings is completed. These buildings will fill in between the buildings developed in Phase one and Phase two. Buildings in Phase three will total 41,097 square feet. Internal landscaping and sidewalks/ramps will also be completed. In Phase three, final grading and development of gardens, walking paths, seating areas, etc will be completed in Planning Area 4. Grading in Phase three is expected to be minimal (~5.84 acres) and associated with precise grading of the remaining building pads, and some grading associated with landscaping and creating of walking paths in Planning Area 4. Phase three is anticipated to take a total of two (2) years and will occur after Phase two is complete.

Figure 3, Phasing Plan, illustrates the Phases of the project and Planning Areas described above.

E. Sensitive Receptors in Project Vicinity

Those who are sensitive to air pollution include children, the elderly, and persons with preexisting respiratory or cardiovascular illness. For purposes of CEQA, the SCAQMD defines a sensitive receptor as a land use such as residences, schools, child care centers, athletic facilities, playgrounds, retirement homes and convalescent homes (South Coast Air Quality Management District 2008). Commercial and industrial facilities are not included in the definition because employees do not typically remain on-site for 24 hours.

The nearest sensitive receptors to the project site are the single-family detached residential dwelling units located approximately 400 feet (212 meters) south of the site. There is also an existing residence (converted from a residence to the existing LYMT) on the grounds that is about 400 feet to the north of the area of activity.

F. Executive Summary of Findings

Construction-Source Emissions

Project construction-source emissions would not exceed applicable regional thresholds of significance established by the SCAQMD. For localized emissions, the project will not exceed applicable Localized Significance Thresholds (LSTs) established by the SCAQMD.

Project construction-source emissions would not conflict with the Basin Air Quality Management Plan (AQMP). As discussed herein, the project will comply with all applicable SCAQMD construction-source emission reduction rules and guidelines. Project construction source emissions would not cause or substantively contribute to violation of the California Ambient Air Quality Standards (CAAQS) or National Ambient Air Quality Standards (NAAQS).

Established requirements addressing construction equipment operations, and construction material use, storage, and disposal requirements act to minimize odor impacts that may result from construction activities. Moreover, construction-source odor emissions would be temporary, short-term, and intermittent in nature and would not result in persistent impacts that would affect substantial numbers of people. Potential construction-source odor impacts are therefore considered less-than-significant. No mitigation is required.

Operational-Source Emissions

Project-operational sourced emissions would not exceed applicable regional thresholds of significance established by the SCAQMD. Project operational-source emissions would not result in or cause a significant localized air quality impact as discussed in the Operations-Related Local Air Quality Impacts section of this report. Additionally, project-related traffic will not cause or result in CO concentrations exceeding applicable state and/or federal standards (CO "hotspots). Project operational-source emissions would therefore not adversely affect sensitive receptors within the vicinity of the project.

Project operational-source emissions would not conflict with the Basin Air Quality Management Plan (AQMP). The project's emissions meet SCAQMD regional thresholds and will not result in a significant cumulative impact. The project does not propose any such uses or activities that would result in potentially significant operational-source odor impacts. Potential operational-source odor impacts are therefore considered less-than significant. The project will not exceed the SCAQMD draft screening threshold of 3,000 MTCO_{2e} per year for greenhouse gas emissions. No mitigation is required.

Figure 1
Project Location Map





Figure 2
Site Plan




NTS

KUNZMAN ASSOCIATES, INC.

OVER 35 YEARS OF EXCELLENT SERVICE

5226b/2

Figure 3
Phasing Plan



Legend

Development Areas

Phases:

Phase 1

Phase 2

Phase 3

Buildings by Phase:

Phase 1

Phase 2

Phase 3

5226b/3



II. Atmospheric Setting

A. Local Air Quality

The project site is located within the western portion of San Bernardino County, which is part of the South Coast Air Basin that includes all of Orange County as well as the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties. The South Coast Air Basin is located on a coastal plain with connecting broad valleys and low hills to the east. Regionally, the South Coast Air Basin is bounded by the Pacific Ocean to the southwest and high mountains to the east forming the inland perimeter. The project site is located toward the northeast portion of the South Coast Air Basin near the foot of the San Bernardino Mountains, which define the eastern boundary of the South Coast Air Basin.

The climate of western San Bernardino County, technically called an interior valley subclimate of the Southern California's Mediterranean-type climate, is characterized by hot dry summers, mild moist winters with infrequent rainfall, moderate afternoon breezes, and generally fair weather. Occasional periods of strong Santa Ana winds and winter storms interrupt the otherwise mild weather pattern. The clouds and fog that form along the area's coastline rarely extend as far inland as western San Bernardino County. When morning clouds and fog form, they typically burn off quickly after sunrise. The most important weather pattern from an air quality perspective is associated with the warm season airflow across the populated areas of the Los Angeles Basin. This airflow brings polluted air into western San Bernardino County late in the afternoon. This transport pattern creates unhealthy air quality that may extend to the project site particularly during the summer months.

Winds are an important parameter in characterizing the air quality environment of a project site because they both determine the regional pattern of air pollution transport and control the rate of dispersion near a source. Daytime winds in western San Bernardino County are usually light breezes from off the coast as air moves regionally onshore from the cool Pacific Ocean to the warm Mojave Desert interior of Southern California. These winds allow for good local mixing, but as discussed above, these coastal winds carry significant amounts of industrial and automobile air pollutants from the densely urbanized western portion of the South Coast Air Basin into the interior valleys which become trapped by the mountains that border the eastern edge of the South Coast Air Basin.

In the summer, strong temperature inversions may occur that limit the vertical depth through which air pollution can be dispersed. Air pollutants concentrate because they cannot rise through the inversion layer and disperse. These inversions are more common and persistent during the summer months. Over time, sunlight produces photochemical reactions within this inversion layer that creates ozone, a particularly harmful air pollutant. Occasionally, strong thermal convections occur which allows the air pollutants to rise high enough to pass over the mountains and ultimately dilute the smog cloud.

In the winter, light nocturnal winds result mainly from the drainage of cool air off of the mountains toward the valley floor while the air aloft over the valley remains warm. This

forms a type of inversion known as a radiation inversion. Such winds are characterized by stagnation and poor local mixing and trap pollutants such as automobile exhaust near their source. While these inversions may lead to air pollution “hot spots” in heavily developed coastal areas of the basin, there is not enough traffic in inland valleys to cause any winter air pollution problems. Despite light wind conditions, especially at night and in the early morning, winter is generally a period of good air quality in the project vicinity.

The temperature and precipitation levels for the City of Rancho Cucamonga, which is the nearest weather monitoring station to the project site is shown below in Table 1. Table 1 shows that August is typically the warmest month and January is typically the coolest month. Rainfall in the project area varies considerably in both time and space. Almost all the annual rainfall comes from the fringes of mid-latitude storms from late November to early April, with summers being almost completely dry.

Table 1

Rancho Cucamonga Monthly Climate Data¹

Descriptor	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Avg. Max. Temperature	68	70	71	76	80	88	95	95	91	83	74	69
Avg. Min. Temperature	45	47	47	49	53	57	62	63	62	56	49	44
Avg. Total Precipitation (in.)	3.50	3.55	3.49	0.63	0.19	0.01	0.00	0.11	0.26	0.27	1.26	1.63

¹ Source: <http://www.weather.com/weather/wxclimatology/monthly/graph/USCA0911>

III. Pollutants

Pollutants are generally classified as either criteria pollutants or non-criteria pollutants. Federal ambient air quality standards have been established for criteria pollutants, whereas no ambient standards have been established for non-criteria pollutants. For some criteria pollutants, separate standards have been set for different periods. Most standards have been set to protect public health. For some pollutants, standards have been based on other values (such as protection of crops, protection of materials, or avoidance of nuisance conditions). A summary of federal and state ambient air quality standards is provided in the Regulatory Framework section.

A. Criteria Pollutants

The criteria pollutants consist of: ozone, nitrogen dioxide, carbon monoxide, sulfur dioxides, lead, and particulate matter. These pollutants can harm your health and the environment, and cause property damage. The Environmental Protection Agency (EPA) calls these pollutants “criteria” air pollutants because it regulates them by developing human health-based and/or environmentally-based criteria for setting permissible levels. The following provides descriptions of each of the criteria pollutants.

1. Nitrogen Dioxide

Nitrogen Oxides (NO_x) is the generic term for a group of highly reactive gases which contain nitrogen and oxygen. While most NO_x are colorless and odorless, concentrations of nitrogen dioxide (NO₂) can often be seen as a reddish-brown layer over many urban areas. NO_x form when fuel is burned at high temperatures, as in a combustion process. The primary manmade sources of NO_x are motor vehicles, electric utilities, and other industrial, commercial, and residential sources that burn fuel. NO_x reacts with other pollutants to form, ground-level ozone, nitrate particles, acid aerosols, as well as NO₂, which cause respiratory problems. NO_x and the pollutants formed from NO_x can be transported over long distances, following the patterns of prevailing winds. Therefore controlling NO_x is often most effective if done from a regional perspective, rather than focusing on the nearest sources.

2. Ozone

Ozone is not usually emitted directly into the air but at ground-level is created by a chemical reaction between NO_x and volatile organic compounds (VOC) in the presence of sunlight. Motor vehicle exhaust, industrial emissions, gasoline vapors, chemical solvents as well as natural sources emit NO_x and VOC that help form ozone. Ground-level ozone is the primary constituent of smog. Sunlight and hot weather cause ground-level ozone to form with the greatest concentrations usually occurring downwind from urban areas. Ozone is subsequently considered a regional pollutant. Ground-level ozone is a respiratory irritant and an oxidant that increases susceptibility to respiratory infections and can cause substantial damage to vegetation and other materials. Because NO_x and VOC are ozone precursors, the health effects associated

with ozone are also indirect health effects associated with significant levels of NO_x and VOC emissions.

3. Carbon Monoxide

Carbon monoxide (CO) is a colorless, odorless gas that is formed when carbon in fuel is not burned completely. It is a component of motor vehicle exhaust, which contributes about 56 percent of all CO emissions nationwide. In cities, 85 to 95 percent of all CO emissions may come from motor vehicle exhaust. Other sources of CO emissions include industrial processes (such as metals processing and chemical manufacturing), residential wood burning, and natural sources such as forest fires. Woodstoves, gas stoves, cigarette smoke, and unvented gas and kerosene space heaters are indoor sources of CO. The highest levels of CO in the outside air typically occur during the colder months of the year when inversion conditions are more frequent. The air pollution becomes trapped near the ground beneath a layer of warm air. CO is described as having only a local influence because it dissipates quickly. Since CO concentrations are strongly associated with motor vehicle emissions, high CO concentrations generally occur in the immediate vicinity of roadways with high traffic volumes and traffic congestion, active parking lots, and in automobile tunnels. Areas adjacent to heavily traveled and congested intersections are particularly susceptible to high CO concentrations.

CO is a public health concern because it combines readily with hemoglobin and thus reduces the amount of oxygen transported in the bloodstream. The health threat from lower levels of CO is most serious for those who suffer from heart disease such as angina, clogged arteries, or congestive heart failure. For a person with heart disease, a single exposure to CO at low levels may cause chest pain and reduce that person's ability to exercise; repeated exposures may contribute to other cardiovascular effects. High levels of CO can affect even healthy people. People who breathe high levels of CO can develop vision problems, reduced ability to work or learn, reduced manual dexterity, and difficulty performing complex tasks. At extremely high levels, CO is poisonous and can cause death.

4. Sulfur Dioxide

Sulfur Oxide (SO_x) gases are formed when fuel containing sulfur, such as coal and oil is burned, and from the refining of gasoline. SO_x dissolves easily in water vapor to form acid and interacts with other gases and particles in the air to form sulfates and other products that can be harmful to people and the environment.

5. Lead

Lead is a metal found naturally in the environment as well as manufactured products. The major sources of lead emissions have historically been motor vehicles and industrial sources. Due to the phase out of leaded gasoline, metal processing is now the primary source of lead emissions to the air. High levels of lead in the air are typically only found near lead smelters, waste incinerators, utilities, and lead-acid battery manufacturers. Exposure of fetuses, infants and children to low levels of lead

can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased lead levels are associated with increased blood pressure.

6. Particulate Matter

Particle matter (PM) is the term for a mixture of solid particles and liquid droplets found in the air. Particle matter is made up of a number of components including acids (such as nitrates and sulfates), organic chemicals, metals, and soil or dust particles. The size of particles is directly linked to their potential for causing health problems. Particles that are less than 10 micrometers in diameter (PM10) are the particles that generally pass through the throat and nose and enter the lungs. Once inhaled, these particles can affect the heart and lungs and cause serious health effects. Particles that are less than 2.5 micrometers in diameter (PM2.5) have been designated as a subset of PM10 due to their increased negative health impacts and its ability to remain suspended in the air longer and travel further.

7. Volatile Organic Compounds (VOC)

Although not a criteria pollutant, reactive organic gases (ROGs), or VOCs, are defined as any compound of carbon—excluding carbon monoxide, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate—that participates in atmospheric photochemical reactions. Although there are slight differences in the definition of ROGs and VOCs, the two terms are often used interchangeably. Indoor sources of VOCs include paints, solvents, aerosol sprays, cleansers, tobacco smoke, etc. Outdoor sources of VOCs are from combustion and fuel evaporation. A reduction in VOC emissions reduces certain chemical reactions that contribute to the formulation of ozone. VOCs are transformed into organic aerosols in the atmosphere, which contribute to higher PM10 and lower visibility.

B. Other Pollutants of Concern

1. Toxic Air Contaminants

In addition to the above-listed criteria pollutants, toxic air contaminants (TACs) are another group of pollutants of concern. Sources of toxic air contaminants include industrial processes such as petroleum refining and chrome plating operations, commercial operations such as gasoline stations and dry cleaners, and motor vehicle exhaust. Cars and trucks release at least forty different toxic air contaminants. The most important of these toxic air contaminants, in terms of health risk, are diesel particulates, benzene, formaldehyde, 1,3-butadiene, and acetaldehyde. Public exposure to toxic air contaminants can result from emissions from normal operations as well as from accidental releases. Health effects of toxic air contaminants include cancer, birth defects, neurological damage, and death.

Toxic air contaminants are less pervasive in the urban atmosphere than criteria air pollutants, however they are linked to short-term (acute) or long-term (chronic or

carcinogenic) adverse human health effects. There are hundreds of different types of toxic air contaminants with varying degrees of toxicity. Sources of toxic air contaminants include industrial processes, commercial operations (e.g., gasoline stations and dry cleaners), and motor vehicle exhaust.

According to the 2005 California Almanac of Emissions and Air Quality, the majority of the estimated health risk from toxic air contaminants can be attributed to relatively few compounds, the most important of which is diesel particulate matter (DPM). Diesel particulate matter is a subset of PM_{2.5} because the size of diesel particles are typically 2.5 microns and smaller. The identification of diesel particulate matter as a toxic air contaminant in 1998 led the California Air Resources Board (CARB) to adopt the Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-fueled Engines and Vehicles in September 2000. The plan's goals are a 75-percent reduction in diesel particulate matter by 2010 and an 85-percent reduction by 2020 from the 2000 baseline. Diesel engines emit a complex mixture of air pollutants, composed of gaseous and solid material. The visible emissions in diesel exhaust are known as particulate matter or PM, which includes carbon particles or "soot." Diesel exhaust also contains a variety of harmful gases and over 40 other cancer-causing substances. California's identification of diesel particulate matter as a toxic air contaminant was based on its potential to cause cancer, premature deaths, and other health problems. Exposure to diesel particulate matter is a health hazard, particularly to children whose lungs are still developing and the elderly who may have other serious health problems. Overall, diesel engine emissions are responsible for the majority of California's potential airborne cancer risk from combustion sources.

2. Asbestos

Asbestos is listed as a TAC by the ARB and as a Hazardous Air Pollutant by the EPA. Asbestos occurs naturally in mineral formations and crushing or breaking these rocks, through construction or other means, can release asbestiform fibers into the air. Asbestos emissions can result from the sale or use of asbestos-containing materials, road surfacing with such materials, grading activities, and surface mining. The risk of disease is dependent upon the intensity and duration of exposure. When inhaled, asbestos fibers may remain in the lungs and with time may be linked to such diseases as asbestosis, lung cancer, and mesothelioma. Naturally occurring asbestos is not present in San Bernardino County. The nearest likely locations of naturally occurring asbestos, as identified in the General Location Guide for Ultramafic Rocks in California prepared by the California Division of Mines and Geology, is located in Santa Barbara County. Due to the distance to the nearest natural occurrences of asbestos, the project site is not likely to contain asbestos.

C. Greenhouse Gases

Constituent gases of the Earth's atmosphere, called atmospheric greenhouse gases (GHG), play a critical role in the Earth's radiation amount by trapping infrared radiation emitted from the Earth's surface, which otherwise would have escaped to space. Prominent greenhouse gases contributing to this process include carbon dioxide (CO₂), methane (CH₄), ozone, water vapor, nitrous oxide (N₂O), and chlorofluorocarbons (CFCs). This

phenomenon, known as the Greenhouse Effect, is responsible for maintaining a habitable climate. Anthropogenic (caused or produced by humans) emissions of these greenhouse gases in excess of natural ambient concentrations are responsible for the enhancement of the Greenhouse Effect and have led to a trend of unnatural warming of the Earth's natural climate, known as global warming or climate change. Emissions of gases that induce global warming are attributable to human activities associated with industrial/manufacturing, agriculture, utilities, transportation, and residential land uses. Transportation is responsible for 41 percent of the State's greenhouse gas emissions, followed by electricity generation. Emissions of CO₂ and nitrous oxide (NO_x) are byproducts of fossil fuel combustion. Methane, a potent greenhouse gas, results from off-gassing associated with agricultural practices and landfills. Sinks of CO₂, where CO₂ is stored outside of the atmosphere, include uptake by vegetation and dissolution into the ocean. The following provides a description of each of the greenhouse gases and their global warming potential.

1. Water Vapor

Water vapor is the most abundant, important, and variable GHG in the atmosphere. Water vapor is not considered a pollutant; in the atmosphere it maintains a climate necessary for life. Changes in its concentration are primarily considered a result of climate feedbacks related to the warming of the atmosphere rather than a direct result of industrialization. The feedback loop in which water is involved is critically important to projecting future climate change. As the temperature of the atmosphere rises, more water is evaporated from ground storage (rivers, oceans, reservoirs, soil). Because the air is warmer, the relative humidity can be higher (in essence, the air is able to "hold" more water when it is warmer), leading to more water vapor in the atmosphere. As a GHG, the higher concentration of water vapor is then able to absorb more thermal indirect energy radiated from the Earth, thus further warming the atmosphere. The warmer atmosphere can then hold more water vapor and so on and so on. This is referred to as a "positive feedback loop." The extent to which this positive feedback loop will continue is unknown as there is also dynamics that put the positive feedback loop in check. As an example, when water vapor increases in the atmosphere, more of it will eventually also condense into clouds, which are more able to reflect incoming solar radiation (thus allowing less energy to reach the Earth's surface and heat it up).

2. Carbon Dioxide

The natural production and absorption of CO₂ is achieved through the terrestrial biosphere and the ocean. However, humankind has altered the natural carbon cycle by burning coal, oil, natural gas, and wood. Since the industrial revolution began in the mid 1700s. Each of these activities has increased in scale and distribution. CO₂ was the first GHG demonstrated to be increasing in atmospheric concentration with the first conclusive measurements being made in the last half of the 20th century. Prior to the industrial revolution, concentrations were fairly stable at 280 parts per million (ppm). The International Panel on Climate Change (IPCC) indicates that concentrations were 379 ppm in 2005, an increase of more than 30 percent. Left unchecked, the IPCC projects that concentration of carbon dioxide in the atmosphere is projected to increase to a minimum of 540 ppm by 2100 as a direct result of

anthropogenic sources. This could result in an average global temperature rise of at least two degrees Celsius or 3.6 degrees Fahrenheit.

3. Methane

CH₄ is an extremely effective absorber of radiation, although its atmospheric concentration is less than that of CO₂. Its lifetime in the atmosphere is brief (10 to 12 years), compared to some other GHGs (such as CO₂, N₂O, and Chlorofluorocarbons (CFCs)). CH₄ has both natural and anthropogenic sources. It is released as part of the biological processes in low oxygen environments, such as in swamplands or in rice production (at the roots of the plants). Over the last 50 years, human activities such as growing rice, raising cattle, using natural gas, and mining coal have added to the atmospheric concentration of methane. Other anthropogenic sources include fossil-fuel combustion and biomass burning.

4. Nitrous Oxide

Concentrations of N₂O also began to rise at the beginning of the industrial revolution. In 1998, the global concentration of this GHG was documented at 314 parts per billion (ppb). N₂O is produced by microbial processes in soil and water, including those reactions which occur in fertilizer containing nitrogen. In addition to agricultural sources, some industrial processes (fossil fuel-fired power plants, nylon production, nitric acid production, and vehicle emissions) also contribute to its atmospheric load. It is also commonly used as an aerosol spray propellant, (i.e., in whipped cream bottles, in potato chip bags to keep chips fresh, and in rocket engines and in race cars).

5. Chlorofluorocarbons

CFCs are gases formed synthetically by replacing all hydrogen atoms in methane or ethane (C₂H₆) with chlorine and/or fluorine atoms. CFCs are nontoxic, nonflammable, insoluble, and chemically unreactive in the troposphere (the level of air at the Earth's surface). CFCs have no natural source, but were first synthesized in 1928. It was used for refrigerants, aerosol propellants, and cleaning solvents. Due to the discovery that they are able to destroy stratospheric ozone, a global effort to halt their production was undertaken and in 1989 the European Community agreed to ban CFCs by 2000 and subsequent treaties banned CFCs worldwide by 2010. This effort was extremely successful, and the levels of the major CFCs are now remaining level or declining. However, their long atmospheric lifetimes mean that some of the CFCs will remain in the atmosphere for over 100 years.

6. Hydrofluorocarbons

HFCs are synthetic man-made chemicals that are used as a substitute for CFCs. Out of all the GHGs, they are one of three groups with the highest global warming potential. The HFCs with the largest measured atmospheric abundances are (in order), HFC-23 (CHF₃), HFC-134a (CF₃CH₂F), and HFC-152a (CH₃CHF₂). Prior to 1990, the only significant emissions were HFC-23. HFC-134a use is increasing due to its use as a refrigerant. Concentrations of HFC-23 and HFC-134a in the atmosphere are now about

10 parts per trillion (ppt) each. Concentrations of HFC-152a are about 1 ppt. HFCs are manmade for applications such as automobile air conditioners and refrigerants.

7. Perfluorocarbons

PFCs have stable molecular structures and do not break down through the chemical processes in the lower atmosphere. High-energy ultraviolet rays about 60 kilometers above Earth's surface are able to destroy the compounds. Because of this, PFCs have very long lifetimes, between 10,000 and 50,000 years. Two common PFCs are tetrafluoromethane (CF_4) and hexafluoroethane (C_2F_6). Concentrations of CF_4 in the atmosphere are over 70 ppt. The two main sources of PFCs are primary aluminum production and semiconductor manufacturing.

8. Sulfur Hexafluoride

SF_6 is an inorganic, odorless, colorless, nontoxic, nonflammable gas. SF_6 has the highest global warming potential of any gas evaluated; 23,900 times that of CO_2 . Concentrations in the 1990s were about 4 ppt. Sulfur hexafluoride is used for insulation in electric power transmission and distribution equipment, in the magnesium industry, in semiconductor manufacturing, and as a tracer gas for leak detection.

9. Aerosols

Aerosols are particles emitted into the air through burning biomass (plant material) and fossil fuels. Aerosols can warm the atmosphere by absorbing and emitting heat and can cool the atmosphere by reflecting light. Cloud formation can also be affected by aerosols. Sulfate aerosols are emitted when fuel containing sulfur is burned. Black carbon (or soot) is emitted during biomass burning due to the incomplete combustion of fossil fuels. Particulate matter regulation has been lowering aerosol concentrations in the United States; however, global concentrations are likely increasing.

10. Global Warming Potential

GHGs have varying global warming potential (GWP). The global warming potential is the potential of a gas or aerosol to trap heat in the atmosphere; it is the cumulative radiative forcing effects of a gas over a specified time horizon resulting from the emission of a unit mass of gas relative to the reference gas, CO_2 . One teragram of carbon dioxide equivalent (Tg CO_2e) is essentially the emissions of the gas multiplied by the global warming potential. One teragram is equal to one million metric tons. The carbon dioxide equivalent is a good way to assess emissions because it gives weight to the global warming potential of the gas. A summary of the atmospheric lifetime and the global warming potential of selected gases are summarized in Table 2. As shown in Table 2, the global warming potential of GHGs ranges from 1 to 23,900.

Table 2**Global Warming Potentials and Atmospheric Lifetimes¹**

Gas	Atmospheric Lifetime (years)	Global Warming Potential ² (100 Year Horizon)
Carbon Dioxide	50-200	1
Methane	12 ± 3	21
Nitrous Oxide	120	310
HFC-23	264	11,700
HFC-134a	14.6	1,300
HFC-152a	1.5	140
PFC: Tetrafluoromethane	50,000	6,500
PFC: Hexafluoroethane	10,000	9,200
Sulfur Hexafluoride	3,200	23,900

¹ Source: United States Environmental Protection Agency, 2006.

² Compared to the same quantity of CO₂ emissions.

IV. Air Quality Management

A. Regulatory Setting

The proposed project is addressed through the efforts of various international, federal, state, regional, and local government agencies. These agencies work jointly, as well as individually, to improve air quality through legislation, regulations, planning, policy-making, education, and a variety of programs. The agencies responsible for improving the air quality are discussed below.

1. International

In 1988, the United Nations established the Intergovernmental Panel on Climate Change (IPCC) to evaluate the impacts of global climate change and to develop strategies that nations could implement to curtail global climate change. In 1992, the United States joined other countries around the world in signing the United Nations' Framework Convention on Climate Change (UNFCCC) agreement with the goal of controlling GHG emissions. As a result, the Climate Change Action Plan was developed to address the reduction of GHGs in the United States. The plan consists of more than 50 voluntary programs.

Additionally, the Montreal Protocol was originally signed in 1987 and substantially amended in 1990 and 1992. The Montreal Protocol stipulates that the production and consumption of compounds that deplete ozone in the stratosphere—CFCs, halons, carbon tetrachloride, and methyl chloroform—were to be phased out, with the first three by the year 2000 and methyl chloroform by 2005.

2. Federal - United States Environmental Protection Agency

The United States Environmental Protection Agency (EPA) is responsible for setting and enforcing the National Ambient Air Quality Standards (NAAQS) for atmospheric pollutants. It regulates emission sources that are under the exclusive authority of the federal government, such as aircraft, ships, and certain locomotives. The National Ambient Air Quality Standards (NAAQS) pollutants were identified using medical evidence and are shown below in Table 3.

As part of its enforcement responsibilities, the EPA requires each state with federal nonattainment areas to prepare and submit a State Implementation Plan (SIP) that demonstrates the means to attain the national standards. The State Implementation Plan (SIP) must integrate federal, state, and local components and regulations to identify specific measures to reduce pollution, using a combination of performance standards and market-based programs within the timeframe identified in the State Implementation Plan (SIP).

As indicated below in Table 4, the Basin has been designated by the EPA as a non-attainment area for ozone (O₃) and attainment/maintenance for suspended

particulates (PM₁₀) and non-attainment for suspended particulates (PM_{2.5}). Currently, the Basin is in attainment with the ambient air quality standards for carbon monoxide (CO), lead, sulfur dioxide (SO₂), and nitrogen dioxide (NO₂).

Despite substantial improvements in air quality over the past few decades, some air monitoring stations in the Basin still exceed the NAAQS for ozone more frequently than any other stations in the U.S. In 2011, three of the top five stations that exceeded the 8-hour ozone NAAQS were located in the Basin (Central San Bernardino Mountains, East San Bernardino Valley, and Metropolitan Riverside County).

PM_{2.5} in the Basin has improved significantly in recent years, with 2010 and 2011 being the cleanest years on record. In 2011, only one station in the Basin (Metropolitan Riverside County at Mira Loma) exceeded the annual PM_{2.5} NAAQS and the 98th percentile form of the 24-hour PM_{2.5} NAAQS, as well as the 3-year design values for these standards. Basin-wide, the federal PM_{2.5} 24-hour standard level was exceeded in 2011 on 17 sampling days.

The Basin is currently in attainment for the federal standards for carbon monoxide (CO), lead, sulfur dioxide (SO₂), and nitrogen dioxide (NO₂). While the concentration level of the new 1-hour NO₂ federal standard (100 ppb) was exceeded in the Basin at two stations (Central Los Angeles and Long Beach) on the same day in 2011, the NAAQS NO₂ design value has not been exceeded. Therefore, the Basin remains in attainment of the NO₂ NAAQS.

The EPA designated the Los Angeles County portion of the Basin as nonattainment for the recently revised (2008) federal lead standard (0.15 µg/m³, rolling 3-month average), due to the addition of source-specific monitoring under the new federal regulation. This designation was based on two source-specific monitors in Vernon and the City of Industry exceeding the new standard in the 2007-2009 period of data used. For the most recent 2009-2011 data period, only one of these stations (Vernon) still exceeded the lead standard.

In *Massachusetts v. Environmental Protection Agency* (Docket No. 05–1120), argued November 29, 2006 and decided April 2, 2007, the U.S. Supreme Court held that not only did the EPA have authority to regulate greenhouse gases, but the EPA's reasons for not regulating this area did not fit the statutory requirements. As such, the U.S. Supreme Court ruled that the EPA should be required to regulate CO₂ and other greenhouse gases as pollutants under the federal Clean Air Act (CAA).

In response to the FY2008 Consolidations Appropriations Act (H.R. 2764; Public Law 110-161), EPA proposed a rule on March 10, 2009 that requires mandatory reporting of GHG emissions from large sources in the United States. On September 22, 2009, the Final Mandatory Reporting of GHG Rule was signed and published in the Federal Register on October 30, 2009. The rule became effective on December 29, 2009. This rule requires suppliers of fossil fuels or industrial GHGs, manufacturers of vehicles and engines, and facilities that emit 25,000 metric tons or more per year of GHG emissions to submit annual reports to EPA.

On December 7, 2009, the EPA Administrator signed two distinct findings under section 202(a) of the Clean Air Act. One is an endangerment finding that finds concentrations of the six GHGs in the atmosphere threaten the public health and welfare of current and future generations. The other is a cause or contribute finding, that finds emissions from new motor vehicles and new motor vehicle engines contribute to the GHG pollution which threatens public health and welfare. These actions will not themselves impose any requirements on industry or other entities. However, it is a prerequisite to finalizing the EPA's proposed GHG emission standards for light-duty vehicles, which were jointly proposed by the EPA and Department of Transportation on September 15, 2009.

3. State – California Air Resources Board

The California Air Resources Board (CARB), which is a part of the California Environmental Protection Agency, is responsible for the coordination and administration of both federal and state air pollution control programs within California. In this capacity, the CARB conducts research, sets the California Ambient Air Quality Standards (CAAQS), compiles emission inventories, develops suggested control measures, provides oversight of local programs, and prepares the State Implementation Plan (SIP). The California Ambient Air Quality Standards (CAAQS) for criteria pollutants are shown in Table 3. In addition, the CARB establishes emission standards for motor vehicles sold in California, consumer products (e.g. hairspray, aerosol paints, and barbecue lighter fluid), and various types of commercial equipment. It also sets fuel specifications to further reduce vehicular emissions.

The South Coast Air Basin has been designated by the CARB as a nonattainment area for ozone, PM₁₀ and PM_{2.5}. Currently, the South Coast Air Basin is in attainment with the ambient air quality standards for CO, lead, SO₂, NO₂, and sulfates and is unclassified for visibility reducing particles and Hydrogen Sulfide.

On June 20, 2002, the CARB revised the PM₁₀ annual average standard to 20 µg/m³ and established an annual average standard for PM_{2.5} of 12 µg/m³. These standards were approved by the Office of Administrative Law in June 2003 and are now effective. On September 27, 2007 CARB approved the South Coast Air Basin and the Coachella Valley 2007 Air Quality Management Plan for Attaining the Federal 8-hour Ozone and PM_{2.5} Standards. The plan projects attainment for the 8-hour Ozone standard by 2024 and the PM_{2.5} standard by 2015.

On December 12, 2008 the CARB adopted Resolution 08-43, which limits NO_x, PM₁₀ and PM_{2.5} emissions from on-road diesel truck fleets that operate in California. On October 12, 2009 Executive Order R-09-010 was adopted that codified Resolution 08-43 into Section 2025, title 13 of the California Code of Regulations. This regulation requires that by the year 2023 all commercial diesel trucks that operate in California shall meet model year 2010 (Tier 4) or latter emission standards. In the interim period, this regulation provides annual interim targets for fleet owners to meet. This regulation also provides a few exemptions including a onetime per year 3-day pass for trucks registered outside of California.

The CARB is also responsible for regulations pertaining to toxic air contaminants. The Air Toxics “Hot Spots” Information and Assessment Act (AB 2588, 1987, Connelly) was enacted in 1987 as a means to establish a formal air toxics emission inventory risk quantification program. AB 2588, as amended, establishes a process that requires stationary sources to report the type and quantities of certain substances their facilities routinely release into the South Coast Air Basin. The data is ranked by high, intermediate, and low categories, which are determined by: the potency, toxicity, quantity, volume, and proximity of the facility to nearby receptors.

The CARB also proposed interim statewide CEQA thresholds for GHG emissions and released Recommended Approaches for Setting Interim Significance Thresholds for Greenhouse Gases under the California Environmental Quality Act, on October 24, 2008. The State currently has no regulations that establish ambient air quality standards for GHGs. However, the State has passed laws directing CARB to develop actions to reduce GHG emissions, which are listed below.

Assembly Bill 1493

California Assembly Bill 1493 (also known as the Pavley Bill, in reference to its author Fran Pavley) was enacted on July 22, 2002 and required CARB to develop and adopt regulations that reduce GHGs emitted by passenger vehicles and light duty trucks. In 2004, CARB approved the “Pavley I” regulations limiting the amount of GHGs that may be released from new passenger automobiles that are being phased in between model years 2009 through 2016. This regulation will reduce GHG emissions by 30 percent from 2002 levels by 2016. The second set of regulations “Pavley II” is currently in development and will be phased in between model years 2017 through 2025 and will reduce emissions by 45 percent by the year 2020. The Pavley II standards are being developed by linking the GHG emissions and formerly separate toxic tailpipe emissions standards previously known as the “LEV III” (third stage of the Low Emission Vehicle standards) into a single regulatory framework.

In 2005, the CARB submitted a “waiver” request to the EPA in order to implement the GHG standards and in March of 2008, the U.S. EPA denied the request. However, in June 2009, the decision was reversed and the U.S. EPA granted California the authority to implement the GHG standards for passenger cars, pickup trucks and sport utility vehicles. In September 2009, the Pavley I regulations were adopted by CARB.

Executive Order S-3-05

The California Governor issued Executive Order S-3-05, GHG Emission, in June 2005, which established the following reduction targets:

- 2010: Reduce greenhouse gas emissions to 2000 levels
- 2020: Reduce greenhouse gas emissions to 1990 levels
- 2050: Reduce greenhouse gas emissions to 80 percent below 1990 levels.

The executive order directed the secretary of the California Environmental Protection Agency (CalEPA) to coordinate a multi-agency effort to reduce GHG

emissions to the target levels. To comply with the Executive Order, the secretary of CalEPA created the California Climate Action Team (CAT), made up of members from various state agencies and commissions. The team released its first report in March 2006. The report proposed to achieve the targets by building on the voluntary actions of businesses, local governments, and communities and through State incentive and regulatory programs.

Assembly Bill 32

In 2006, the California State Legislature adopted Assembly Bill 32 (AB 32), the California Global Warming Solutions Act of 2006. AB 32 requires CARB, to adopt rules and regulations that would achieve GHG emissions equivalent to statewide levels in 1990 by 2020 through an enforceable statewide emission cap which will be phased in starting in 2012. Emission reductions shall include carbon sequestration projects that would remove carbon from the atmosphere and best management practices that are technologically feasible and cost effective.

On December 6, 2007 CARB released the calculated Year 1990 GHG emissions of 427 million metric tons of CO₂e (MMTCO₂e). The 2020 target of 427 MMTCO₂e requires the reduction of 169 MMTCO₂e, or approximately 30 percent from the State's projected 2020 business as usual emissions of 596 MMTCO₂e and the reduction of 42 MMTCO₂e, or almost 10 percent from the 2002-2004 average GHG emissions. Under AB 32, CARB was required to adopt regulations by January 1, 2011 to achieve reductions in GHGs to meet the 1990 cap by 2020. Early measures CARB took to lower GHG emissions included requiring operators of the largest industrial facilities that emit 25,000 metric tons of CO₂ in a calendar year to submit verification of GHG emissions by December 1, 2010. The CARB Board also approved nine discrete early action measures that include regulations affecting landfills, motor vehicle fuels, refrigerants in cars, port operations and other sources that became enforceable on or before January 1, 2010.

On December 11, 2008 the CARB Board approved a Scoping Plan, with final adoption May 11, 2009 that proposed a variety of measures including direct regulations, alternative compliance mechanisms, monetary and non-monetary incentives, voluntary actions, a market-based cap-and-trade system, and a fee regulation to fund the program. In current pending litigation, Association of Irrigated Residents v. California Air Resources Board, a California State trial court found that the analysis of the alternatives identified in the AB 32 Scoping Plan Functional Equivalent Document (FED) was not sufficient for informed decision-making and public review under CEQA. In response, CARB has appealed the decision. In addition, CARB prepared the *Supplement to the AB 32 Scoping Plan Functional Equivalent Document*, June 13, 2011. On August 24, 2011 CARB recertified the complete AB 32 Scoping Plan Functional Equivalent Environmental Document revised by the Final Supplement. In December, 2011 the Final Supplement was accepted as sufficient to fulfill the trial court's March order.

While local government operations were not accounted for in achieving the 2020 emissions reduction, local land use changes are estimated to result in a reduction of 5 metric tons of CO₂e, which is approximately 3 percent of the 2020 GHG emissions reduction goal. In recognition of the critical role local governments will play in successful implementation of AB 32, CARB is recommending GHG reduction goals of 15 percent of 2010 levels by 2020 to ensure that municipal and community-wide emissions match the state's reduction target. According to the Measure Documentation Supplement to the Scoping Plan, local government actions and targets are anticipated to reduce vehicle miles by approximately 2 percent through land use planning, resulting in a potential GHG reduction of 2 metric tons of CO₂e (or approximately 1.2 percent of the GHG reduction target).

In May 2014, CARB released its *First Update to the Climate Change Scoping Plan* (CARB 2014). This *Update* identifies the next steps for California's leadership on climate change. While California continues on its path to meet the near-term 2020 greenhouse gas limit, it must also set a clear path toward long-term, deep GHG emission reductions. This report highlights California's success to date in reducing its GHG emissions and lays the foundation for establishing a broad framework for continued emission reductions beyond 2020, on the path to 80 percent below 1990 levels by 2050.

Senate Bill 1368

Senate Bill 1368 (SB 1368) is the companion Bill of AB 32 and was adopted September, 2006. SB 1368 requires the California Public Utilities Commission (CPUC) to establish a performance standard for baseload generation of GHG emissions by investor-owned utilities by February 1, 2007 and for local publicly owned utilities by June 30, 2007. These standards could not exceed the GHG emissions rate from a baseload combined-cycle, natural gas-fired plant. Furthermore, the legislation states that all electricity provided to the State, including imported electricity, must be generated by plants that meet the standards set by California Public Utilities Commission (CPUC) and California Energy Commission (CEC).

Executive Order S-1-07

Executive Order S-1-07 was issued in 2007 and proclaims that the transportation sector is the main source of GHG emissions in the State, since it generates more than 40 percent of the State's GHG emissions. It establishes a goal to reduce the carbon intensity of transportation fuels sold in the State by at least ten percent by 2020. This Order also directs CARB to determine whether this Low Carbon Fuel Standard (LCFS) could be adopted as a discrete early-action measure as part of the effort to meet the mandates in AB 32.

On April 23, 2009 CARB approved the proposed regulation to implement the low carbon fuel standard. The low carbon fuel standard is anticipated to reduce GHG emissions by about 16 MMT per year by 2020. The low carbon fuel standard is designed to provide a framework that uses market mechanisms to spur the steady introduction of lower carbon fuels. The framework establishes

performance standards that fuel producers and importers must meet each year beginning in 2011. Separate standards are established for gasoline and diesel fuels and the alternative fuels that can replace each. The standards are “back-loaded”, with more reductions required in the last five years, than during the first five years. This schedule allows for the development of advanced fuels that are lower in carbon than today’s fuels and the market penetration of plug-in hybrid electric vehicles, battery electric vehicles, fuel cell vehicles, and flexible fuel vehicles. It is anticipated that compliance with the low carbon fuel standard will be based on a combination of both lower carbon fuels and more efficient vehicles.

Reformulated gasoline mixed with corn-derived ethanol at ten percent by volume and low sulfur diesel fuel represent the baseline fuels. Lower carbon fuels may be ethanol, biodiesel, renewable diesel, or blends of these fuels with gasoline or diesel as appropriate. Compressed natural gas and liquefied natural gas also may be low carbon fuels. Hydrogen and electricity, when used in fuel cells or electric vehicles are also considered as low carbon fuels for the low carbon fuel standard.

Senate Bill 97

Senate Bill 97 (SB 97) was adopted August 2007 and acknowledges that climate change is a prominent environmental issue that requires analysis under CEQA. SB 97 directed the Governor’s Office of Planning and Research (OPR), which is part of the State Natural Resources Agency, to prepare, develop, and transmit to CARB guidelines for the feasible mitigation of GHG emissions or the effects of GHG emissions, as required by CEQA, by July 1, 2009. The Natural Resources Agency was required to certify and adopt those guidelines by January 1, 2010.

Pursuant to the requirements of SB 97 as stated above, on December 30, 2009 the Natural Resources Agency adopted amendments to the state CEQA guidelines that address GHG emissions. The CEQA Guidelines Amendments changed 14 sections of the CEQA Guidelines and incorporate GHG language throughout the Guidelines. However, no GHG emissions thresholds of significance were provided and no specific mitigation measures were identified. The GHG emission reduction amendments went into effect on March 18, 2010 and are summarized below:

- Climate action plans and other greenhouse gas reduction plans can be used to determine whether a project has significant impacts, based upon its compliance with the plan.
- Local governments are encouraged to quantify the greenhouse gas emissions of proposed projects, noting that they have the freedom to select the models and methodologies that best meet their needs and circumstances. The section also recommends consideration of several qualitative factors that may be used in the determination of significance, such as the extent to which the given project complies with state, regional, or local GHG reduction plans and policies. OPR does not set or dictate specific thresholds of significance. Consistent with existing CEQA

Guidelines, OPR encourages local governments to develop and publish their own thresholds of significance for GHG impacts assessment.

- When creating their own thresholds of significance, local governments may consider the thresholds of significance adopted or recommended by other public agencies, or recommended by experts.
- New amendments include guidelines for determining methods to mitigate the effects of greenhouse gas emissions in Appendix F of the CEQA Guidelines.
- OPR is clear to state that “to qualify as mitigation, specific measures from an existing plan must be identified and incorporated into the project; general compliance with a plan, by itself, is not mitigation.”
- OPR’s emphasizes the advantages of analyzing GHG impacts on an institutional, programmatic level. OPR therefore approves tiering of environmental analyses and highlights some benefits of such an approach.
- Environmental impact reports (EIRs) must specifically consider a project's energy use and energy efficiency potential.

Senate Bills 1078, 107, and X1-2 and Executive Orders S-14-08 and S-21-09

Senate Bill 1078 (SB 1078) requires retail sellers of electricity, including investor-owned utilities and community choice aggregators, to provide at least 20 percent of their supply from renewable sources by 2017. Senate Bill 107 (SB 107) changed the target date to 2010. Executive Order S-14-08 was signed on November 2008 and expands the State’s Renewable Energy Standard to 33 percent renewable energy by 2020. Executive Order S-21-09 directed CARB to adopt regulations by July 31, 2010 to enforce S-14-08. Senate Bill X1-2 codifies the 33 percent renewable energy requirement by 2020.

Senate Bill 375

Senate Bill 375 (SB 375) was adopted September 2008 and aligns regional transportation planning efforts, regional GHG emission reduction targets, and land use and housing allocation. SB 375 requires Metropolitan Planning Organizations (MPO) to adopt a sustainable communities strategy (SCS) or alternate planning strategy (APS) that will prescribe land use allocation in that MPOs Regional Transportation Plan (RTP). CARB, in consultation with each MPO, will provide each affected region with reduction targets for GHGs emitted by passenger cars and light trucks in the region for the years 2020 and 2035. These reduction targets will be updated every eight years but can be updated every four years if advancements in emissions technologies affect the reduction strategies to achieve the targets. CARB is also charged with reviewing each MPO’s sustainable communities strategy or alternate planning strategy for consistency with its assigned targets.

The proposed project is located within the Southern California Association of Governments (SCAG) jurisdiction, which has authority to develop the SCS or APS. For the SCAG region, the targets set by CARB are at eight percent below 2005 per capita GHG emissions levels by 2020 and 13 percent below 2005 per capita GHG emissions levels by 2035. On April 4, 2012, SCAG adopted the 2012-2035 Regional Transportation Plan / Sustainable Communities Strategy (RTP/SCS),

which meets the CARB emission reduction requirements. The Housing Element Update is required by the State to be completed within 18 months after RTP/SCS adoption or by October 2013.

City and County land use policies, including General Plans, are not required to be consistent with the RTP and associated SCS or APS. However, new provisions of CEQA would incentivize, through streamlining and other provisions, qualified projects that are consistent with an approved SCS or APS and categorized as “transit priority projects.”

Senate Bill X7-7

Senate Bill X7-7 (SB X7-7), enacted on November 9, 2009, mandates water conservation targets and efficiency improvements for urban and agricultural water suppliers. SB X7-7 requires the Department of Water Resources (DWR) to develop a task force and technical panel to develop alternative best management practices for the water sector. In addition SB X7-7 required the DWR to develop criteria for baseline uses for residential, commercial, and industrial uses for both indoor and landscaped area uses. The DWR was also required to develop targets and regulations that achieve a statewide 20 percent reduction in water usage.

Assembly Bill 939 and Senate Bill 1374

Assembly Bill 939 (AB 939) requires that each jurisdiction in California to divert at least 50 percent of its waste away from landfills, whether through waste reduction, recycling or other means. Senate Bill 1374 (SB 1374) requires the California Integrated Waste Management Board to adopt a model ordinance by March 1, 2004 suitable for adoption by any local agency to require 50 to 75 percent diversion of construction and demolition of waste materials from landfills.

California Code of Regulations (CCR) Title 24, Part 6

CCR Title 24, Part 6: California’s Energy Efficiency Standards for Residential and Nonresidential Buildings (Title 24) were first established in 1978 in response to a legislative mandate to reduce California’s energy consumption. The standards are updated periodically to allow consideration and possible incorporation of new energy efficiency technologies and methods. Although it was not originally intended to reduce GHG emissions, electricity production by fossil fuels results in GHG emissions and energy efficient buildings require less electricity. Therefore, increased energy efficiency results in decreased GHG emissions.

The Energy Commission adopted 2008 Standards on April 23, 2008 and Building Standards Commission approved them for publication on September 11, 2008. These updates became effective on August 1, 2009.

All buildings for which an application for a building permit is submitted on or after July 1, 2014 must follow the 2013 standards. The 2013 commercial standards are estimated to be 30 percent more efficient than the 2008 standards; 2013 residential standards are at least 25 percent more efficient.

Energy efficient buildings require less electricity; therefore, increased energy efficiency reduces fossil fuel consumption and decreases greenhouse gas emissions.

California Green Building Standards

On January 12, 2010, the State Building Standards Commission unanimously adopted updates to the California Green Building Standards Code, which went into effect on January 1, 2011. The Code is a comprehensive and uniform regulatory code for all residential, commercial and school buildings.

The California Green Building Standards Code does not prevent a local jurisdiction from adopting a more stringent code as state law provides methods for local enhancements. The Code recognizes that many jurisdictions have developed existing construction and demolition ordinances, and defers to them as the ruling guidance provided they provide a minimum 50-percent diversion requirement. The code also provides exemptions for areas not served by construction and demolition recycling infrastructure. State building code provides the minimum standard that buildings need to meet in order to be certified for occupancy. Enforcement is generally through the local building official.

CCR Title 24, Part 11: California Green Building Standards (Title 24) became effective in 2001 in response to continued efforts to reduce GHG emissions associated with energy consumption. CCR Title 24, Part 11 now require that new buildings reduce water consumption, employ building commissioning to increase building system efficiencies, divert construction waste from landfills, and install low pollutant-emitting finish materials. One focus of CCR Title 24, Part 11 is water conservation measures, which reduce GHG emissions by reducing electrical consumption associated with pumping and treating water. CCR Title 24, Part 11 has approximately 52 nonresidential mandatory measures and an additional 130 provisions for optional use. Some key mandatory measures for commercial occupancies include specified parking for clean air vehicles, a 20 percent reduction of potable water use within buildings, a 50 percent construction waste diversion from landfills, use of building finish materials that emit low levels of volatile organic compounds, and commissioning for new, nonresidential buildings over 10,000 square feet.

4. Regional

The SCAQMD is the agency principally responsible for comprehensive air pollution control in the South Coast Air Basin. To that end, as a regional agency, the SCAQMD works directly with the Southern California Association of Governments (SCAG), county transportation commissions, and local governments and cooperates actively with all federal and state agencies.

South Coast Air Quality Management District

The SCAQMD develops rules and regulations, establishes permitting requirements for stationary sources, inspects emission sources, and enforces such measures through

educational programs or fines, when necessary. The SCAQMD is directly responsible for reducing emissions from stationary, mobile, and indirect sources. It has responded to this requirement by preparing a sequence of AQMPs. A revised draft of the 2012 AQMP was released on September, 2012, was adopted by the SCAQMD Board on December 7, 2012, and was adopted by CARB via Resolution 13-3 on January 25, 2013. The 2012 AQMP was prepared in order to meet the federal Clean Air Act requirement that all 24-hour PM_{2.5} non-attainment areas prepare a SIP, that were required to be submitted to the U.S. EPA by December 14, 2012 and demonstrate attainment with the 24-hour PM_{2.5} standard by 2014. The 2012 AQMP demonstrates attainment of the federal 24-hour PM_{2.5} standard by 2014 in the Basin through adoption of all feasible measures, and therefore, no extension of the attainment date is needed.

The 2007 AQMP demonstrated attainment with the 1997 8-hour ozone (80 ppb) standard by 2023, through implementation of future improvements in control techniques and technologies. These “black box” emissions reductions represent 65 percent of the remaining NO_x emission reductions by 2023 in order to show attainment with the 1997 8-hour ozone NAAQS. Given the magnitude of these needed emissions reductions, additional NO_x control measures have been provided in this AQMP even though the primary purpose of this AQMP is to show compliance with 24-hour PM_{2.5} emissions standards.

The 2012 AQMP is designed to satisfy the California Clean Air Act’s (CCAA) emission reductions of five percent per year or adoption of all feasible measures requirements and fulfill the EPA’s requirement to update transportation conformity emissions budgets based on the latest approved motor vehicle emissions model and planning assumptions. The 2012 AQMP updates and revises the previous 2007 AQMP. The 2012 AQMP was prepared to comply with the Federal and State CCAA and amendments, to accommodate growth, to reduce the high pollutant levels in the Basin, to meet Federal and State ambient air quality standards, and to minimize the fiscal impact that pollution control measures have on the local economy. The purpose of the 2012 AQMP for the Basin is to set forth a comprehensive program that will lead this area into compliance with all federal and state air-quality planning requirements.

The 2012 AQMP builds upon the approaches taken in the 2007 AQMP for the attainment of federal PM and ozone standards, and highlights the significant amount of reductions needed and the need to engage in interagency coordinated planning of mobile sources to meet all of the federal criteria pollutant standards. Compared with the 2007 AQMP, the 2012 AQMP utilizes revised emissions inventory projections that use 2008 as the base year. On-road emissions are calculated using CARB EMFAC2011 emission factors and the transportation activity data provided by SCAG from their 2012 Regional Transportation Plan (2012 RTP). Off-road emissions were updated using CARB’s 2011 In-Use Off-Road Fleet Inventory Model. Since the 2007 AQMP was finalized new area source categories such as liquid propane gas (LPG) transmission losses, storage tank and pipeline cleaning and degassing, and architectural colorants, were created and included in the emissions inventories. The 2012 AQMP also includes analysis of several additional sources of GHG emissions such as landfills and could also assist in reaching the GHG target goals in the AB32 Scoping Plan.

The control measures in the 2012 AQMP consist of three components: 1) Basin-wide and episodic short-term PM2.5 measures; 2) Section 182(e)(5) implementation measures; and 3) Transportation control measures. Many of the control measures are not based on command and control regulations, but instead focus on incentives, outreach, and education to bring about emissions reductions through voluntary participation and behavioral changes. More broadly, a transition to zero- and near-zero emission technologies is necessary to meet 2023 and 2032 air quality standards and 2050 climate goals. Many of the same technologies will address both air quality and climate needs.

On June 21, 2002, the SCAQMD adopted the 2002 Coachella Valley PM10 State Implementation Plan (CVSIP). The 2002 CVSIP, which included a request for extension of the PM10 deadline and met all applicable federal Clean Air Act requirements, including a Most Stringent Measures analysis, control measures, and attainment demonstration. U.S. EPA approved the 2002 CVSIP on April 18, 2003. At the time of adoption, the AQMD committed to revising with the 2002 CVSIP with the latest approved mobile source emissions estimates, planning assumptions and fugitive dust source emission estimates, when they became available.

The 2003 CVSIP updates those elements of the 2002 CVSIP; the control strategies and control measure commitments have not been revised and remain the same as in the 2002 CVSIP. The 2003 CVSIP contains updated emissions inventories, emission budgets, and attainment modeling. It requests that U.S. EPA replace the approved transportation conformity budgets in the 2002 CVSIP with those in the 2003 CVSIP. U.S. EPA approved these budgets on March 25, 2004 with an effective date of April 9, 2004.

During construction and operation, the project must comply with applicable rules and regulations. The following are rules the project may be required to comply with, either directly, or indirectly:

SCAQMD Rule 402 prohibits a person from discharging from any source whatsoever such quantities of air contaminants or other material which cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or which endanger the comfort, repose, health or safety of any such persons or the public, or which cause, or have a natural tendency to cause, injury or damage to business or property.

SCAQMD Rule 403 governs emissions of fugitive dust during construction and operation activities. Compliance with this rule is achieved through application of standard Best Management Practices, such as application of water or chemical stabilizers to disturbed soils, covering haul vehicles, restricting vehicle speeds on unpaved roads to 15 miles per hour, sweeping loose dirt from paved site access roadways, cessation of construction activity when winds exceed 25 mph, and establishing a permanent ground cover on finished sites.

Rule 403 requires that fugitive dust be controlled with best available control measures so that the presence of such dust does not remain visible in the atmosphere beyond

the property line of the emission source. In addition, SCAQMD Rule 403 requires implementation of dust suppression techniques to prevent fugitive dust from creating a nuisance off-site. Applicable dust suppression techniques from Rule 403 are summarized below. Implementation of these dust suppression techniques can reduce the fugitive dust generation (and thus the PM₁₀ component). Compliance with these rules would reduce impacts on nearby sensitive receptors. Rule 403 measures may include, but are not limited to the following:

- Apply nontoxic chemical soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for 10 days or more).
- Water active sites at least three times daily. (Locations where grading is to occur will be thoroughly watered prior to earthmoving.)
- Cover all trucks hauling dirt, sand, soil, or other loose materials, or maintain at least 0.6 meters (2 feet) of freeboard (vertical space between the top of the load and top of the trailer) in accordance with the requirements of California Vehicle Code section 23114.
- Reduce traffic speeds on all unpaved roads to 15 miles per hour (mph) or less.
- Suspension of all grading activities when wind speeds (including instantaneous wind gusts) exceed 25 mph.
- Bumper strips or similar best management practices shall be provided where vehicles enter and exit the construction site onto paved roads or wash off trucks and any equipment leaving the site each trip.
- Replanting disturbed areas as soon as practical.
- During all construction activities, construction contractors shall sweep on-site and off-site streets if silt is carried to adjacent public thoroughfares, to reduce the amount of particulate matter on public streets. All sweepers shall be compliant with SCAQMD Rule 1186.1, Less Polluting Sweepers.

SCAQMD Rule 445 prohibits permanently installed wood burning devices into any new development. A wood burning device means any fireplace, wood burning heater, or pellet-fueled wood heater, or any similarly enclosed, permanently installed, indoor or outdoor device burning any solid fuel for aesthetic or space-heating purposes, which has a heat input of less than one million British thermal units per hour.

SCAQMD Rule 481 applies to all spray painting and spray coating operations and equipment. The rule states that a person shall not use or operate any spray painting or spray coating equipment unless one of the following conditions is met:

- (1) The spray coating equipment is operated inside a control enclosure, which is approved by the Executive Officer. Any control enclosure for which an application for permit for new construction, alteration, or change of ownership or location is submitted after the date of adoption of this rule shall be exhausted only through filters at a design face velocity not less than 100 feet per minute nor greater than 300 feet per minute, or through a water wash system designed to be equally effective for the purpose of air pollution control.

- (2) Coatings are applied with high-volume low-pressure, electrostatic and/or airless spray equipment.
- (3) An alternative method of coating application or control is used which has effectiveness equal to or greater than the equipment specified in the rule.

SCAQMD Rule 1108 governs the sale, use, and manufacturing of asphalt and limits the volatile organic compound (VOC) content in asphalt used in the South Coast Air Basin. This rule would regulate the VOC content of asphalt used during construction. Therefore, all asphalt used during construction of the project must comply with SCAQMD Rule 1108.

SCAQMD Rule 1113 governs the sale, use, and manufacturing of architectural coating and limits the VOC content in paints and paint solvents. This rule regulates the VOC content of paints available during construction. Therefore, all paints and solvents used during construction and operation of the project must comply with SCAQMD Rule 1113.

SCAQMD Rule 1143 governs the manufacture, sale, and use of paint thinners and solvents used in thinning of coating materials, cleaning of coating application equipment, and other solvent cleaning operations by limiting their VOC content. This rule regulates the VOC content of solvents used during construction. Solvents used during the construction phase must comply with this rule.

SCAQMD Rule 1186 limits the presence of fugitive dust on paved and unpaved roads and sets certification protocols and requirements for street sweepers that are under contract to provide sweeping services to any federal, state, county, agency or special district such as water, air, sanitation, transit, or school district.

SCAQMD Rule 1303 governs the permitting of re-located or new major emission sources, requiring Best Available Control Measures and setting significance limits for PM₁₀ among other pollutants.

SCAQMD Rule 1401, New Source Review of Toxic Air Contaminants, specifies limits for maximum individual cancer risk, cancer burden, and non-cancer acute and chronic hazard index from new permit units, relocations, or modifications to existing permit units, which emit toxic air contaminants.

SCAQMD Rule 2202, On-Road Motor Vehicle Mitigation Options, is to provide employers with a menu of options to reduce mobile source emissions generated from employee commutes, to comply with federal and state Clean Air Act requirements, Health & Safety Code Section 40458, and Section 182(d)(1)(B) of the federal Clean Air Act. It applies to any employer who employs 250 or more employees on a full or part-time basis at a worksite for a consecutive six-month period calculated as a monthly average.

In order to assist local agencies with direction on GHG emissions, the SCAQMD organized a working group and adopted Rules 2700, 2701, 2702, and 3002 which are described below.

SCAQMD Working Group

Since neither CARB nor the OPR has developed GHG emissions threshold, the SCAQMD formed a Working Group to develop significance thresholds related to GHG emissions. At the September 28, 2010 Working Group meeting, the SCAQMD released its most current version of the draft GHG emissions thresholds, which recommends a tiered approach that provides a quantitative annual thresholds of 10,000 MTCO₂e for industrial uses.

Rules 2700 and 2701

The SCAQMD adopted Rules 2700 and 2701 on December 5, 2008, which establishes the administrative structure for a voluntary program designed to quantify GHG emission reductions. Rule 2700 establishes definitions for the various terms used in Regulation XXVII – Global Climate Change. Rule 2701 provides specific protocols for private parties to follow to generate certified GHG emission reductions for projects within the district. Approved protocols include forest projects, urban tree planting, and manure management. The SCAQMD is currently developing additional protocols for other reduction measures. For a GHG emission reduction project to qualify, it must be verified and certified by the SCAQMD Executive Officer, who has 60 days to approve or deny the Plan to reduce GHG emissions. Upon approval of the Plan, the Executive Officer issues required to issue a certified receipt of the GHG emission reductions within 90 days.

Rule 2702

The SCAQMD adopted Rule 2702 on February 6, 2009, which establishes a voluntary air quality investment program from which SCAQMD can collect funds from parties that desire certified GHG emission reductions, pool those funds, and use them to purchase or fund GHG emission reduction projects within two years, unless extended by the Governing Board. Priority will be given to projects that result in co-benefit emission reductions of GHG emissions and criteria or toxic air pollutants within environmental justice areas. Further, this voluntary program may compete with the cap-and-trade program identified for implementation in CARB's Scoping Plan, or a Federal cap and trade program.

Rule 3002

The SCAQMD amended Rule 3002 on November 5, 2010 to include facilities that emit greater than 100,000 tons per year of CO₂e are required to apply for a Title V permit by July 1, 2011. A Title V permit is for facilities that are considered major sources of emissions.

Although the SCAQMD is responsible for regional air quality planning efforts, it does not have the authority to directly regulate air quality issues associated with plans and new development projects throughout the South Coast Air Basin. Instead, this is controlled through local jurisdictions in accordance with the California Environmental Quality Act (CEQA). In order to assist local jurisdictions with air quality compliance

issues the CEQA Air Quality Handbook (SCAQMD CEQA Handbook), prepared by the SCAQMD, 1993, with the most current updates found at <http://www.aqmd.gov/ceqa/hdbk.html>, was developed in accordance with the projections and programs of the AQMP. The purpose of the SCAQMD CEQA Handbook is to assist Lead Agencies, as well as consultants, project proponents, and other interested parties in evaluating a proposed project's potential air quality impacts. Specifically, the SCAQMD CEQA Handbook explains the procedures that the SCAQMD recommends be followed for the environmental review process required by CEQA. The SCAQMD CEQA Handbook provides direction on how to evaluate potential air quality impacts, how to determine whether these impacts are significant, and how to mitigate these impacts. The SCAQMD intends that by providing this guidance, the air quality impacts of plans and development proposals will be analyzed accurately and consistently throughout the South Coast Air Basin, and adverse impacts will be minimized.

Southern California Association of Governments

The SCAG is the regional planning agency for Los Angeles, Orange, Ventura, Riverside, San Bernardino and Imperial Counties and addresses regional issues relating to transportation, the economy, community development and the environment. SCAG is the Federally designated MPO for the majority of the southern California region and is the largest MPO in the nation. With respect to air quality planning, SCAG has prepared the Regional Transportation Plan and Regional Transportation Improvement Plan (RTIP), which addresses regional development and growth forecasts. These plans form the basis for the land use and transportation components of the AQMP, which are utilized in the preparation of air quality forecasts and in the consistency analysis included in the AQMP. The Regional Transportation Plan, Regional Transportation Improvement Plan, and AQMP are based on projections originating within the City and County General Plans.

5. Local – County of San Bernardino

Local jurisdictions, such as the County of San Bernardino, have the authority and responsibility to reduce air pollution through its police power and decision-making authority. Specifically, the County is responsible for the assessment and mitigation of air emissions resulting from its land use decisions. The County is also responsible for the implementation of transportation control measures as outlined in the 2007 AQMP. Examples of such measures include bus turnouts, energy-efficient streetlights, and synchronized traffic signals. In accordance with CEQA requirements and the CEQA review process, the County assesses the air quality impacts of new development projects, requires mitigation of potentially significant air quality impacts by conditioning discretionary permits, and monitors and enforces implementation of such mitigation.

In accordance with the CEQA requirements, the County does not, however, have the expertise to develop plans, programs, procedures, and methodologies to ensure that air quality within the County and region will meet federal and state standards. Instead, the County relies on the expertise of the SCAQMD and utilizes the SCAQMD

CEQA Handbook as the guidance document for the environmental review of plans and development proposals within its jurisdiction.

Goal CO 4 from the County of San Bernardino 2007 General Plan, March 13, 2007, contains the following air quality-related policies that are applicable to the proposed project:

- CO 4.2** Coordinate air quality improvements technologies with the SCAQMD and the Mojave Air Quality Management District (MAQMD) to improve air quality through reductions in pollutants from the region.
- CO 4.4** Because congestion resulting from growth is expected to result in a significant increase in the air quality degradation, the County may manage growth by insuring the timely provision of infrastructure to serve new development.
- CO 4.5** Reduce emissions through reduced energy consumption.
- CO 4.6** Provide incentives such as preferential parking for alternative-fuel vehicles (e.g., CNG or hydrogen).

B. Monitored Air Quality

The air quality at any site is dependent on the regional air quality and local pollutant sources. Regional air quality is determined by the release of pollutants throughout the air basin. Estimates of the existing emissions in the Basin provided in the Final 2012 Air Quality Management Plan, prepared by SCAQMD, December 2012, indicate that collectively, mobile sources account for 59 percent of the VOC, 88 percent of the NO_x emissions and 40 percent of directly emitted PM_{2.5}, with another 10 percent of PM_{2.5} from road dust.

The EPA and the ARB designate air basins where ambient air quality standards are exceeded as “nonattainment” areas. If standards are met, the area is designated as an “attainment” area. If there is inadequate or inconclusive data to make a definitive attainment designation, they are considered “unclassified.” National nonattainment areas are further designated as marginal, moderate, serious, severe, or extreme as a function of deviation from standards. Each standard has a different definition, or ‘form’ of what constitutes attainment, based on specific air quality statistics. For example, the Federal 8-hour CO standard is not to be exceeded more than once per year; therefore, an area is in attainment of the CO standard if no more than one 8-hour ambient air monitoring values exceeds the threshold per year. In contrast, the Federal annual PM_{2.5} standard is met if the three-year average of the annual average PM_{2.5} concentration is less than or equal to the standard. Attainment status is shown in Table 4.

The local air quality can be evaluated by reviewing relevant air pollution concentrations near the project area. For evaluation purposes, the SCAQMD has divided the District into 36 Source Receptor Areas (SRAs), operating monitoring stations in most of the areas. These SRAs are designated to provide a general representation of the local meteorological, terrain, and air quality conditions within the particular geographical area. The project is within the San Bernardino Valley Area SRA 32. SCAQMD operates an air monitoring station at 14360 Arrow Boulevard, Fontana, approximately 4.5 miles south-southeast of the project site.

Table 5 summarizes 2011 through 2013 published monitoring data from that station, which is the most recent 3-year period available. The data shows that during the past few years, the project area has exceeded the ozone and PM 2.5 standards. However, it should be noted that due to the air monitoring station distance from the project site, recorded air pollution levels at the air monitoring station reflect with varying degrees of accuracy, local air quality conditions at the project site.

Ozone

The monitoring data presented in Table 5 shows that ozone is an air pollutant of primary concern in the project area. It is a secondary pollutant as it is not directly emitted. Ozone is the result of chemical reactions between other pollutants, most importantly hydrocarbons and NO₂, which occur only in the presence of bright sunlight. Pollutants emitted from upwind cities react during transport downwind to produce the oxidant concentrations experienced in the area. Many areas of the SCAQMD contribute to the ozone levels experienced at the monitoring station, with the more significant areas being those directly upwind.

Carbon Monoxide

CO is another important pollutant that is due mainly to motor vehicles. The Fontana Station did not record an exceedance of the state or federal 1-hour or 8-hour CO standards for the last three years.

Nitrogen Dioxide

The Fontana Station did not record an exceedance of the State or Federal NO₂ standards for the last three years.

Particulate Matter

The monitoring data presented in Table 5 also shows that PM 2.5 is potentially an air pollutant of concern in the project area. According to the EPA, some people are much more sensitive than others to breathing fine particles (PM10 and PM2.5). People with influenza, chronic respiratory and cardiovascular diseases, and the elderly may suffer worsening illness and premature death due to breathing these fine particles. People with bronchitis can expect aggravated symptoms from breathing in fine particles. Children may experience decline in lung function due to breathing in PM10 and PM2.5. Other groups considered sensitive are smokers and people who cannot breathe well through their noses. Exercising athletes are also considered sensitive, because many breathe through their mouths during exercise.

Table 3

State and Federal Criteria Pollutant Standards

Air Pollutant	Concentration / Averaging Time		Most Relevant Effects
	California Standards	Federal Primary Standards	
Ozone (O ₃)	0.09 ppm/1-hour 0.07 ppm/8-hour	0.075 ppm/8-hour	(a) Decline in pulmonary function and localized lung edema in humans and animals; (b) Risk to public health implied by alterations in pulmonary morphology and host defense in animals; (c) Increased mortality risk; (d) Risk to public health implied by altered connective tissue metabolism and altered pulmonary morphology in animals after long-term exposures and pulmonary function decrements in chronically exposed humans; (e) Vegetation damage; and (f) Property damage.
Carbon Monoxide (CO)	20.0 ppm/1-hour 9.0 ppm/8-hour	35.0 ppm/1-hour 9.0 ppm/8-hour	(a) Aggravation of angina pectoris and other aspects of coronary heart disease; (b) Decreased exercise tolerance in persons with peripheral vascular disease and lung disease; (c) Impairment of central nervous system functions; and (d) Possible increased risk to fetuses.
Nitrogen Dioxide (NO ₂)	0.18 ppm/1-hour 0.03 ppm/annual	100 ppb/1-hour 0.053 ppm/annual	(a) Potential to aggravate chronic respiratory disease and respiratory symptoms in sensitive groups; (b) Risk to public health implied by pulmonary and extra-pulmonary biochemical and cellular changes and pulmonary structural changes; and (c) Contribution to atmospheric discoloration.
Sulfur Dioxide (SO ₂)	0.25 ppm/1-hour 0.04 ppm/24-hour	75 ppb/1-hour 0.14 ppm/annual	(a) Bronchoconstriction accompanied by symptoms which may include wheezing, shortness of breath and chest tightness, during exercise or physical activity in persons with asthma.
Suspended Particulate Matter (PM ₁₀)	50 µg/m ³ /24-hour 20 µg/m ³ /annual	150 µg/m ³ /24-hour	(a) Exacerbation of symptoms in sensitive patients with respiratory or cardiovascular disease; (b) Declines in pulmonary function growth in children; (c) Increased risk of premature death from heart or lung diseases in elderly.
Suspended Particulate Matter (PM _{2.5})	12 µg/m ³ / annual	35 µg/m ³ /24-hour 15 µg/m ³ /annual	
Sulfates	25 µg/m ³ /24-hour	No Federal Standards	(a) Decrease in ventilatory function; (b) Aggravation of asthmatic symptoms; (c) Aggravation of cardio-pulmonary disease; (d) Vegetation damage; (e) Degradation of visibility; (f) property damage.
Lead	1.5 µg/m ³ /30-day	0.15 µg/m ³ /3-month rolling	(a) Learning disabilities; (b) Impairment of blood formation and nerve conduction.
Visibility Reducing Particles	Extinction coefficient of 0.23 per kilometer-visibility of 10 miles or more due to particles when humidity is less than 70 percent.	No Federal Standards	Visibility impairment on days when relative humidity is less than 70 percent.

¹ Source: <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf> .

Table 4

South Coast Air Basin Attainment Status

Pollutant	Averaging Time	National Standards ¹	Attainment Date ²	California Standards ³
1979 1-Hour Ozone ⁴	1-Hour (0.12 ppm)	Nonattainment (Extreme)	11/15/2010 (Not attained ⁴)	Extreme Nonattainment
1997 8-Hour Ozone ⁵	8-Hour (0.08 ppm)	Nonattainment (Extreme)	6/15/2024	Nonattainment
2008 8-Hour Ozone	8-Hour (0.075 ppm)	Nonattainment (Extreme)	12/31/2032	
CO	1-Hour (35 ppm) 8-Hour (9 ppm)	Attainment (Maintenance)	6/11/2007 (Attained)	Maintenance
NO ₂ ⁶	1-Hour (100 ppb) Annual (0.053 ppm)	Attainment (Maintenance)	9/22/1998 (Attained)	Attainment
SO ₂ ⁷	1-Hour (75 ppb)	Designations Pending	Pending	Attainment
	24-Hour (0.14 ppm) Annual (0.03 ppm)	Unclassifiable/ Attainment	3/19/1979 (Attained)	
PM10	24-Hour (150 µg/m ³)	Nonattainment (Serious) ⁸	12/31/2006 (Redesignation request submitted) ⁸	Nonattainment
PM2.5	24-Hour (35 µg/m ³)	Nonattainment	--	Nonattainment
Lead	3-Months Rolling (0.15 µg/m ³)	Nonattainment (Partial) ⁹	12/31/2015	Attainment

¹ Obtained from Draft 2012 AQMP, SCAQMD, 2012. EPA often only declares Nonattainment areas; everywhere else is listed as Unclassified/Attainment or Unclassifiable.

² A design value below the NAAQS for data through the full year or smog season prior to the attainment date is typically required for attainment demonstration.

³ Obtained from <http://www.arb.ca.gov/desig/adm/adm.htm>.

⁴ 1-hour O₃ standard (0.13 ppm) was revoked, effective June 15, 2005; however, the Basin has not attained this standard based on 2008-2010 data has some continuing obligations under the former standard.

⁵ 1997 8-hour O₃ standard (0.08 ppm) was reduced (0.075 ppm), effective May 27, 2008; the 1997 O₃ standard and most related implementation rules remain in place until the 1997 standard is revoked by U.S. EPA.

⁶ New NO₂ 1-hour standard, effective August 2, 2010; attainment designations January 20, 2012; annual NO₂ standard retained.

⁷ The 1971 annual and 24-hour SO₂ standards were revoked, effective August 23, 2010; however, these 1971 standards will remain in effect until one year after U.S. EPA promulgates area designations for the 2010 SO₂ 1-hour standard. Area designations expected in 2012, with SSAB designated Unclassifiable/Attainment.

⁸ Annual PM10 standard was revoked, effective December 18, 2006; redesignation request to Attainment of the 24-hour PM10 standard is pending with U.S. EPA

⁹ Partial Nonattainment designation - Los Angeles County portion of Basin only.

Table 5

Air Quality Monitoring Summary¹

Pollutant (Standard) ²	Year		
	2011	2012	2013
Ozone:			
Maximum 1-Hour Concentration (ppm)	0.144	0.142	0.151
Days > CAAQS (0.09 ppm)	39	60	34
Maximum 8-Hour Concentration (ppm)	0.124	0.110	0.122
Days > NAAQS (0.075 ppm)	39	62	42
Days > CAAQS (0.070 ppm)	53	88	68
Carbon Monoxide:			
Maximum 8-Hour Concentration (ppm)	1.15	1.76	-
Days > CAAQS (9 ppm)	0	0	-
Days > NAAQS (9 ppm)	0	0	-
Nitrogen Dioxide:³			
Annual Average (ppb)	21	21	20
1-Hour 98th Percentile	64.6	61.1	60.5
Maximum 1-Hour Concentration (ppb)	76.4	69.1	81.7
Days > CAAQS (0.18 ppm)	0	0	0
Inhalable Particulates (PM10)³:			
Maximum 24-Hour Concentration (ug/m ³)	84.0	67.0	90.0
Days > NAAQS (150 ug/m ³)	0	0	0
Days > CAAQS (50 ug/m ³)	4	5	15
Annual Average (ug/m ³)	31.8	34.3	40.7
Ultra-Fine Particulates (PM2.5):			
Maximum 24-Hour Concentration (ug/m ³)	60.1	39.9	43.6
Days > NAAQS (35 ug/m ³)	2	3	1
Annual Average (ug/m ³)	12.9	12.4	12.6

-- means no data available

¹ Source: <http://www.arb.ca.gov/adam/topfour/topfour1.php>

Data from the Fontana-Arrow Highway monitoring station unless noted.

² CAAQS = California Ambient Air Quality Standard; NAAQS = National Ambient Air Quality Standard; ppm = parts per million

V. Air Quality Standards

A. Regional Air Quality

Many air quality impacts that derive from dispersed mobile sources, which are the dominate pollution generators in the basin, often occurs hours later and miles away after photochemical processes have converted primary exhaust pollutants into secondary contaminants such as ozone. The incremental regional air quality impact of an individual project is generally very small and difficult to measure. Therefore, the SCAQMD has developed significance thresholds based on the volume of pollution emitted rather than on actual ambient air quality because the direct air quality impact of a project is not quantifiable on a regional scale. The SCAQMD CEQA Handbook states that any project in the South Coast Air Basin with daily emissions that exceed any of the identified significance thresholds should be considered as having an individually and cumulatively significant air quality impact. For the purposes to this air quality impact analysis, a regional air quality impact would be considered significant if emissions exceed the SCAQMD significance thresholds identified in Table 6.

B. Local Air Quality

Project-related construction air emissions may have the potential to exceed the State and Federal air quality standards in the project vicinity, even though these pollutant emissions may not be significant enough to create a regional impact to the South Coast Air Basin. In order to assess local air quality impacts the SCAQMD has developed Localized Significant Thresholds (LSTs) to assess the project-related air emissions in the project vicinity. The SCAQMD has also provided Final Localized Significant Threshold Methodology (LST Methodology), June 2003, which details the methodology to analyze local air emission impacts. The Localized Significant Threshold Methodology found that the primary emissions of concern are NO₂, CO, PM10, and PM2.5. Table 6 shows the ambient air quality standards for NO₂, CO, PM10, and PM2.5.

C. Toxic Air Contaminants

Construction

Project construction equipment would emit DPM, which is a carcinogen. However, the DPM emissions are short-term in nature. Determination of risk from DPM is considered over a 70-year exposure period because carcinogenic risk is directly related to sustained exposure. In contrast, construction activities would be limited to a period of approximately 10 years total (for all 3 phases). Thus, duration of construction activities would represent a fraction of the 70-year exposure period used as the basis for assessing the significance of carcinogenic risk exposure and, therefore, would not represent a source of sustained DPM emissions. Therefore, considering the short time frame, exposure to DPM is anticipated to be less than significant.

Operation

The project is a proposed Buddhist temple and will not be a source of toxic air contaminants. Sensitive receptors would not be exposed to toxic sources of air pollution.

D. Odor Impacts

The SCAQMD CEQA Handbook states that an odor impact would occur if the proposed project creates an odor nuisance pursuant to SCAQMD Rule 402, which states:

A person shall not discharge from any source whatsoever such quantities of air contaminants or other material which cause injury, detriment, nuisance, or annoyance to any considerable number of persons to the public, or which endanger the comfort, repose, health or safety of any such persons or the public, or which cause, or have a natural tendency to cause, injury or damage to business or property.

The provisions of this rule shall not apply to odors emanating from agricultural operations necessary for the growing of crops or the raising of fowl or animals.

If the proposed project results in a violation of Rule 402 with regards to odor impacts, then the proposed project would create a significant odor impact.

E. Greenhouse Gases

South Coast Air Quality Management District (SCAQMD). The project is within the South Coast Air Basin, which is under the jurisdiction of the SCAQMD.

SCAQMD Regulation XXVII, Climate Change. SCAQMD Regulation XXVII currently includes three rules:

- The purpose of Rule 2700 is to define terms and post global warming potentials.
- The purpose of Rule 2701, SoCal Climate Solutions Exchange, is to establish a voluntary program to encourage, quantify, and certify voluntary, high quality certified greenhouse gas emission reductions in the SCAQMD.
- Rule 2702, Greenhouse Gas Reduction Program, was adopted on February 6, 2009. The purpose of this rule is to create a Greenhouse Gas Reduction Program for greenhouse gas emission reductions in the SCAQMD. The SCAQMD will fund projects through contracts in response to requests for proposals or purchase reductions from other parties.

A variety of agencies have developed greenhouse gas emission thresholds and/or have made recommendations for how to identify a threshold. However, the thresholds for projects in the jurisdiction of the SCAQMD remain in flux. The California Air Pollution Control Officers Association explored a variety of threshold approaches, but did not recommend one approach (2008). The ARB recommended approaches for setting interim significance thresholds (California Air Resources Board 2008b), in which a draft industrial project threshold suggests that non-transportation related emissions under 7,000 MTCO_{2e}

per year would be less than significant; however, the ARB has not approved those thresholds and has not published anything since then. The Bay Area Air Quality Management District and the San Joaquin Valley Air Pollution Control District have both developed greenhouse gas thresholds. However, those thresholds are not applicable to the project since the project is under the jurisdiction of the SCAQMD. The SCAQMD is in the process of developing thresholds, as discussed below.

SCAQMD Threshold Development. On December 5, 2008, the SCAQMD Governing Board adopted an interim greenhouse gas significance threshold for stationary sources, rules, and plans where the SCAQMD is lead agency (SCAQMD permit threshold). The SCAQMD permit threshold consists of five tiers. However, the SCAQMD is not the lead agency for this project. Therefore, the five permit threshold tiers do not apply to the proposed project.

The SCAQMD is in the process of preparing recommended significance thresholds for greenhouse gases for local lead agency consideration (“SCAQMD draft local agency threshold”); however, the SCAQMD Board has not approved the thresholds as of the date of the Notice of Preparation. The current draft thresholds consist of the following tiered approach:

Tier 1 consists of evaluating whether or not the project qualifies for any applicable exemption under CEQA.

- Tier 2 consists of determining whether the project is consistent with a greenhouse gas reduction plan. If a project is consistent with a qualifying local greenhouse gas reduction plan, it does not have significant greenhouse gas emissions.
- Tier 3 consists of screening values, which the lead agency can choose, but must be consistent with all projects within its jurisdiction. A project’s construction emissions are averaged over 30 years and are added to a project’s operational emissions. If a project’s emissions are under one of the following screening thresholds, then the project is less than significant:
 - All land use types: 3,000 MTCO₂e per year
 - Based on land use type: residential: 3,500 MTCO₂e per year; commercial: 1,400 MTCO₂e per year; or mixed use: 3,000 MTCO₂e per year.
- Tier 4 has the following options:
 - Option 1: Reduce emissions from business as usual by a certain percentage; this percentage is currently undefined (CARB recommends 15 percent from 2010 BAU).
 - Option 2: Early implementation of applicable AB 32 Scoping Plan measures.
 - Option 3, 2020 target for service populations (SP), which includes residents and employees: 4.8 MTCO₂e/SP/year for projects and 6.6 MTCO₂e/SP/year for plans;

- Option 3, 2035 target: 3.0 MTCO₂e/SP/year for projects and 4.1 MTCO₂e/SP/year for plans.
- Tier 5 involves mitigation offsets to achieve target significance threshold.

The SCAQMD's draft threshold uses the Executive Order S-3-05 goal as the basis for the Tier 3 screening level. Achieving the Executive Order's objective would contribute to worldwide efforts to cap carbon dioxide concentrations at 450 ppm, thus stabilizing global climate.

County of San Bernardino. The County of San Bernardino GHG Emissions Reduction Plan (GHG Plan) requires the reduction of 159,423 metric tons of CO₂ equivalent emissions (MTCO₂e) per year from new development by 2020 as compared to the unmitigated conditions. The Greenhouse Gas Emissions Development Review Processes (GHG Review Processes), prepared for County of San Bernardino, August 2011, provides project level direction on how the County plans to achieve the reduction in GHG Emissions. The GHG Review Processes determined that projects that do not exceed 3,000 MTCO₂e per year will be consistent with the GHG Plan and determined to have a less than significant individual and cumulative impact for GHG emissions. For projects that exceed 3,000 MTCO₂e per year of GHG emissions the applicant may choose to either; utilize the Screening Tables, which consist of a list of mitigation measures, rated for their effectiveness and provide mitigation to reach 100 points; or provide a detailed GHG analysis that quantifies project design features or mitigation measures in order to reduce GHG emissions by 31 percent or more over year 2020 unmitigated GHG emissions levels.

Table 6

SCAQMD Air Quality Significance Thresholds¹

Mass Daily Thresholds		
Pollutant	Construction (lbs/day)	Operation (lbs/day)
NOx	100	55
VOC	75	55
PM10	150	150
PM2.5	55	55
SOx	150	150
CO	550	550
Lead	3	3
Toxic Air Contaminants, Odor and GHG Thresholds		
TACs	Maximum Incremental Cancer Risk \geq 10 in 1 million Cancer Burden > 0.5 excess cancer cases (in areas \geq 1 in 1 million) Chronic & Acute Hazard Index > 1.0 (project increment)	
Odor	Project creates an odor nuisance pursuant to SCAQMD Rule 402	
GHG	10,000 MT/yr CO ₂ e for industrial facilities	
Ambient Air Quality Standards		
Pollutant	SCAQMD Standards	
NO ₂ -1-hour average	0.18 ppm (338 $\mu\text{g}/\text{m}^3$)	
PM10 -24-hour average	10.4 $\mu\text{g}/\text{m}^3$ 2.5 $\mu\text{g}/\text{m}^3$	
Construction	10.4 $\mu\text{g}/\text{m}^3$	
Operations	2.5 $\mu\text{g}/\text{m}^3$	
PM2.5 -24-hour average	10.4 $\mu\text{g}/\text{m}^3$ 2.5 $\mu\text{g}/\text{m}^3$	
Construction	10.4 $\mu\text{g}/\text{m}^3$	
Operations	2.5 $\mu\text{g}/\text{m}^3$	
SO ₂	0.25 ppm 0.04 ppm	
1-hour average	0.25 ppm	
24-hour average	0.04 ppm	
CO	20 ppm (23,000 $\mu\text{g}/\text{m}^3$) 9 ppm (10,000 $\mu\text{g}/\text{m}^3$)	
1-hour average	20 ppm (23,000 $\mu\text{g}/\text{m}^3$)	
8-hour average	9 ppm (10,000 $\mu\text{g}/\text{m}^3$)	
Lead	1.5 $\mu\text{g}/\text{m}^3$ 0.15 $\mu\text{g}/\text{m}^3$ 1.5 $\mu\text{g}/\text{m}^3$	
30-day average	1.5 $\mu\text{g}/\text{m}^3$	
Rolling 3-month average	0.15 $\mu\text{g}/\text{m}^3$	
Quarterly average	1.5 $\mu\text{g}/\text{m}^3$	

¹ Source: <http://www.aqmd.gov/ceqa/handbook/signthres.pdf>

VI. Short-Term Construction Impacts

Construction activities associated with the proposed project would have the potential to generate air emissions, toxic air contaminant emissions, and odor impacts. Assumptions for the duration of project construction were obtained from the project applicant. The construction activities for the proposed project are anticipated to include: for Phase one, grading of 16.5 acres (import of 33,912 cubic yards [CY]), building construction of 65,000 square feet of buildings, painting, and paving of approximately 4.35 acres of internal roads and a 58-space parking lot; for Phase two; grading of 19.78 acres (import of 106,461 CY), building construction of 53,140 square feet and a 9.49-acre parking lot, painting and paving of the parking and approximately 4.95 acres of internal roads; for Phase three, fine grading of 5.84 acres, building construction of 41,100 square feet of buildings, painting, and paving of approximately 1.46 acres of internal roads. Please see Section I, subsections C and D of this report for more details on project description and project phasing. The project is anticipated to start construction no sooner than September 2015 and last approximately 10 years. It is anticipated that phase two will begin construction after phase one is complete, and phase three will begin construction when phase two is complete. Phase one is anticipated to be completed in 2019, phase two in 2023, and phase three in 2025. Construction of Phase one, two, and three are not anticipated to overlap.

A. Construction-Related Regional Impacts

The construction-related regional air quality impacts have been analyzed for both criteria pollutants and GHGs.

1. Construction-Related Criteria Pollutants Analysis

The following provides a discussion of the methodology used to calculate regional construction air emissions and an analysis of the proposed project's short-term construction emissions for the criteria pollutants.

Methodology

Typical emission rates from construction activities were obtained from CalEEMod Version 2013.2.2 CalEEMod is a computer model published by the SCAQMD for estimating air pollutant emissions. The CalEEMod program uses the EMFAC2011 computer program to calculate the emission rates specific for the western portion of San Bernardino County for construction-related employee vehicle trips and the OFFROAD2011 computer program to calculate emission rates for heavy truck operations. EMFAC2011 and OFFROAD2011 are computer programs generated by CARB that calculates composite emission rates for vehicles. Emission rates are reported by the program in grams per trip and grams per mile or grams per running hour. Using CalEEMod, the peak daily air pollutant emissions during each phase was calculated and presented below. These emissions represent the highest level of emissions for each of the construction phases in terms of air pollutant emissions. The construction emissions printouts from CalEEMod are provided in Appendix B.

The Project will be required to comply with existing SCAQMD rules for the reduction of fugitive dust emissions. SCAQMD Rule 403 establishes these procedures. Compliance with this rule is achieved through application of standard best management practices in construction and operation activities, such as application of water or chemical stabilizers to disturbed soils, managing haul road dust by application of water, covering haul vehicles, restricting vehicle speeds on unpaved roads to 15 mph, sweeping loose dirt from paved site access roadways, cessation of construction activity when winds exceed 25 mph and establishing a permanent, stabilizing ground cover on finished sites. In addition, projects that disturb 50 acres or more of soil or move 5,000 cubic yards of materials per day are required to submit a Fugitive Dust Control Plan or a Large Operation Notification Form to SCAQMD. Based on the size of the Project area (approximately 35 acres total) a Fugitive Dust Control Plan or Large Operation Notification would not be required; furthermore, as the project will be graded in three, discrete phases and the daily disturbance is not anticipated to exceed 5 acres per day, a Fugitive Dust Control Plan or Large Operation Notification would not therefore be required.

The phases of the construction activities which have been analyzed in the tables below are: 1) grading, 2) building construction, 3) paving, and 4) application of architectural coatings. Building construction, paving and painting phases may overlap during construction of each, discrete phase. The emissions for the overlapping construction phases were added together and the total shown in Table 7. See CalEEMod Output (Appendix B) for details.

Per SCAQMD Rule 1113 as amended on June 3, 2011, the architectural coatings that would be applied after January 1, 2014 will be limited to an average of 50 grams per liter or less. For Phase one, the interior area to be painted is 97,707 square feet, exterior (including parking lot with 6 percent coverage) is 32,726 square feet; for Phase two, interior area to be painted is 79,713 square feet, exterior (including parking lot with 6 percent coverage) is 51,374 square feet; for Phase three, , interior area to be painted is 61,646 square feet, exterior is 20,549 square feet¹. The CalEEMod model default VOC emissions have been adjusted accordingly.

Project Impacts

The construction-related criteria pollutant emissions for each phase are shown below in Table 7. Table 7 shows that none of the project's emissions for any of the phases will exceed regional thresholds. No mitigation is required. Therefore, a less than significant regional air quality impact would occur from construction of the proposed project.

¹ Using the formula from the CalEEMod for $F \times A_{\text{paint}}$, where A = building surface area (sqft). The total surface for painting equals 2 times the floor square footage for nonresidential square footage and F = fraction of surface area. The default values based on SCAQMD methods used in their coating rules are 75% for the interior surfaces and 25% for the exterior shell. The parking lots were estimated to painted on 6% of their total square footage.

B. Construction-Related Local Impacts

Construction-related air emissions may have the potential to exceed the State and Federal air quality standards in the project vicinity, even though these pollutant emissions may not be significant enough to create a regional impact to the South Coast Air Basin. The proposed project has been analyzed for the potential local air quality impacts created from: construction-related fugitive dust and diesel emissions; from toxic air contaminants; and from construction-related odor impacts.

1. Local Air Quality Impacts from Construction

The SCAQMD has published a “Fact Sheet for Applying CalEEMod to Localized Significance Thresholds” (South Coast Air Quality Management District 2011b). CalEEMod calculates construction emissions based on the number of equipment hours and the maximum daily disturbance activity possible for each piece of equipment. In order to compare CalEEMod reported emissions against the localized significance threshold lookup tables, the CEQA document should contain in its project design features or its mitigation measures the following parameters:

- 1) The off-road equipment list (including type of equipment, horsepower, and hours of operation) assumed for the day of construction activity with maximum emissions.
- 2) The maximum number of acres disturbed on the peak day.
- 3) Any emission control devices added onto off-road equipment.
- 4) Specific dust suppression techniques used on the day of construction activity with maximum emissions.

The CalEEMod output sheets included in Appendix B show the equipment used for this analysis.

As shown in Table 8, the maximum number of acres disturbed in a day would be five acres (Phase I will disturb five acres, Phase II will disturb five acres, and Phase III will disturb three acres).

The local air quality emissions from construction were analyzed using the SCAQMD’s Mass Rate Localized Significant Threshold Look-up Tables and the methodology described in Localized Significance Threshold Methodology, prepared by SCAQMD, revised July 2008. The Look-up Tables were developed by the SCAQMD in order to readily determine if the daily emissions of CO, NOx, PM10, and PM2.5 from the proposed project could result in a significant impact to the local air quality. The emission thresholds were calculated based on the San Bernardino source receptor area (SRA) 32 and a disturbance value of five acres per day (using Phase I emissions as a worst-case; see Table 9).

According to LST Methodology, any receptor located closer than 25 meters (82 feet) shall be based on the 25 meter thresholds. The nearest sensitive receptors are the single-family detached residential dwelling units located approximately 400 feet (212 meters) south of the site. There is also an existing residence/temple on the LYMT

grounds that is about 400 feet to the north of the area of activity; therefore, the SCAQMD Look-up Tables for 200 meters was used. The worst-case emissions for Phase I were used and are shown in Table 9. Table 9 details the on-site emissions from the CalEEMod model for the different construction phases and the calculated emissions thresholds.

The data provided in Table 9 shows that none of the analyzed criteria pollutants would exceed the calculated local emissions thresholds at the nearest sensitive receptors. Therefore, a less than significant local air quality impact would occur from construction of the proposed project.

2. Construction-Related Toxic Air Contaminant Impacts

The greatest potential for toxic air contaminant emissions would be related to diesel particulate emissions associated with heavy equipment operations during construction of the proposed project. According to SCAQMD methodology, health effects from carcinogenic air toxics are usually described in terms of “individual cancer risk”. “Individual Cancer Risk” is the likelihood that a person exposed to concentrations of toxic air contaminants over a 70 year lifetime will contract cancer, based on the use of standard risk-assessment methodology. Given the relatively limited number of heavy-duty construction equipment and the relatively short-term construction schedule, the proposed project would not result in a long-term (i.e., 70 years) substantial source of toxic air contaminant emissions and corresponding individual cancer risk. Therefore, no significant short-term toxic air contaminant impacts would occur during construction of the proposed project.

3. Construction-Related Odor Impacts

Potential sources that may emit odors during construction activities include the application of materials such as asphalt pavement. The objectionable odors that may be produced during the construction process are of short-term in nature and the odor emissions are expected cease upon the drying or hardening of the odor producing materials. Due to the short-term nature and limited amounts of odor producing materials being utilized, no significant impact related to odors would occur during construction of the proposed project.

Table 7

Construction-Related Regional Criteria Pollutant Emissions¹

Activity	Pollutant Emissions (pounds/day)					
	ROG	NOx	CO	SO ₂	PM10	PM2.5
Grading						
Phase I ²	7.53	89.69	59.67	0.09	7.39	5.22
Phase II ²	6.54	76.48	59.80	0.14	8.03	4.69
Phase III ²	1.98	18.63	21.60	0.03	3.47	2.18
Building Construction						
Phase I ²	5.69	40.78	49.74	0.09	6.28	3.14
Phase II ²	4.07	28.58	45.57	0.11	6.22	2.54
Phase III ²	2.07	16.14	23.66	0.05	2.20	1.09
Paving						
Phase I ²	1.80	17.23	15.21	0.02	1.11	0.91
Phase II ²	1.56	10.96	14.91	0.02	0.73	0.56
Phase III ²	1.02	8.46	14.83	0.02	0.58	0.42
Architectural Coating						
Phase I ²	3.19	2.08	4.42	0.01	0.80	0.31
Phase II ²	3.13	1.52	4.68	0.01	0.88	0.29
Phase III ²	3.68	1.20	2.58	0.00	0.29	0.12
Total of Overlapping Construction Phases for Phase I³	10.68	60.09	69.37	0.12	8.19	4.36
Total of Overlapping Construction Phases for Phase II³	8.76	41.05	65.17	0.15	7.83	3.38
Total of Overlapping Construction Phases for Phase III³	6.76	25.80	41.07	0.08	3.07	1.63
SCAQMD Thresholds	75	100	550	150	150	55
Exceeds Thresholds?	No	No	No	No	No	No

¹ Source: CalEEMod Version 2013.2.2

² Includes both on-site and off-site construction emissions

On-site emissions from equipment operated on-site that is not operated on public roads.

Off-site emissions from equipment operated on public roads.

³ Construction phase, paving phase and painting phase may overlap.

Table 8

Maximum Number of Acres Disturbed Per Day¹

Phase I				
Activity	Equipment	Number	Acres/8hr-day	Total Acres
Site Grading	Graders	1	0.5	0.5
	Rubber Tired Dozers	1	0.5	0.5
	Excavators	2	0.5	1
	Scrapers	2	1	2
	Tractors/Loaders/Backhoes	2	0.5	1
Total per phase		-	-	5
Phase II				
Activity	Equipment	Number	Acres/8hr-day	Total Acres
Site Grading	Graders	1	0.5	0.5
	Rubber Tired Dozers	1	0.5	0.5
	Excavators	2	0.5	1
	Scrapers	2	1	2
	Tractors/Loaders/Backhoes	2	0.5	1
Total per phase		-	-	5
Phase III				
Activity	Equipment	Number	Acres/8hr-day	Total Acres
Site Grading	Graders	1	0.5	0.5
	Rubber Tired Dozers	1	0.5	0.5
	Excavators	1	0.5	0.5
	Scrapers	0	1	0
	Tractors/Loaders/Backhoes	3	0.5	1.5
Total per phase		-	-	3

¹ Source: South Coast AQMD, Fact Sheet for Applying CalEEMod to Localized Significance Thresholds

Table 9

Local Construction Emissions at the Nearest Receptors¹

Phase	On-Site Pollutant Emissions (pounds/day)			
	NOx	CO	PM10	PM2.5
Grading	79.05	50.84	6.21	4.80
Building Construction	28.51	18.51	1.97	1.85
Paving	17.16	14.49	0.94	0.86
Architectural Coating	1.84	1.84	0.13	0.13
SCAQMD Thresholds²	378	5,188	80	21
Exceeds Threshold?	No	No	No	No

¹ Source: Calculated from CalEEMod 2013.2.2.

Represents worse case emissions from phase I of construction

² Source: SCAQMD's Mass Rate Look-up Tables for five acres at a distance of 25 m in SRA 32 San Bernardino Valley Area.

VII. Long-Term Air Quality Operational Impacts

The on-going operation of the proposed project would result in a long-term increase in air quality emissions. This increase would be due to emissions from the project-generated vehicle trips and through operational emissions from the on-going use of the proposed project. The following section provides an analysis of potential long-term air quality impacts due to: regional air quality and local air quality impacts with the on-going operations of the proposed project.

A. Operations-Related Regional Air Quality Impacts

The potential operations-related air emissions have been analyzed below for the criteria pollutants and cumulative impacts.

1. Operations-Related Criteria Pollutant Analysis

The operations-related criteria air quality impacts created by the proposed project have been analyzed through use of the CalEEMod model. Phase one was analyzed for the opening year of 2019, Phase two was analyzed for the opening year of 2023, Phase three was analyzed for the opening year of 2025. The operations daily emissions printouts from the CalEEMod model for all phases are provided in Appendix B. CalEEMod analyzes operational emissions from area sources, energy usage, and mobile sources, which are discussed below.

Mobile Sources

Mobile sources include emissions from the additional vehicle miles generated from the proposed project. The vehicle trips associated with the proposed project were obtained from the traffic analysis (TIA) for the project. The traffic analysis showed that daily operations would generate 57 trips, a major special event (could potentially occur 2 times a year) would generate 671 daily trips, and a "factored" major special event (multiplied estimated number of trips by a safety factor of 50 percent [see TIA for details]) would generate 1,007 daily trips and is highly unlikely to occur (listed as NA for days per year in TIA). However, to be ultraconservative, this analysis uses the 'daily trips' of 57 trips to calculate a weekday trip generation rate of 0.35 per thousand square feet (57 trips divided by the total building square footage of 159,377); the Saturday trip generation rate was calculated using the "factored" major special event and yielded 6.32 trips per thousand square feet; the Sunday trip generation rate used the 'major special event' value and yielded 4.21 trips per thousand square feet.

Area Sources

Area sources include emissions from consumer products, landscape equipment and architectural coatings. Landscape maintenance includes fuel combustion emissions from equipment such as lawn mowers, rototillers, shredders/grinders, blowers, trimmers, chain saws, and hedge trimmers, as well as air compressors, generators, and pumps. As specifics were not known about the landscaping equipment fleet, CalEEMod defaults were used to estimate emissions from landscaping equipment.

Per SCAQMD Rule 1113 as amended on June 3, 2011, the architectural coatings that would be applied after January 1, 2014 will be limited to an average of 50 grams per liter or less. For Phase one, the interior area to be re-painted is 97,707 square feet, exterior (including parking lot with 6 percent coverage) is 32,726 square feet; for Phase two, interior area to be re-painted is 79,713 square feet, exterior (including parking lot with 6 percent coverage) is 51,374 square feet; for Phase three, , interior area to be re-painted is 61,646 square feet, exterior is 20,549 square feet. The CalEEMod model default VOC emissions have been adjusted accordingly. No other changes were made to the default area source parameters.

Energy Usage

Energy usage includes emissions from the generation of electricity and natural gas used on-site. No changes were made to the default energy usage parameters. However, it should be known that 2013 Title 24 non-residential standards are at least 30 percent more efficient than 2008 Title 24 Standards (used as baseline in CalEEMod).

Project Impacts

The worst-case summer or winter VOC, NO_x, CO, SO₂, PM₁₀, and PM_{2.5} emissions created from the proposed project's long-term operations have been calculated for each Phase and are summarized below in Table 10. The total emissions for Phase I, Phase II, and Phase III are also included. Table 10 shows that none of the analyzed criteria pollutants would exceed the regional emissions thresholds either by individual phase or when added together. Therefore, a less than significant regional air quality impact would occur from operation of the proposed project.

2. Cumulative Regional Air Quality Impacts

Cumulative projects include local development as well as general growth within the project area. However, as with most development, the greatest source of emissions is from mobile sources, which travel well out of the local area. Therefore, from an air quality standpoint, the cumulative analysis would extend beyond any local projects and when wind patterns are considered would cover an even larger area. Accordingly, the cumulative analysis for the project's air quality must be generic by nature. This project would not create a significant cumulative impact.

The project area is out of attainment for both ozone and particulate matter (PM-2.5). Construction and operation of cumulative projects will further degrade the local air quality, as well as the air quality of the South Coast Air Basin. The greatest cumulative impact on the quality of regional air cell will be the incremental addition of pollutants mainly from increased traffic from residential, commercial, and industrial development and the use of heavy equipment and trucks associated with the construction of these projects. Air quality will be temporarily degraded during construction activities that occur separately or simultaneously. However, in accordance with the SCAQMD methodology, projects that do not exceed the SCAQMD criteria or can be mitigated to less than criteria levels are not significant and do not add to the overall cumulative impact. With respect to long-term emissions, this project would create a less than significant cumulative impact.

B. Operations-Related Local Air Quality Impacts

Project-related air emissions may have the potential to exceed the State and Federal air quality standards in the project vicinity, even though these pollutant emissions may not be significant enough to create a regional impact to the South Coast Air Basin. The proposed project has been analyzed for the potential local CO emission impacts from the project-generated vehicular trips and from the potential local air quality impacts from on-site operations. The following analysis analyzes the vehicular CO emissions, local impacts from on-site operations, and odor impacts.

1. Local CO Emission Impacts from Project-Generated Vehicular Trips

CO is the pollutant of major concern along roadways because the most notable source of CO is motor vehicles. For this reason, CO concentrations are usually indicative of the local air quality generated by a roadway network and are used as an indicator of potential local air quality impacts. Local air quality impacts can be assessed by comparing future without and with project CO levels to the State and Federal CO standards which were presented in above in Section V.

To determine if the proposed project could cause emission levels in excess of the CO standards discussed above in Section V, a sensitivity analysis is typically conducted to determine the potential for CO “hot spots” at a number of intersections in the general project vicinity. Because of reduced speeds and vehicle queuing, “hot spots” potentially can occur at high traffic volume intersections with a Level of Service E or worse.

The Traffic Analysis showed that the project would generate a maximum of 1,007 trips (for a "factored" major special event). The intersection with the highest traffic volume is located at Beech Avenue and the I-15 Freeway and has a Year 2035 With Project volume of 1,152 vehicles. The 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan) showed that an intersection which has a daily traffic volume of approximately 100,000 vehicles per day would not violate the CO standard. Therefore as the intersection with the highest traffic volume falls far short of 100,000 vehicles, no CO “hot spot” modeling was performed and no significant long-term air quality impact is anticipated to local air quality with the on-going use of the proposed project.

2. Local Air Quality Impacts from On-Site Operations

Project-related air emissions from on-site sources such as architectural coatings, landscaping equipment, on-site usage of natural gas appliances as well as the operation of vehicles on-site may have the potential to exceed the State and Federal air quality standards in the project vicinity, even though these pollutant emissions may not be significant enough to create a regional impact to the Air Basin. The nearest sensitive receptor that may be impacted by the proposed project are the residential uses north of the project site.

According to SCAQMD LST methodology, LSTs would apply to the operational phase of a project, if the project includes stationary sources, or attracts mobile sources (such as

heavy-duty trucks) that may spend long periods queuing and idling at the site; such as industrial warehouse/transfer facilities. The proposed project is a Buddhist temple , and does not include such uses. Therefore, due the lack of stationary source emissions, no long-term localized significance threshold analysis is warranted.

3. Operations-Related Odor Impacts

The SCAQMD recommends that odor impacts be addressed in a qualitative manner. Such an analysis shall determine whether the project would result in excessive nuisance odors, as defined under the California Code of Regulations and Section 41700 of the California Health and Safety Code, and thus would constitute a public nuisance related to air quality.

Land uses typically considered associated with odors include wastewater treatment facilities, waste-disposal facilities, or agricultural operations. The project does not contain land uses typically associated with emitting objectionable odors. Diesel exhaust and VOCs would be emitted during construction of the project, which are objectionable to some; however, emissions would disperse rapidly from the project site and therefore should not reach an objectionable level at the nearest sensitive receptors.

Table 10

Operational Criteria Pollutants Regional Air Emissions¹

Phase I						
Activity	Pollutant Emissions (pounds/day)					
	ROG	NOx	CO	SO2	PM10	PM2.5
Area Sources ²	14.77	0.00	0.01	0.00	0.00	0.00
Energy Usage ³	0.06	0.58	0.49	0.00	0.04	0.04
Mobile Sources ⁴	1.16	3.01	11.46	0.03	1.90	0.54
Total Emissions	15.99	3.59	11.96	0.03	1.95	0.58
SCAQMD Thresholds	55	55	550	150	150	55
Exceeds Threshold?	No	No	No	No	No	No
Phase II						
Activity	Pollutant Emissions (pounds/day)					
	ROG	NOx	CO	SO2	PM10	PM2.5
Area Sources ²	17.46	0.00	0.01	0.00	0.00	0.00
Energy Usage ³	0.05	0.48	0.40	0.00	0.04	0.04
Mobile Sources ⁴	0.81	1.62	7.69	0.02	1.55	0.44
Total Emissions	18.32	2.10	8.10	0.03	1.59	0.47
SCAQMD Thresholds	55	55	550	150	150	55
Exceeds Threshold?	No	No	No	No	No	No
Phase III						
Activity	Pollutant Emissions (pounds/day)					
	ROG	NOx	CO	SO2	PM10	PM2.5
Area Sources ²	5.32	0.00	0.00	0.00	0.00	0.00
Energy Usage ³	0.04	0.37	0.31	0.00	0.03	0.03
Mobile Sources ⁴	0.59	1.19	5.62	0.02	1.20	0.34
Total Emissions	5.95	1.56	5.93	0.02	1.23	0.37
SCAQMD Thresholds	55	55	550	150	150	55
Exceeds Threshold?	No	No	No	No	No	No
Total for Phases I, II, and III	40.27	7.25	25.99	0.08	4.77	1.42
SCAQMD Thresholds	55	55	550	150	150	55
Exceeds Threshold?	No	No	No	No	No	No

¹ Source: CalEEMod Version 2013.2.2

² Area sources consist of emissions from consumer products, architectural coatings, and landscaping equipment.

³ Energy usage consists of emissions from generation of electricity and on-site natural gas usage.

⁴ Mobile sources consist of emissions from vehicles and road dust.

VIII. Global Climate Change Analysis

The proposed project is anticipated to generate GHG emissions from area sources, energy usage, mobile sources, waste, water, and construction equipment. The following provides the methodology used to calculate the project-related GHG emissions, the project impacts and a consistency analysis of the proposed project with any applicable GHG reduction plans, policies or regulations.

A. Methodology

The CalEEMod Version 2013.2.2 was used to calculate the GHG emissions from the proposed project. The project's emissions were compared to the SCAQMD draft threshold and San Bernardino County Greenhouse Gas Reduction Plan Screening threshold of 3,000 metric tons CO₂e per year. See Appendix C for details on CalEEMod emissions calculations. Each source of GHG emissions is described in greater detail below.

1. Area Sources

Area sources include emissions from consumer products, landscape equipment and architectural coatings. Area sources were analyzed in the manner described in Section VII above. No other changes were made to the default area source emissions.

2. Energy Usage

Energy usage includes emissions from the generation of electricity and natural gas used on-site. The energy usage was based on the CalEEMod defaults. No changes were made to the default energy usage parameters.

3. Mobile Sources

Mobile sources include emissions from the additional vehicle miles generated from the proposed project. The vehicle trips associated with the proposed project have been analyzed by inputting the project-generated vehicular trips from the Traffic Impact Analysis into the CalEEMod Model. See Section VII for details. Mobile sources were analyzed in the manner described in Section VII above. CalEEMod defaults were used in the analysis.

4. Waste

Waste includes the GHG emissions generated from the processing of waste from the proposed project as well as the GHG emissions from the waste once it is interred into a landfill. The CalEEMod default value for waste generated was used in the analysis.

5. Water

Water includes the water used for the interior of the building as well as for landscaping and is based on the GHG emissions associated with the energy used to transport and filter the water. CalEEMod defaults were used in the analysis.

6. Construction

The construction-related GHG emissions were also included in the analysis and were based on a 30 year amortization rate as recommended in the SCAQMD GHG Working Group meeting on November 19, 2009. The construction emissions from the off-site improvements were also included in the construction totals. The construction-related GHG emissions were calculated by CalEEMod and detailed above in Section VI.

B. Project Greenhouse Gas Emissions

The GHG emissions have been calculated based on the parameters described above. A summary of the results are shown below in Table 11 and the CalEEMod Model runs for each phase of the proposed project are provided in Appendix C. Table 11 shows that the proposed project would generate a total of 731.79 MTCO₂e per year for phase I, 725.36 MTCO₂e per year for phase II, and 411.89 MTCO₂e per year for phase III. The total emissions for all phases combined would be 1,869.05 MTCO₂e per year. According to the thresholds of significance established above in Section V, a cumulative global climate change impact would occur if the GHG emissions created from the on-going operations would exceed the SCAQMD draft screening threshold of 3,000 metric tons of CO₂e per year for greenhouse gas emissions for all uses. Therefore, operation of the proposed project would not create a significant cumulative impact to global climate change.

The project is also subject to the requirements of the California Green Building Standards Code. On January 12, 2010, the State Building Standards Commission unanimously adopted updates to the California Green Building Standards Code, which went into effect on January 1, 2011. The Code is a comprehensive and uniform regulatory code for all residential, commercial and school buildings.

The California Green Building Standards Code does not prevent a local jurisdiction from adopting a more stringent code as state law provides methods for local enhancements. The Code recognizes that many jurisdictions have developed existing construction and demolition ordinances, and defers to them as the ruling guidance provided they provide a minimum 50-percent diversion requirement. The code also provides exemptions for areas not served by construction and demolition recycling infrastructure. State building code provides the minimum standard that buildings need to meet in order to be certified for occupancy. Enforcement is generally through the local building official.

The California Green Building Standards Code (code section in parentheses) requires:

- Water Efficiency and Conservation [Indoor Water Use (4.303.1)]. Fixtures and fixture fittings reducing the overall use of potable water within the building by at

least 20 percent shall be provided. The 20 percent reduction shall be demonstrated by one of the following methods:

- Prescriptive Method: Showerheads (≤ 2.0 gpm @ 80 psi); Residential Lavatory Faucets (≤ 1.5 gpm @ 60 psi); Nonresidential Lavatory Faucets ($\leq .4$ gpm @ 60 psi); Kitchen Faucets (≤ 1.8 gpm @ 60 psi); Toilets (≤ 1.28 gal/flush); and urinals (≤ 0.5 gal/flush).
- Performance Method: Provide a calculation demonstrating a 20% reduction of indoor potable water using the baseline values set forth in Table 4.303.1. The calculation will be limited to the total water usage of showerheads, lavatory faucets, water closets and urinals within the dwelling.
- Water Efficiency and Conservation [Outdoor Water Use (4.304.1)]. Irrigation Controllers. Automatic irrigation system controllers for landscaping provided by the builder and installed at the time of final inspection shall comply with the following:
 - Controllers shall be weather- or soil moisture-based controllers that automatically adjust irrigation in response to changes in plants' watering needs as weather or soil conditions change.
 - Weather-based controllers without integral rain sensors or communication systems that account for rainfall shall have a separate wired or wireless rain sensor which connects or communicates with the controller(s).
- Construction Waste Reduction of at least 50 percent (4.408.1). Recycle and/or salvage for reuse a minimum of 50 percent of the nonhazardous construction and demolition waste in accordance with either Section 4.408.2, 4.408.3 or 4.408.4; OR meet a more stringent local construction and demolition waste management ordinance. Documentation is required per Section 4.408.5. Exceptions:
 - Excavated soil and land-clearing debris.
 - Alternate waste reduction methods developed by working with local enforcing agencies if diversion or recycle facilities capable of compliance with this item do not exist or are not located reasonably close to the jobsite.
 - The enforcing agency may make exceptions to the requirements of this section when jobsites are located in areas beyond the haul boundaries of the diversion facility.
- Materials pollution control (4.504.1 – 4.504.6). Low-pollutant emitting interior finish materials such as paints, carpet, vinyl flooring and particleboard.
- Installer and Special Inspector Qualifications (702.1-702.2). Mandatory special installer inspector qualifications for installation and inspection of energy systems (e.g., heat furnace, air conditioner, mechanical equipment).

Compliance with Green Building Standards and 2013 Title 24 Standards (which are approximately 30% more efficient than 2008 Title 24 Standards for commercial buildings) will further reduce project-related greenhouse emissions.

C. Greenhouse Gas Plan Consistency

The specific goals and actions included in the County of San Bernardino Greenhouse Gas Reduction Plan that are applicable to the proposed project include those pertaining to energy and water use reduction, promotion of green building measures, waste reduction, and reduction in vehicle miles traveled. The proposed project would also be required to include all mandatory green building measures for new residential developments under the CALGreen Code, which would require that new buildings reduce water consumption, employ building commissioning to increase building system efficiencies, divert construction waste from landfills, and install low pollutant emitting finish materials. The implementation of these stricter building and appliance standards would result in water, energy, and construction waste reductions for the proposed project.

As stated above, the GHG emissions generated by the proposed project would not exceed the GHG threshold of 3,000 metric tons per year of CO₂e. Consequently, the implementation of the proposed project would not hinder the state's ability to achieve AB 32's goal of achieving 1990 levels of GHG emissions by 2020. In addition, once the energy and water consumption reductions from compliance with the mandatory requirements of CALGreen are accounted for, the GHG emissions associated with the proposed project would be even lower. Furthermore, emissions from vehicles, which are the main source of operational GHG emissions associated with the project, would also be reduced through implementation of the state Pavley standards, the federal CAFE standards, and the state LCFS. The project's consistency with the CARB Climate Change Scoping Plan is addressed below.

Scoping Plan

Emission reductions in California alone would not be able to stabilize the concentration of greenhouse gases in the earth's atmosphere. However, California's actions set an example and drive progress towards a reduction in greenhouse gases elsewhere. If other states and countries were to follow California's emission reduction targets, this could avoid medium or higher ranges of global temperature increases. Thus, severe consequences of climate change could also be avoided.

The ARB Board approved a Climate Change Scoping Plan in December 2008. The Scoping Plan outlines the State's strategy to achieve the 2020 greenhouse gas emissions limit. The Scoping Plan "proposes a comprehensive set of actions designed to reduce overall greenhouse gas emissions in California, improve our environment, reduce our dependence on oil, diversify our energy sources, save energy, create new jobs, and enhance public health" (California Air Resources Board 2008). The measures in the Scoping Plan have been in place since 2012.

In May 2014, CARB released its *First Update to the Climate Change Scoping Plan* (CARB 2014). This *Update* identifies the next steps for California's leadership on climate change.

While California continues on its path to meet the near-term 2020 greenhouse gas limit, it must also set a clear path toward long-term, deep GHG emission reductions. This report highlights California's success to date in reducing its GHG emissions and lays the foundation for establishing a broad framework for continued emission reductions beyond 2020, on the path to 80 percent below 1990 levels by 2050.

The 2008 Scoping Plan calls for an "ambitious but achievable" reduction in California's greenhouse gas emissions, cutting approximately 30 percent from business-as-usual emission levels projected for 2020, or about 15 percent from today's (2010) levels. On a per-capita basis, that means reducing annual emissions of 14 tons of carbon dioxide for every man, woman and child in California down to about 10 tons per person by 2020.

Project consistency with applicable strategies in the Plan is assessed. As shown in Table 12, the project is consistent with the applicable strategies and would result in a less than significant impact. The project will be subject to the policies and ordinances pertaining to air quality and climate change stated in the County's General Plan. Although the project would generate greenhouse gas emissions, either directly or indirectly, these emissions are not considered to have a significant impact on the environment.

Table 11

Project-Related Greenhouse Gas Emissions¹

Phase I						
Category	Greenhouse Gas Emissions (Metric Tons/Year)					
	Bio-CO2	NonBio-CO ₂	CO ₂	CH ₄	N ₂ O	CO ₂ e
Area Sources ²	0.00	0.00	0.00	0.00	0.00	0.00
Energy Usage ³	0.00	327.91	327.91	0.01	0.00	329.44
Mobile Sources ⁴	0.00	100.35	100.35	0.00	0.00	100.43
Solid Waste ⁵	75.37	0.00	75.37	4.45	0.00	168.91
Water ⁶	0.65	17.30	18.38	0.07	0.00	20.33
Construction ⁷	0.00	112.40	112.40	0.00	0.00	112.69
Total Emissions	76.02	557.96	634.40	4.54	0.00	731.79
Threshold						3,000
Exceeds Threshold?						No
Phase II						
Category	Greenhouse Gas Emissions (Metric Tons/Year)					
	Bio-CO2	NonBio-CO ₂	CO ₂	CH ₄	N ₂ O	CO ₂ e
Area Sources ²	0.00	0.00	0.00	0.00	0.00	0.00
Energy Usage ³	0.00	366.85	366.85	0.01	0.00	368.49
Mobile Sources ⁴	0.00	77.49	77.49	0.00	0.00	77.54
Solid Waste ⁵	61.49	0.00	61.49	3.63	0.00	137.79
Water ⁶	0.53	14.46	14.99	0.05	0.00	16.58
Construction ⁷	0.00	124.67	124.67	0.01	0.00	124.95
Total Emissions	62.01	583.48	645.49	3.72	0.00	725.36
Threshold						3,000
Exceeds Threshold?						No
Phase III						
Category	Greenhouse Gas Emissions (Metric Tons/Year)					
	Bio-CO2	NonBio-CO ₂	CO ₂	CH ₄	N ₂ O	CO ₂ e
Area Sources ²	0.00	0.00	0.00	0.00	0.00	0.00
Energy Usage ³	0.00	203.20	203.20	0.01	0.00	204.15
Mobile Sources ⁴	0.00	59.88	59.88	0.00	0.00	59.92
Solid Waste ⁵	47.55	0.00	47.55	2.81	0.00	106.57
Water ⁶	0.41	11.19	11.59	0.04	0.00	12.83
Construction ⁷	0.00	28.32	28.32	0.00	0.00	28.42
Total Emissions	47.96	302.58	350.55	2.87	0.00	411.89
Threshold						3,000
Exceeds Threshold?						No
Total for Phases I, II and III						1,869.05
Exceed Screening Threshold of 3,000 MT CO ₂ e?						No

¹ Source: CalEEMod Version 2013.2.2.

² Area sources consist of GHG emissions from consumer products, architectural coatings, and landscape equipment.

³ Energy usage consist of GHG emissions from electricity and natural gas usage.

⁴ Mobile sources consist of GHG emissions from vehicles.

⁵ Solid waste includes the CO₂ and CH₄ emissions created from the solid waste placed in landfills.

⁶ Water includes GHG emissions from electricity used for transport of water and processing of wastewater.

⁷ Construction GHG emissions CO₂e based on a 30 year amortization rate.

Table 12

CARB Scoping Plan Measures Project Comparison¹

Scoping Plan Measures to Reduce Greenhouse Gas Emissions	Project Compliance with Measure
California Light-Duty Vehicle Greenhouse Gas Standards – Implement adopted standards and planned second phase of the program. Align zero-emission vehicle, alternative and renewable fuel and vehicle technology programs with long-term climate change goals.	Consistent. These are CARB enforced standards; vehicles that access the project that are required to comply with the standards will comply with the strategy
Energy Efficiency – Maximize energy efficiency building and appliance standards; pursue additional efficiency including new technologies, policy, and implementation mechanisms. Pursue comparable investment in energy efficiency from all retail providers of electricity in California.	Consistent. The project will be compliant with the current Title 24 standards.
Low Carbon Fuel Standard – Develop and adopt the Low Carbon Fuel Standard.	Consistent. These are CARB enforced standards; vehicles that access the project that are required to comply with the standards will comply with the strategy.
Vehicle Efficiency Measures – Implement light-duty vehicle efficiency measures.	Consistent. These are CARB enforced standards; vehicles that access the project that are required to comply with the standards will comply with the strategy.
Medium/Heavy-Duty Vehicles – Adopt medium and heavy-duty vehicle efficiency measures.	Consistent. These are CARB enforced standards; vehicles that access the project that are required to comply with the standards will comply with the strategy.
Green Building Strategy – Expand the use of green building practices to reduce the carbon footprint of California’s new and existing inventory of buildings.	Consistent. The California Green Building Standards Code (proposed Part 11, Title 24) was adopted as part of the California Building Standards Code in the CCR. Part 11 establishes voluntary standards, that will become mandatory in the 2010 edition of the Code, on planning and design for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), water conservation, material conservation, and internal air contaminants. The project will be subject to these mandatory standards.
High Global Warming Potential Gases – Adopt measures to reduce high global warming potential gases.	Consistent. CARB identified five measures that reduce HFC emissions from vehicular and commercial refrigeration systems; vehicles that access the project that are required to comply with the measures will comply with the strategy.
Recycling and Waste – Reduce methane emissions at landfills. Increase waste diversion, composting, and commercial recycling. Move toward zero-waste.	Consistent. The state is currently developing a regulation to reduce methane emissions from municipal solid waste landfills. The project will be required to comply with County programs, such as County’s recycling and waste reduction program, which comply, with the 50 percent reduction required in AB 939.
Water – Continue efficiency programs and use cleaner energy sources to move and treat water.	Consistent. The project will comply with all applicable County ordinances.

¹ Source: CARB Scoping Plan (2008)

IX. Air Quality Compliance

The California Environmental Quality Act (CEQA) requires a discussion of any inconsistencies between a proposed project and applicable General Plans and Regional Plans (CEQA Guidelines Section 15125). The regional plan that applies to the proposed project includes the SCAQMD Air Quality Management Plan (AQMP). Therefore, this section discusses any potential inconsistencies of the proposed project with the AQMP.

The purpose of this discussion is to set forth the issues regarding consistency with the assumptions and objectives of the AQMP and discuss whether the proposed project would interfere with the region's ability to comply with Federal and State air quality standards. If the decision-makers determine that the proposed project is inconsistent, the lead agency may consider project modifications or inclusion of mitigation to eliminate the inconsistency.

The SCAQMD CEQA Handbook states that "New or amended General Plan Elements (including land use zoning and density amendments), Specific Plans, and significant projects must be analyzed for consistency with the AQMP." Strict consistency with all aspects of the plan is usually not required. A proposed project should be considered to be consistent with the AQMP if it furthers one or more policies and does not obstruct other policies. The SCAQMD CEQA Handbook identifies two key indicators of consistency:

- (1) Whether the project will result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations, or delay timely attainment of air quality standards or the interim emission reductions specified in the AQMP.
- (2) Whether the project will exceed the assumptions in the AQMP in 2012 or increments based on the year of project buildout and phase.

Both of these criteria are evaluated in the following sections.

A. Criterion 1 - Increase in the Frequency or Severity of Violations

Based on the air quality modeling analysis contained in this Air Analysis, short-term construction impacts will not result in significant impacts based on the SCAQMD regional and local thresholds of significance. This Air Analysis also found that long-term operations impacts will not result in significant impacts based on the SCAQMD local, regional, and toxic air contaminant thresholds of significance.

Therefore, the proposed project is not anticipated to contribute to the exceedance of any air pollutant concentration standards and is found to be consistent with the AQMP for the first criterion.

B. Criterion 2 - Exceed Assumptions in the AQMP?

Consistency with the AQMP assumptions is determined by performing an analysis of the proposed project with the assumptions in the AQMP. The emphasis of this criterion is to

ensure that the analyses conducted for the proposed project are based on the same forecasts as the AQMP. The 2012-2035 Regional Transportation/Sustainable Communities Strategy, prepared by SCAG, 2012, consists of three sections: Core Chapters, Ancillary Chapters, and Bridge Chapters. The Growth Management, Regional Mobility, Air Quality, Water Quality, and Hazardous Waste Management chapters constitute the Core Chapters of the document. These chapters currently respond directly to federal and state requirements placed on SCAG. Local governments are required to use these as the basis of their plans for purposes of consistency with applicable regional plans under CEQA. For this project, the County Land Use Plan defines the assumptions that are represented in the AQMP.

LYMT is proposing to develop a Buddhist Temple and Retreat on approximately 35 acres generally south of the existing temple and west of Dawnridge Drive. The County of San Bernardino has designated the project site and surrounding properties as Special District-Residential where any development must be done within the context of a planned development. LYMT is proposing such a planned development in the form of the LYMT Temple Campus Master Plan. The power line easement that represents the southerly portion of LYMT's property is designated Rural Living minimum 10-acre lots (RL-10). Places of worship, such as LYMT are allowed in either of these zones with the approval of a Conditional Use Permit (CUP).

The proposed Temple Campus Master Plan will require a number of entitlements, permits, and approvals from the County of San Bernardino and other agencies. These include, but are not limited to a Conditional Use Permit (CUP) to allow the development of a Temple and Retreat of approximately 159,377 total square feet on approximately 35 acres, in a residential land use district. Therefore, as the proposed project is basically a residential use with a large portion of the site dedicated to open space, it is not anticipated that the project would exceed the San Bernardino County General Plan or the AQMP assumptions for the project site, and is found to be consistent with the AQMP for the second criterion.

Based on the above, the proposed project will not result in an inconsistency with the SCAQMD AQMP. Therefore, a less than significant impact will occur.

X. Mitigation Measures

A. Construction Measures

No construction mitigation is required.

B. Operational Measures

No operational mitigation is required.

XI. References

California Air Resources Board

- 2008 Resolution 08-43
- 2008 Recommended Approaches for Setting Interim Significance Thresholds for Greenhouse Gases under the California Environmental Quality Act
- 2011 Supplement to the AB 32 Scoping Plan Functional Equivalent Document
- 2014 Historical Air Quality, Top 4 Summary
- 2014 First Update to the Climate Change Scoping Plan, Building on the Framework Pursuant to AB32, the California Global Warming Solutions Act of 2006. May.

County of San Bernardino

- 2007 County of San Bernardino 2007 General Plan
- 2011 County of San Bernardino General Plan Amendment and Greenhouse Reduction Plan Draft Supplemental Program Environmental Impact Report
- 2011 Greenhouse Gas Emissions Development Review Processes

Governor's Office of Planning and Research

- 2008 CEQA and Climate: Addressing Climate Change Through California Environmental Quality Act (CEQA) Review
- 2009 CEQA Guideline Sections to be Added or Amended

Kunzman Associates, Inc.

- 2014 Ling Yen Temple Project Traffic Impact Analysis, July 18.

South Coast Air Quality Management District

- 1993 CEQA Air Quality Handbook
- 2007 2007 Air Quality Management Plan
- 2008 Final Localized Significance Threshold Methodology, Revised
- 2012 Revised Draft 2012 Air Quality Management Plan

Southern California Association of Governments

- 2012 2012-2035 Regional Transportation Plan/Sustainable Communities Strategy

Appendices

Appendix A – Glossary of Terms

Appendix B – CalEEMod Model Daily Emissions Printouts

Appendix C – CalEEMod Model Annual Emissions Printouts

APPENDIX A

Glossary of Terms

AQMP	Air Quality Management Plan
BACT	Best Available Control Technologies
CAAQS	California Ambient Air Quality Standards
CalEPA	California Environmental Protection Agency
CARB	California Air Resources Board
CCAA	California Clean Air Act
CCAR	California Climate Action Registry
CEQA	California Environmental Quality Act
CFCs	Chlorofluorocarbons
CH ₄	Methane
CNG	Compressed natural gas
CO	Carbon monoxide
CO ₂	Carbon dioxide
CO ₂ e	Carbon dioxide equivalent
DPM	Diesel particulate matter
EPA	U.S. Environmental Protection Agency
GHG	Greenhouse gas
GWP	Global warming potential
HIDPM	Hazard Index Diesel Particulate Matter
HFCs	Hydrofluorocarbons
IPCC	International Panel on Climate Change
LCFS	Low Carbon Fuel Standard
LST	Localized Significant Thresholds
MTCO ₂ e	Metric tons of carbon dioxide equivalent
MMTCO ₂ e	Million metric tons of carbon dioxide equivalent
MPO	Metropolitan Planning Organization
NAAQS	National Ambient Air Quality Standards
NO _x	Nitrogen Oxides
NO ₂	Nitrogen dioxide
N ₂ O	Nitrous oxide
O ₃	Ozone
OPR	Governor's Office of Planning and Research
PFCs	Perfluorocarbons
PM	Particle matter
PM10	Particles that are less than 10 micrometers in diameter
PM2.5	Particles that are less than 2.5 micrometers in diameter
PMI	Point of maximum impact
PPM	Parts per million
PPB	Parts per billion
RTIP	Regional Transportation Improvement Plan
RTP	Regional Transportation Plan
SANBAG	San Bernardino Association of Governments
SCAB	South Coast Air Basin
SCAG	Southern California Association of Governments

SCAQMD	South Coast Air Quality Management District
SF ₆	Sulfur hexafluoride
SIP	State Implementation Plan
SOx	Sulfur Oxides
TAC	Toxic air contaminants
VOC	Volatile organic compounds

APPENDIX B

CalEEMod Model Daily Emissions Printouts

LYMT Phase I
San Bernardino-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	65.14	1000sqft	1.50	65,138.00	0
Other Asphalt Surfaces	4.13	Acre	4.13	179,902.80	0
Other Non-Asphalt Surfaces	10.35	Acre	10.35	450,846.00	0
Parking Lot	58.00	Space	0.52	23,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase I building SF = 65,138. 58 space parking lot, ~4.35 acres of onsite roads, ~10.35 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Grading - 16.5 acres graded. 33,912 CY imported for planning area 1.

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 97,707 SF, exterior (including parking lot) = 32,726 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 97,707 SF, exterior (including parking lot) = 32,726 SF

Sequestration - Assuming 25 trees per acre of landscaping x 10.35 acres = 259 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	348,291.00	32,726.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	1,044,874.00	97,707.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	1044875	97707
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	110.00
tblConstructionPhase	NumDays	300.00	717.00
tblConstructionPhase	NumDays	30.00	131.00
tblConstructionPhase	NumDays	20.00	86.00
tblConstructionPhase	PhaseEndDate	8/30/2019	9/1/2019
tblConstructionPhase	PhaseEndDate	3/29/2019	3/31/2019
tblGrading	AcresOfGrading	327.50	16.50
tblGrading	MaterialImported	0.00	33,912.00
tblLandUse	LandUseSquareFeet	65,140.00	65,138.00
tblProjectCharacteristics	OperationalYear	2014	2019
tblSequestration	NumberOfNewTrees	0.00	259.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2015	7.5069	89.2766	59.2306	0.0883	7.1811	3.9770	11.1581	3.5940	3.6588	7.2528	0.0000	9,146.812 0	9,146.812 0	1.9682	0.0000	9,188.144 5
2016	7.1258	83.8410	56.8590	0.0949	7.8477	3.7246	11.5723	3.7576	3.4266	7.1843	0.0000	9,039.789 2	9,039.789 2	1.9637	0.0000	9,081.027 6
2017	5.1804	37.1922	47.9239	0.0949	4.1171	1.9575	6.0746	1.1069	1.8352	2.9421	0.0000	8,558.726 9	8,558.726 9	0.8282	0.0000	8,576.119 6
2018	4.5548	33.1306	44.9070	0.0948	4.1169	1.6610	5.7779	1.1069	1.5582	2.6651	0.0000	8,357.539 1	8,357.539 1	0.8048	0.0000	8,374.440 2
2019	3.2009	14.9932	15.1261	0.0244	0.6707	0.8106	0.9782	0.1779	0.7457	0.7902	0.0000	2,364.099 1	2,364.099 1	0.7057	0.0000	2,378.918 6
Total	27.5687	258.4335	224.0466	0.3973	23.9334	12.1307	35.5611	9.7432	11.2246	20.8344	0.0000	37,466.96 62	37,466.96 62	6.2707	0.0000	37,598.65 04

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	14.7706	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Energy	0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880
Mobile	1.1958	2.8903	11.4575	0.0289	1.8626	0.0420	1.9046	0.4975	0.0387	0.5362		2,314.8688	2,314.8688	0.0780		2,316.5058
Total	16.0304	3.4729	11.9609	0.0324	1.8626	0.0863	1.9490	0.4975	0.0830	0.5805		3,013.8333	3,013.8333	0.0914	0.0128	3,019.7257

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	14.5224	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Energy	0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832
Mobile	1.1901	2.8450	11.3022	0.0283	1.8254	0.0412	1.8666	0.4875	0.0380	0.5255		2,270.4256	2,270.4256	0.0766		2,272.0341
Total	15.7673	3.3428	11.7344	0.0313	1.8254	0.0791	1.9045	0.4875	0.0759	0.5634		2,867.6048	2,867.6048	0.0881	0.0110	2,872.8491

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.64	3.75	1.89	3.28	2.00	8.36	2.28	2.00	8.62	2.95	0.00	4.85	4.85	3.62	14.52	4.86

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/1/2015	3/1/2016	5	131	
2	Building Construction	Building Construction	3/2/2016	11/29/2018	5	717	
3	Paving	Paving	11/30/2018	3/31/2019	5	86	
4	Architectural Coating	Architectural Coating	4/1/2019	9/1/2019	5	110	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 16.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 97,707; Non-Residential Outdoor: 32,726 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	2	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Scrapers	2	8.00	361	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	8	20.00	0.00	4,239.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	302.00	118.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	60.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2015

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.1849	0.0000	6.1849	3.3291	0.0000	3.3291			0.0000			0.0000
Off-Road	6.7751	79.0467	50.8400	0.0618		3.8022	3.8022		3.4980	3.4980		6,486.243 3	6,486.243 3	1.9364		6,526.908 0
Total	6.7751	79.0467	50.8400	0.0618	6.1849	3.8022	9.9871	3.3291	3.4980	6.8271		6,486.243 3	6,486.243 3	1.9364		6,526.908 0

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.6355	10.1131	6.8585	0.0238	0.7726	0.1731	0.9457	0.2056	0.1592	0.3648		2,418.318 1	2,418.318 1	0.0191		2,418.719 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0962	0.1168	1.5321	2.8100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6000e-003	0.0609		242.2506	242.2506	0.0127		242.5173
Total	0.7317	10.2299	8.3906	0.0266	0.9962	0.1748	1.1710	0.2649	0.1608	0.4257		2,660.568 7	2,660.568 7	0.0318		2,661.236 4

3.2 Grading - 2015

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4121	0.0000	2.4121	1.2983	0.0000	1.2983			0.0000			0.0000
Off-Road	6.7751	79.0467	50.8400	0.0618		3.8022	3.8022		3.4980	3.4980	0.0000	6,486.2433	6,486.2433	1.9364		6,526.9080
Total	6.7751	79.0467	50.8400	0.0618	2.4121	3.8022	6.2143	1.2983	3.4980	4.7963	0.0000	6,486.2433	6,486.2433	1.9364		6,526.9080

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.6355	10.1131	6.8585	0.0238	0.7726	0.1731	0.9457	0.2056	0.1592	0.3648		2,418.3181	2,418.3181	0.0191		2,418.7192
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0962	0.1168	1.5321	2.8100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6000e-003	0.0609		242.2506	242.2506	0.0127		242.5173
Total	0.7317	10.2299	8.3906	0.0266	0.9962	0.1748	1.1710	0.2649	0.1608	0.4257		2,660.5687	2,660.5687	0.0318		2,661.2364

3.2 Grading - 2016

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.1849	0.0000	6.1849	3.3291	0.0000	3.3291			0.0000			0.0000
Off-Road	6.4795	74.8137	49.1374	0.0617		3.5842	3.5842		3.2975	3.2975		6,414.9807	6,414.9807	1.9350		6,455.6154
Total	6.4795	74.8137	49.1374	0.0617	6.1849	3.5842	9.7692	3.3291	3.2975	6.6266		6,414.9807	6,414.9807	1.9350		6,455.6154

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.5603	8.9227	6.3439	0.0237	1.4392	0.1387	1.5779	0.3692	0.1276	0.4969		2,391.2529	2,391.2529	0.0172		2,391.6130
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0860	0.1046	1.3777	2.8100e-003	0.2236	1.6600e-003	0.2252	0.0593	1.5200e-003	0.0608		233.5556	233.5556	0.0116		233.7992
Total	0.6463	9.0272	7.7216	0.0265	1.6627	0.1404	1.8031	0.4285	0.1291	0.5577		2,624.8085	2,624.8085	0.0288		2,625.4122

3.2 Grading - 2016

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4121	0.0000	2.4121	1.2983	0.0000	1.2983			0.0000			0.0000
Off-Road	6.4795	74.8137	49.1374	0.0617		3.5842	3.5842		3.2975	3.2975	0.0000	6,414.9807	6,414.9807	1.9350		6,455.6154
Total	6.4795	74.8137	49.1374	0.0617	2.4121	3.5842	5.9964	1.2983	3.2975	4.5958	0.0000	6,414.9807	6,414.9807	1.9350		6,455.6154

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.5603	8.9227	6.3439	0.0237	1.4392	0.1387	1.5779	0.3692	0.1276	0.4969		2,391.2529	2,391.2529	0.0172		2,391.6130
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0860	0.1046	1.3777	2.8100e-003	0.2236	1.6600e-003	0.2252	0.0593	1.5200e-003	0.0608		233.5556	233.5556	0.0116		233.7992
Total	0.6463	9.0272	7.7216	0.0265	1.6627	0.1404	1.8031	0.4285	0.1291	0.5577		2,624.8085	2,624.8085	0.0288		2,625.4122

3.3 Building Construction - 2016

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485		2,669.2864	2,669.2864	0.6620		2,683.1890
Total	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485		2,669.2864	2,669.2864	0.6620		2,683.1890

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	1.0001	10.3056	11.7083	0.0257	0.7414	0.1706	0.9119	0.2117	0.1569	0.3685		2,572.8871	2,572.8871	0.0185		2,573.2761
Worker	1.2991	1.5788	20.8030	0.0425	3.3757	0.0251	3.4007	0.8952	0.0230	0.9183		3,526.6888	3,526.6888	0.1752		3,530.3682
Total	2.2992	11.8843	32.5113	0.0681	4.1170	0.1956	4.3126	1.1069	0.1799	1.2868		6,099.5758	6,099.5758	0.1937		6,103.6443

3.3 Building Construction - 2016

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485	0.0000	2,669.2864	2,669.2864	0.6620		2,683.1890
Total	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485	0.0000	2,669.2864	2,669.2864	0.6620		2,683.1890

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	1.0001	10.3056	11.7083	0.0257	0.7414	0.1706	0.9119	0.2117	0.1569	0.3685		2,572.8871	2,572.8871	0.0185		2,573.2761
Worker	1.2991	1.5788	20.8030	0.0425	3.3757	0.0251	3.4007	0.8952	0.0230	0.9183		3,526.6888	3,526.6888	0.1752		3,530.3682
Total	2.2992	11.8843	32.5113	0.0681	4.1170	0.1956	4.3126	1.1069	0.1799	1.2868		6,099.5758	6,099.5758	0.1937		6,103.6443

3.3 Building Construction - 2017**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730		2,639.8053	2,639.8053	0.6497		2,653.4490
Total	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730		2,639.8053	2,639.8053	0.6497		2,653.4490

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9238	9.3711	11.1084	0.0256	0.7414	0.1522	0.8936	0.2117	0.1399	0.3516		2,530.5524	2,530.5524	0.0179		2,530.9283
Worker	1.1543	1.4155	18.6863	0.0424	3.3757	0.0241	3.3998	0.8952	0.0223	0.9175		3,388.3692	3,388.3692	0.1606		3,391.7423
Total	2.0781	10.7866	29.7947	0.0681	4.1171	0.1763	4.2933	1.1069	0.1622	1.2691		5,918.9215	5,918.9215	0.1785		5,922.6706

3.3 Building Construction - 2017

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730	0.0000	2,639.8053	2,639.8053	0.6497		2,653.4490
Total	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730	0.0000	2,639.8053	2,639.8053	0.6497		2,653.4490

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9238	9.3711	11.1084	0.0256	0.7414	0.1522	0.8936	0.2117	0.1399	0.3516		2,530.5524	2,530.5524	0.0179		2,530.9283
Worker	1.1543	1.4155	18.6863	0.0424	3.3757	0.0241	3.3998	0.8952	0.0223	0.9175		3,388.3692	3,388.3692	0.1606		3,391.7423
Total	2.0781	10.7866	29.7947	0.0681	4.1171	0.1763	4.2933	1.1069	0.1622	1.2691		5,918.9215	5,918.9215	0.1785		5,922.6706

3.3 Building Construction - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048		2,609.9390	2,609.9390	0.6387		2,623.3517
Total	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048		2,609.9390	2,609.9390	0.6387		2,623.3517

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.8550	8.5920	10.4837	0.0256	0.7413	0.1432	0.8844	0.2116	0.1317	0.3433		2,487.2484	2,487.2484	0.0178		2,487.6217
Worker	1.0311	1.2778	16.8906	0.0424	3.3757	0.0235	3.3992	0.8952	0.0218	0.9170		3,260.3518	3,260.3518	0.1483		3,263.4668
Total	1.8861	9.8697	27.3743	0.0680	4.1169	0.1667	4.2836	1.1069	0.1535	1.2603		5,747.6002	5,747.6002	0.1661		5,751.0885

3.3 Building Construction - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048	0.0000	2,609.9389	2,609.9389	0.6387		2,623.3517
Total	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048	0.0000	2,609.9389	2,609.9389	0.6387		2,623.3517

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.8550	8.5920	10.4837	0.0256	0.7413	0.1432	0.8844	0.2116	0.1317	0.3433		2,487.2484	2,487.2484	0.0178		2,487.6217
Worker	1.0311	1.2778	16.8906	0.0424	3.3757	0.0235	3.3992	0.8952	0.0218	0.9170		3,260.3518	3,260.3518	0.1483		3,263.4668
Total	1.8861	9.8697	27.3743	0.0680	4.1169	0.1667	4.2836	1.1069	0.1535	1.2603		5,747.6002	5,747.6002	0.1661		5,751.0885

3.4 Paving - 2018**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6114	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635		2,245.2695	2,245.2695	0.6990		2,259.9481
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.7531	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635		2,245.2695	2,245.2695	0.6990		2,259.9481

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0512	0.0635	0.8389	2.1100e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		161.9380	161.9380	7.3700e-003		162.0927
Total	0.0512	0.0635	0.8389	2.1100e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		161.9380	161.9380	7.3700e-003		162.0927

3.4 Paving - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6114	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635	0.0000	2,245.2695	2,245.2695	0.6990		2,259.9481
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.7531	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635	0.0000	2,245.2695	2,245.2695	0.6990		2,259.9481

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0512	0.0635	0.8389	2.1100e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		161.9380	161.9380	7.3700e-003		162.0927
Total	0.0512	0.0635	0.8389	2.1100e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		161.9380	161.9380	7.3700e-003		162.0927

3.4 Paving - 2019**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4259	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447		2,208.973 1	2,208.973 1	0.6989		2,223.649 9
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5675	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447		2,208.973 1	2,208.973 1	0.6989		2,223.649 9

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0466	0.0578	0.7609	2.1000e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		155.1260	155.1260	6.7900e-003		155.2686
Total	0.0466	0.0578	0.7609	2.1000e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		155.1260	155.1260	6.7900e-003		155.2686

3.4 Paving - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4259	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447	0.0000	2,208.973 1	2,208.973 1	0.6989		2,223.649 9
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5675	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447	0.0000	2,208.973 1	2,208.973 1	0.6989		2,223.649 9

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0466	0.0578	0.7609	2.1000e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		155.1260	155.1260	6.7900e-003		155.2686
Total	0.0466	0.0578	0.7609	2.1000e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		155.1260	155.1260	6.7900e-003		155.2686

3.5 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Archit. Coating	2.7480					0.0000	0.0000		0.0000	0.0000			0.0000				0.0000
Off-Road	0.2664	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288		281.4481	281.4481	0.0238			281.9473
Total	3.0144	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288		281.4481	281.4481	0.0238			281.9473

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.1864	0.2314	3.0437	8.3800e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		620.5039	620.5039	0.0272			621.0745
Total	0.1864	0.2314	3.0437	8.3800e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		620.5039	620.5039	0.0272			621.0745

3.5 Architectural Coating - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7480					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2664	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288	0.0000	281.4481	281.4481	0.0238		281.9473
Total	3.0144	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288	0.0000	281.4481	281.4481	0.0238		281.9473

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1864	0.2314	3.0437	8.3800e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		620.5039	620.5039	0.0272		621.0745
Total	0.1864	0.2314	3.0437	8.3800e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		620.5039	620.5039	0.0272		621.0745

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.1901	2.8450	11.3022	0.0283	1.8254	0.0412	1.8666	0.4875	0.0380	0.5255		2,270.4256	2,270.4256	0.0766		2,272.0341
Unmitigated	1.1958	2.8903	11.4575	0.0289	1.8626	0.0420	1.9046	0.4975	0.0387	0.5362		2,314.8688	2,314.8688	0.0780		2,316.5058

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Place of Worship	22.80	411.68	274.24	243,723	238,848
Total	22.80	411.68	274.24	243,723	238,848

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.469745	0.065359	0.173284	0.156374	0.056542	0.009056	0.016508	0.042061	0.001112	0.001336	0.004986	0.000686	0.002952

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832
NaturalGas Unmitigated	0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	5940.94	0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880	

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	5.07577	0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	14.5224	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Unmitigated	14.7706	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5313					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	14.2379					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.3400e-003	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Total	14.7706	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2832					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	14.2379					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.3400e-003	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Total	14.5224	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy
 Use Water Efficient Irrigation System

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

LYMT Phase I
San Bernardino-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	65.14	1000sqft	1.50	65,138.00	0
Other Asphalt Surfaces	4.13	Acre	4.13	179,902.80	0
Other Non-Asphalt Surfaces	10.35	Acre	10.35	450,846.00	0
Parking Lot	58.00	Space	0.52	23,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase I building SF = 65,138. 58 space parking lot, ~4.35 acres of onsite roads, ~10.35 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Grading - 16.5 acres graded. 33,912 CY imported for planning area 1.

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 97,707 SF, exterior (including parking lot) = 32,726 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 97,707 SF, exterior (including parking lot) = 32,726 SF

Sequestration - Assuming 25 trees per acre of landscaping x 10.35 acres = 259 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	348,291.00	32,726.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	1,044,874.00	97,707.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	1044875	97707
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	110.00
tblConstructionPhase	NumDays	300.00	717.00
tblConstructionPhase	NumDays	30.00	131.00
tblConstructionPhase	NumDays	20.00	86.00
tblConstructionPhase	PhaseEndDate	8/30/2019	9/1/2019
tblConstructionPhase	PhaseEndDate	3/29/2019	3/31/2019
tblGrading	AcresOfGrading	327.50	16.50
tblGrading	MaterialImported	0.00	33,912.00
tblLandUse	LandUseSquareFeet	65,140.00	65,138.00
tblProjectCharacteristics	OperationalYear	2014	2019
tblSequestration	NumberOfNewTrees	0.00	259.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2015	7.5261	89.6862	59.6691	0.0880	7.1811	3.9776	11.1587	3.5940	3.6593	7.2533	0.0000	9,119.4955	9,119.4955	1.9685	0.0000	9,160.8331
2016	7.1421	84.2012	57.3419	0.0909	7.8477	3.7250	11.5726	3.7576	3.4269	7.1846	0.0000	9,013.2634	9,013.2634	1.9640	0.0000	9,054.5066
2017	5.1649	37.5343	46.9049	0.0908	4.1171	1.9590	6.0760	1.1069	1.8365	2.9434	0.0000	8,235.1114	8,235.1114	0.8288	0.0000	8,252.5158
2018	4.5380	33.4363	44.1215	0.0908	4.1169	1.6623	5.7792	1.1069	1.5595	2.6663	0.0000	8,045.3361	8,045.3361	0.8054	0.0000	8,062.2492
2019	3.1882	14.9970	15.0108	0.0242	0.6707	0.8106	0.9782	0.1779	0.7457	0.7902	0.0000	2,350.2410	2,350.2410	0.7057	0.0000	2,365.0605
Total	27.5592	259.8550	223.0482	0.3847	23.9334	12.1344	35.5648	9.7432	11.2280	20.8378	0.0000	36,763.4474	36,763.4474	6.2723	0.0000	36,895.1652

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	14.7706	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Energy	0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880
Mobile	1.1589	3.0062	11.1039	0.0269	1.8626	0.0422	1.9049	0.4975	0.0389	0.5364		2,167.1769	2,167.1769	0.0781		2,168.8170
Total	15.9936	3.5888	11.6074	0.0304	1.8626	0.0866	1.9492	0.4975	0.0833	0.5807		2,866.1414	2,866.1414	0.0916	0.0128	2,872.0369

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	14.5224	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Energy	0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832
Mobile	1.1536	2.9586	10.9736	0.0264	1.8254	0.0415	1.8669	0.4875	0.0382	0.5257		2,125.6020	2,125.6020	0.0767		2,127.2136
Total	15.7308	3.4563	11.4058	0.0294	1.8254	0.0793	1.9047	0.4875	0.0761	0.5636		2,722.7812	2,722.7812	0.0883	0.0110	2,728.0286

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.64	3.69	1.74	3.32	2.00	8.34	2.28	2.00	8.61	2.95	0.00	5.00	5.00	3.61	14.52	5.01

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/1/2015	3/1/2016	5	131	
2	Building Construction	Building Construction	3/2/2016	11/29/2018	5	717	
3	Paving	Paving	11/30/2018	3/31/2019	5	86	
4	Architectural Coating	Architectural Coating	4/1/2019	9/1/2019	5	110	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 16.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 97,707; Non-Residential Outdoor: 32,726 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	2	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Scrapers	2	8.00	361	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	8	20.00	0.00	4,239.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	302.00	118.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	60.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2015

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.1849	0.0000	6.1849	3.3291	0.0000	3.3291			0.0000			0.0000
Off-Road	6.7751	79.0467	50.8400	0.0618		3.8022	3.8022		3.4980	3.4980		6,486.2433	6,486.2433	1.9364		6,526.9080
Total	6.7751	79.0467	50.8400	0.0618	6.1849	3.8022	9.9871	3.3291	3.4980	6.8271		6,486.2433	6,486.2433	1.9364		6,526.9080

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.6603	10.5147	7.5152	0.0237	0.7726	0.1737	0.9463	0.2056	0.1597	0.3654		2,412.5526	2,412.5526	0.0193		2,412.9588
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0907	0.1248	1.3139	2.5600e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6000e-003	0.0609		220.6996	220.6996	0.0127		220.9663
Total	0.7510	10.6395	8.8291	0.0263	0.9962	0.1754	1.1716	0.2649	0.1613	0.4263		2,633.2523	2,633.2523	0.0320		2,633.9251

3.2 Grading - 2015**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4121	0.0000	2.4121	1.2983	0.0000	1.2983			0.0000			0.0000
Off-Road	6.7751	79.0467	50.8400	0.0618		3.8022	3.8022		3.4980	3.4980	0.0000	6,486.2433	6,486.2433	1.9364		6,526.9080
Total	6.7751	79.0467	50.8400	0.0618	2.4121	3.8022	6.2143	1.2983	3.4980	4.7963	0.0000	6,486.2433	6,486.2433	1.9364		6,526.9080

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.6603	10.5147	7.5152	0.0237	0.7726	0.1737	0.9463	0.2056	0.1597	0.3654		2,412.5526	2,412.5526	0.0193		2,412.9588
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0907	0.1248	1.3139	2.5600e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6000e-003	0.0609		220.6996	220.6996	0.0127		220.9663
Total	0.7510	10.6395	8.8291	0.0263	0.9962	0.1754	1.1716	0.2649	0.1613	0.4263		2,633.2523	2,633.2523	0.0320		2,633.9251

3.2 Grading - 2016

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.1849	0.0000	6.1849	3.3291	0.0000	3.3291			0.0000			0.0000
Off-Road	6.4795	74.8137	49.1374	0.0617		3.5842	3.5842		3.2975	3.2975		6,414.9807	6,414.9807	1.9350		6,455.6154
Total	6.4795	74.8137	49.1374	0.0617	6.1849	3.5842	9.7692	3.3291	3.2975	6.6266		6,414.9807	6,414.9807	1.9350		6,455.6154

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.5818	9.2758	7.0263	0.0237	1.4392	0.1391	1.5782	0.3692	0.1279	0.4972		2,385.5351	2,385.5351	0.0174		2,385.8999
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.1117	1.1783	2.5600e-003	0.2236	1.6600e-003	0.2252	0.0593	1.5200e-003	0.0608		212.7476	212.7476	0.0116		212.9913
Total	0.6627	9.3875	8.2045	0.0262	1.6627	0.1407	1.8034	0.4285	0.1294	0.5580		2,598.2827	2,598.2827	0.0290		2,598.8912

3.2 Grading - 2016

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4121	0.0000	2.4121	1.2983	0.0000	1.2983			0.0000			0.0000
Off-Road	6.4795	74.8137	49.1374	0.0617		3.5842	3.5842		3.2975	3.2975	0.0000	6,414.9807	6,414.9807	1.9350		6,455.6154
Total	6.4795	74.8137	49.1374	0.0617	2.4121	3.5842	5.9964	1.2983	3.2975	4.5958	0.0000	6,414.9807	6,414.9807	1.9350		6,455.6154

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.5818	9.2758	7.0263	0.0237	1.4392	0.1391	1.5782	0.3692	0.1279	0.4972		2,385.5351	2,385.5351	0.0174		2,385.8999
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.1117	1.1783	2.5600e-003	0.2236	1.6600e-003	0.2252	0.0593	1.5200e-003	0.0608		212.7476	212.7476	0.0116		212.9913
Total	0.6627	9.3875	8.2045	0.0262	1.6627	0.1407	1.8034	0.4285	0.1294	0.5580		2,598.2827	2,598.2827	0.0290		2,598.8912

3.3 Building Construction - 2016**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485		2,669.2864	2,669.2864	0.6620		2,683.1890
Total	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485		2,669.2864	2,669.2864	0.6620		2,683.1890

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	1.0640	10.5837	13.4449	0.0255	0.7414	0.1723	0.9136	0.2117	0.1585	0.3701		2,551.3107	2,551.3107	0.0191		2,551.7112
Worker	1.2203	1.6869	17.7916	0.0386	3.3757	0.0251	3.4007	0.8952	0.0230	0.9183		3,212.4885	3,212.4885	0.1752		3,216.1680
Total	2.2842	12.2706	31.2365	0.0641	4.1170	0.1974	4.3143	1.1069	0.1815	1.2884		5,763.7992	5,763.7992	0.1943		5,767.8792

3.3 Building Construction - 2016**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485	0.0000	2,669.2864	2,669.2864	0.6620		2,683.1890
Total	3.4062	28.5063	18.5066	0.0268		1.9674	1.9674		1.8485	1.8485	0.0000	2,669.2864	2,669.2864	0.6620		2,683.1890

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	1.0640	10.5837	13.4449	0.0255	0.7414	0.1723	0.9136	0.2117	0.1585	0.3701		2,551.3107	2,551.3107	0.0191		2,551.7112
Worker	1.2203	1.6869	17.7916	0.0386	3.3757	0.0251	3.4007	0.8952	0.0230	0.9183		3,212.4885	3,212.4885	0.1752		3,216.1680
Total	2.2842	12.2706	31.2365	0.0641	4.1170	0.1974	4.3143	1.1069	0.1815	1.2884		5,763.7992	5,763.7992	0.1943		5,767.8792

3.3 Building Construction - 2017

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730		2,639.8053	2,639.8053	0.6497		2,653.4490
Total	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730		2,639.8053	2,639.8053	0.6497		2,653.4490

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9820	9.6176	12.8431	0.0254	0.7414	0.1536	0.8950	0.2117	0.1413	0.3530		2,509.2735	2,509.2735	0.0185		2,509.6611
Worker	1.0805	1.5111	15.9326	0.0386	3.3757	0.0241	3.3998	0.8952	0.0223	0.9175		3,086.0325	3,086.0325	0.1606		3,089.4057
Total	2.0625	11.1286	28.7757	0.0640	4.1171	0.1777	4.2948	1.1069	0.1635	1.2705		5,595.3061	5,595.3061	0.1791		5,599.0668

3.3 Building Construction - 2017

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730	0.0000	2,639.8053	2,639.8053	0.6497		2,653.4490
Total	3.1024	26.4057	18.1291	0.0268		1.7812	1.7812		1.6730	1.6730	0.0000	2,639.8053	2,639.8053	0.6497		2,653.4490

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9820	9.6176	12.8431	0.0254	0.7414	0.1536	0.8950	0.2117	0.1413	0.3530		2,509.2735	2,509.2735	0.0185		2,509.6611
Worker	1.0805	1.5111	15.9326	0.0386	3.3757	0.0241	3.3998	0.8952	0.0223	0.9175		3,086.0325	3,086.0325	0.1606		3,089.4057
Total	2.0625	11.1286	28.7757	0.0640	4.1171	0.1777	4.2948	1.1069	0.1635	1.2705		5,595.3061	5,595.3061	0.1791		5,599.0668

3.3 Building Construction - 2018**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048		2,609.9390	2,609.9390	0.6387		2,623.3517
Total	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048		2,609.9390	2,609.9390	0.6387		2,623.3517

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9076	8.8127	12.2325	0.0254	0.7413	0.1445	0.8858	0.2116	0.1329	0.3445		2,466.2821	2,466.2821	0.0184		2,466.6674
Worker	0.9617	1.3628	14.3563	0.0386	3.3757	0.0235	3.3992	0.8952	0.0218	0.9170		2,969.1151	2,969.1151	0.1483		2,972.2301
Total	1.8693	10.1755	26.5888	0.0640	4.1169	0.1680	4.2850	1.1069	0.1547	1.2616		5,435.3972	5,435.3972	0.1667		5,438.8975

3.3 Building Construction - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048	0.0000	2,609.9389	2,609.9389	0.6387		2,623.3517
Total	2.6687	23.2608	17.5327	0.0268		1.4943	1.4943		1.4048	1.4048	0.0000	2,609.9389	2,609.9389	0.6387		2,623.3517

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9076	8.8127	12.2325	0.0254	0.7413	0.1445	0.8858	0.2116	0.1329	0.3445		2,466.2821	2,466.2821	0.0184		2,466.6674
Worker	0.9617	1.3628	14.3563	0.0386	3.3757	0.0235	3.3992	0.8952	0.0218	0.9170		2,969.1151	2,969.1151	0.1483		2,972.2301
Total	1.8693	10.1755	26.5888	0.0640	4.1169	0.1680	4.2850	1.1069	0.1547	1.2616		5,435.3972	5,435.3972	0.1667		5,438.8975

3.4 Paving - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6114	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635		2,245.2695	2,245.2695	0.6990		2,259.9481
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.7531	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635		2,245.2695	2,245.2695	0.6990		2,259.9481

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0478	0.0677	0.7131	1.9200e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		147.4726	147.4726	7.3700e-003		147.6273
Total	0.0478	0.0677	0.7131	1.9200e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		147.4726	147.4726	7.3700e-003		147.6273

3.4 Paving - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6114	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635	0.0000	2,245.2695	2,245.2695	0.6990		2,259.9481
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.7531	17.1628	14.4944	0.0223		0.9386	0.9386		0.8635	0.8635	0.0000	2,245.2695	2,245.2695	0.6990		2,259.9481

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0478	0.0677	0.7131	1.9200e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		147.4726	147.4726	7.3700e-003		147.6273
Total	0.0478	0.0677	0.7131	1.9200e-003	0.1677	1.1700e-003	0.1688	0.0445	1.0800e-003	0.0456		147.4726	147.4726	7.3700e-003		147.6273

3.4 Paving - 2019**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4259	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447		2,208.973 1	2,208.973 1	0.6989		2,223.649 9
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5675	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447		2,208.973 1	2,208.973 1	0.6989		2,223.649 9

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0434	0.0617	0.6457	1.9100e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		141.2679	141.2679	6.7900e-003		141.4105
Total	0.0434	0.0617	0.6457	1.9100e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		141.2679	141.2679	6.7900e-003		141.4105

3.4 Paving - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4259	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447	0.0000	2,208.973 1	2,208.973 1	0.6989		2,223.649 9
Paving	0.1417					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5675	14.9353	14.3652	0.0223		0.8094	0.8094		0.7447	0.7447	0.0000	2,208.973 1	2,208.973 1	0.6989		2,223.649 9

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0434	0.0617	0.6457	1.9100e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		141.2679	141.2679	6.7900e-003		141.4105
Total	0.0434	0.0617	0.6457	1.9100e-003	0.1677	1.1400e-003	0.1688	0.0445	1.0600e-003	0.0455		141.2679	141.2679	6.7900e-003		141.4105

3.5 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7480					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2664	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288		281.4481	281.4481	0.0238		281.9473
Total	3.0144	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288		281.4481	281.4481	0.0238		281.9473

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1737	0.2466	2.5827	7.6300e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		565.0715	565.0715	0.0272		565.6421
Total	0.1737	0.2466	2.5827	7.6300e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		565.0715	565.0715	0.0272		565.6421

3.5 Architectural Coating - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7480					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2664	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288	0.0000	281.4481	281.4481	0.0238		281.9473
Total	3.0144	1.8354	1.8413	2.9700e-003		0.1288	0.1288		0.1288	0.1288	0.0000	281.4481	281.4481	0.0238		281.9473

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1737	0.2466	2.5827	7.6300e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		565.0715	565.0715	0.0272		565.6421
Total	0.1737	0.2466	2.5827	7.6300e-003	0.6707	4.5700e-003	0.6752	0.1779	4.2300e-003	0.1821		565.0715	565.0715	0.0272		565.6421

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.1536	2.9586	10.9736	0.0264	1.8254	0.0415	1.8669	0.4875	0.0382	0.5257		2,125.6020	2,125.6020	0.0767		2,127.2136
Unmitigated	1.1589	3.0062	11.1039	0.0269	1.8626	0.0422	1.9049	0.4975	0.0389	0.5364		2,167.1769	2,167.1769	0.0781		2,168.8170

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Place of Worship	22.80	411.68	274.24	243,723	238,848
Total	22.80	411.68	274.24	243,723	238,848

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.469745	0.065359	0.173284	0.156374	0.056542	0.009056	0.016508	0.042061	0.001112	0.001336	0.004986	0.000686	0.002952

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832
NaturalGas Unmitigated	0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	5940.94	0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
Total		0.0641	0.5825	0.4893	3.4900e-003		0.0443	0.0443		0.0443	0.0443		698.9344	698.9344	0.0134	0.0128	703.1880	

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	5.07577	0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0547	0.4976	0.4180	2.9900e-003		0.0378	0.0378		0.0378	0.0378		597.1491	597.1491	0.0115	0.0110	600.7832

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	14.5224	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Unmitigated	14.7706	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5313					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	14.2379					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.3400e-003	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Total	14.7706	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2832					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	14.2379					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.3400e-003	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318
Total	14.5224	1.3000e-004	0.0142	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005		0.0301	0.0301	8.0000e-005		0.0318

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy
 Use Water Efficient Irrigation System

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

LYMT Phase II
San Bernardino-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	53.14	1000sqft	1.22	53,142.00	0
Other Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Other Non-Asphalt Surfaces	4.12	Acre	4.12	179,467.20	0
Parking Lot	9.49	Acre	9.49	413,384.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2023
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase II building SF = 53,142. A 9.49 acre parking lot, ~4.95 acres of onsite roads, ~4.12 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Trips and VMT -

Grading - 19.78 acres graded. 59,010 CY imported for planning area 2 plus 47,451 CY imported for planning area 3 = 106,461 CY

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 79,713 SF, exterior (including parking lot) = 51,374 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 79,713 SF, exterior (including parking lot) = 51,374 SF

Sequestration - Assuming 25 trees per acre of landscaping x 4.12 acres = 103 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	230,316.00	51,374.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	690,949.00	79,713.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	690949	79713
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	110.00
tblConstructionPhase	NumDays	300.00	717.00
tblConstructionPhase	NumDays	30.00	131.00
tblConstructionPhase	NumDays	20.00	87.00
tblConstructionPhase	PhaseStartDate	4/1/2023	4/2/2023
tblGrading	AcresOfGrading	327.50	19.78
tblGrading	MaterialImported	0.00	106,461.00
tblProjectCharacteristics	OperationalYear	2014	2023
tblSequestration	NumberOfNewTrees	0.00	103.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2019	6.5416	76.4780	59.7999	0.1384	8.9472	2.9099	11.8571	4.0522	2.6771	6.7293	0.0000	13,417.98 29	13,417.98 29	1.9949	0.0000	13,459.87 60
2020	6.1579	69.2253	57.5512	0.1383	10.9237	2.6637	13.5874	4.5374	2.4506	6.9880	0.0000	13,114.74 42	13,114.74 42	1.9942	0.0000	13,156.62 19
2021	3.7661	25.5285	44.0720	0.1081	4.9318	1.1174	6.0492	1.3258	1.0476	2.3735	0.0000	8,940.535 8	8,940.535 8	0.7822	0.0000	8,956.961 9
2022	3.5018	23.0074	42.7416	0.1081	4.9317	0.9668	5.8985	1.3258	0.9066	2.2324	0.0000	8,881.920 1	8,881.920 1	0.7723	0.0000	8,898.137 7
2023	3.1295	10.0426	14.8826	0.0244	0.8048	0.5022	0.8812	0.2134	0.4620	0.5065	0.0000	2,303.345 0	2,303.345 0	0.7045	0.0000	2,318.139 1
Total	23.0969	204.2818	219.0473	0.5173	30.5391	8.1600	38.2734	11.4547	7.5439	18.8296	0.0000	46,658.52 80	46,658.52 80	6.2480	0.0000	46,789.73 65

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	17.4600	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Energy	0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869
Mobile	0.8117	1.5626	7.6895	0.0238	1.5199	0.0324	1.5523	0.4059	0.0299	0.4358		1,785.5436	1,785.5436	0.0530		1,786.6571
Total	18.3240	2.0379	8.0959	0.0266	1.5199	0.0685	1.5884	0.4059	0.0660	0.4720		2,355.7759	2,355.7759	0.0640	0.0105	2,360.3606

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	17.2575	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Energy	0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413
Mobile	0.8080	1.5397	7.5874	0.0233	1.4895	0.0318	1.5213	0.3978	0.0293	0.4272		1,751.2676	1,751.2676	0.0521		1,752.3614
Total	18.1102	1.9457	7.9357	0.0257	1.4895	0.0627	1.5522	0.3978	0.0602	0.4580		2,238.4596	2,238.4596	0.0615	8.9300e-003	2,242.5193

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.17	4.52	1.98	3.27	2.00	8.54	2.28	2.00	8.79	2.95	0.00	4.98	4.98	3.95	14.55	4.99

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/2/2019	3/2/2020	5	131	
2	Building Construction	Building Construction	3/3/2020	11/30/2022	5	717	
3	Paving	Paving	12/1/2022	3/31/2023	5	87	
4	Architectural Coating	Architectural Coating	4/2/2023	9/1/2023	5	110	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 19.78

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 79,713; Non-Residential Outdoor: 51,374 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	2	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Scrapers	2	8.00	361	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	8	20.00	0.00	13,308.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	362.00	141.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	72.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.2741	0.0000	6.2741	3.3414	0.0000	3.3414			0.0000			0.0000
Off-Road	4.8912	54.1978	40.2888	0.0617		2.5049	2.5049		2.3045	2.3045		6,111.312 1	6,111.312 1	1.9336		6,151.916 7
Total	4.8912	54.1978	40.2888	0.0617	6.2741	2.5049	8.7790	3.3414	2.3045	5.6460		6,111.312 1	6,111.312 1	1.9336		6,151.916 7

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.5883	22.2031	18.4965	0.0739	2.4495	0.4035	2.8530	0.6515	0.3712	1.0227		7,099.836 2	7,099.836 2	0.0523		7,100.934 5
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0621	0.0771	1.0146	2.7900e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		206.8346	206.8346	9.0600e-003		207.0248
Total	1.6504	22.2802	19.5111	0.0767	2.6731	0.4050	3.0780	0.7108	0.3726	1.0834		7,306.670 8	7,306.670 8	0.0614		7,307.959 3

3.2 Grading - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4469	0.0000	2.4469	1.3032	0.0000	1.3032			0.0000			0.0000
Off-Road	4.8912	54.1978	40.2888	0.0617		2.5049	2.5049		2.3045	2.3045	0.0000	6,111.312 1	6,111.312 1	1.9336		6,151.916 7
Total	4.8912	54.1978	40.2888	0.0617	2.4469	2.5049	4.9518	1.3032	2.3045	3.6077	0.0000	6,111.312 1	6,111.312 1	1.9336		6,151.916 7

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.5883	22.2031	18.4965	0.0739	2.4495	0.4035	2.8530	0.6515	0.3712	1.0227		7,099.836 2	7,099.836 2	0.0523		7,100.934 5
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0621	0.0771	1.0146	2.7900e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		206.8346	206.8346	9.0600e-003		207.0248
Total	1.6504	22.2802	19.5111	0.0767	2.6731	0.4050	3.0780	0.7108	0.3726	1.0834		7,306.670 8	7,306.670 8	0.0614		7,307.959 3

3.2 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust					6.2741	0.0000	6.2741	3.3414	0.0000	3.3414			0.0000				0.0000
Off-Road	4.5501	49.3839	38.4257	0.0617		2.2619	2.2619		2.0810	2.0810		5,977.7088	5,977.7088	1.9333			6,018.3084
Total	4.5501	49.3839	38.4257	0.0617	6.2741	2.2619	8.5361	3.3414	2.0810	5.4224		5,977.7088	5,977.7088	1.9333			6,018.3084

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	1.5501	19.7701	18.1837	0.0738	4.4260	0.4003	4.8263	1.1366	0.3682	1.5049		6,938.6463	6,938.6463	0.0523			6,939.7451
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0578	0.0712	0.9418	2.7900e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		198.3891	198.3891	8.5400e-003			198.5684
Total	1.6078	19.8413	19.1255	0.0766	4.6496	0.4018	5.0513	1.1959	0.3696	1.5656		7,137.0353	7,137.0353	0.0609			7,138.3135

3.2 Grading - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4469	0.0000	2.4469	1.3032	0.0000	1.3032			0.0000			0.0000
Off-Road	4.5501	49.3839	38.4257	0.0617		2.2619	2.2619		2.0810	2.0810	0.0000	5,977.7088	5,977.7088	1.9333		6,018.3084
Total	4.5501	49.3839	38.4257	0.0617	2.4469	2.2619	4.7089	1.3032	2.0810	3.3842	0.0000	5,977.7088	5,977.7088	1.9333		6,018.3084

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.5501	19.7701	18.1837	0.0738	4.4260	0.4003	4.8263	1.1366	0.3682	1.5049		6,938.6463	6,938.6463	0.0523		6,939.7451
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0578	0.0712	0.9418	2.7900e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		198.3891	198.3891	8.5400e-003		198.5684
Total	1.6078	19.8413	19.1255	0.0766	4.6496	0.4018	5.0513	1.1959	0.3696	1.5656		7,137.0353	7,137.0353	0.0609		7,138.3135

3.3 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465		2,542.4799	2,542.4799	0.6194		2,555.4880
Total	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465		2,542.4799	2,542.4799	0.6194		2,555.4880

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9151	8.2073	11.7202	0.0303	0.8856	0.1500	1.0355	0.2528	0.1380	0.3907		2,837.6096	2,837.6096	0.0201		2,838.0312
Worker	1.0452	1.2887	17.0457	0.0506	4.0463	0.0275	4.0738	1.0731	0.0255	1.0986		3,590.8421	3,590.8421	0.1545		3,594.0875
Total	1.9603	9.4960	28.7659	0.0809	4.9319	0.1774	5.1093	1.3259	0.1634	1.4893		6,428.4516	6,428.4516	0.1746		6,432.1187

3.3 Building Construction - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465	0.0000	2,542.4799	2,542.4799	0.6194		2,555.4880
Total	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465	0.0000	2,542.4799	2,542.4799	0.6194		2,555.4880

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9151	8.2073	11.7202	0.0303	0.8856	0.1500	1.0355	0.2528	0.1380	0.3907		2,837.6096	2,837.6096	0.0201		2,838.0312
Worker	1.0452	1.2887	17.0457	0.0506	4.0463	0.0275	4.0738	1.0731	0.0255	1.0986		3,590.8421	3,590.8421	0.1545		3,594.0875
Total	1.9603	9.4960	28.7659	0.0809	4.9319	0.1774	5.1093	1.3259	0.1634	1.4893		6,428.4516	6,428.4516	0.1746		6,432.1187

3.3 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979		2,542.7817	2,542.7817	0.6126		2,555.6462
Total	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979		2,542.7817	2,542.7817	0.6126		2,555.6462

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.8839	6.9801	11.3800	0.0304	0.8855	0.1347	1.0202	0.2527	0.1239	0.3767		2,846.0708	2,846.0708	0.0205		2,846.5005
Worker	0.9891	1.2081	16.1543	0.0509	4.0463	0.0279	4.0742	1.0731	0.0258	1.0989		3,551.6833	3,551.6833	0.1491		3,554.8152
Total	1.8730	8.1882	27.5343	0.0813	4.9318	0.1626	5.0943	1.3258	0.1498	1.4756		6,397.7541	6,397.7541	0.1696		6,401.3157

3.3 Building Construction - 2021

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979	0.0000	2,542.7817	2,542.7817	0.6126		2,555.6462
Total	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979	0.0000	2,542.7817	2,542.7817	0.6126		2,555.6462

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.8839	6.9801	11.3800	0.0304	0.8855	0.1347	1.0202	0.2527	0.1239	0.3767		2,846.0708	2,846.0708	0.0205		2,846.5005
Worker	0.9891	1.2081	16.1543	0.0509	4.0463	0.0279	4.0742	1.0731	0.0258	1.0989		3,551.6833	3,551.6833	0.1491		3,554.8152
Total	1.8730	8.1882	27.5343	0.0813	4.9318	0.1626	5.0943	1.3258	0.1498	1.4756		6,397.7541	6,397.7541	0.1696		6,401.3157

3.3 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581		2,543.7497	2,543.7497	0.6085		2,556.5286
Total	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581		2,543.7497	2,543.7497	0.6085		2,556.5286

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.8675	6.3358	11.1711	0.0303	0.8854	0.1332	1.0186	0.2527	0.1225	0.3752		2,842.8907	2,842.8907	0.0209		2,843.3296
Worker	0.9352	1.1353	15.2430	0.0509	4.0463	0.0279	4.0742	1.0731	0.0259	1.0990		3,495.2797	3,495.2797	0.1428		3,498.2794
Total	1.8027	7.4711	26.4140	0.0813	4.9317	0.1611	5.0928	1.3258	0.1484	1.4742		6,338.1704	6,338.1704	0.1637		6,341.6090

3.3 Building Construction - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581	0.0000	2,543.7497	2,543.7497	0.6085		2,556.5286
Total	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581	0.0000	2,543.7497	2,543.7497	0.6085		2,556.5286

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.8675	6.3358	11.1711	0.0303	0.8854	0.1332	1.0186	0.2527	0.1225	0.3752		2,842.8907	2,842.8907	0.0209		2,843.3296
Worker	0.9352	1.1353	15.2430	0.0509	4.0463	0.0279	4.0742	1.0731	0.0259	1.0990		3,495.2797	3,495.2797	0.1428		3,498.2794
Total	1.8027	7.4711	26.4140	0.0813	4.9317	0.1611	5.0928	1.3258	0.1484	1.4742		6,338.1704	6,338.1704	0.1637		6,341.6090

3.4 Paving - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0815	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131		2,160.6869	2,160.6869	0.6988		2,175.3619
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5164	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131		2,160.6869	2,160.6869	0.6988		2,175.3619

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0388	0.0470	0.6316	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		144.8320	144.8320	5.9200e-003		144.9563
Total	0.0388	0.0470	0.6316	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		144.8320	144.8320	5.9200e-003		144.9563

3.4 Paving - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0815	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131	0.0000	2,160.6869	2,160.6869	0.6988		2,175.3619
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5164	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131	0.0000	2,160.6869	2,160.6869	0.6988		2,175.3619

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0388	0.0470	0.6316	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		144.8320	144.8320	5.9200e-003		144.9563
Total	0.0388	0.0470	0.6316	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		144.8320	144.8320	5.9200e-003		144.9563

3.4 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0128	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609		2,160.6139	2,160.6139	0.6988		2,175.2884
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4477	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609		2,160.6139	2,160.6139	0.6988		2,175.2884

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507
Total	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507

3.4 Paving - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0128	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609	0.0000	2,160.6139	2,160.6139	0.6988		2,175.2884
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4477	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609	0.0000	2,160.6139	2,160.6139	0.6988		2,175.2884

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507
Total	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507

3.5 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7618					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8017
Total	2.9534	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8017

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1761	0.2131	2.8689	0.0101	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		685.1096	685.1096	0.0273		685.6833
Total	0.1761	0.2131	2.8689	0.0101	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		685.1096	685.1096	0.0273		685.6833

3.5 Architectural Coating - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7618					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8017
Total	2.9534	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8017

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1761	0.2131	2.8689	0.0101	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		685.1096	685.1096	0.0273		685.6833
Total	0.1761	0.2131	2.8689	0.0101	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		685.1096	685.1096	0.0273		685.6833

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.8080	1.5397	7.5874	0.0233	1.4895	0.0318	1.5213	0.3978	0.0293	0.4272		1,751.2676	1,751.2676	0.0521		1,752.3614
Unmitigated	0.8117	1.5626	7.6895	0.0238	1.5199	0.0324	1.5523	0.4059	0.0299	0.4358		1,785.5436	1,785.5436	0.0530		1,786.6571

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Place of Worship	18.60	335.86	223.73	198,832	194,855
Total	18.60	335.86	223.73	198,832	194,855

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.465544	0.065242	0.173782	0.157607	0.057427	0.009225	0.016327	0.043721	0.001116	0.001363	0.004759	0.000651	0.003237

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413
NaturalGas Unmitigated	0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	4846.84	0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869	

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	4.141	0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	17.2575	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Unmitigated	17.4600	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.3993					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	17.0600					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.8000e-004	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Total	17.4600	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1969					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	17.0600					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.8000e-004	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Total	17.2575	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy
 Use Water Efficient Irrigation System

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

LYMT Phase II
San Bernardino-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	53.14	1000sqft	1.22	53,142.00	0
Other Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Other Non-Asphalt Surfaces	4.12	Acre	4.12	179,467.20	0
Parking Lot	9.49	Acre	9.49	413,384.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2023
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase II building SF = 53,142. A 9.49 acre parking lot, ~4.95 acres of onsite roads, ~4.12 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Trips and VMT -

Grading - 19.78 acres graded. 59,010 CY imported for planning area 2 plus 47,451 CY imported for planning area 3 = 106,461 CY

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 79,713 SF, exterior (including parking lot) = 51,374 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 79,713 SF, exterior (including parking lot) = 51,374 SF

Sequestration - Assuming 25 trees per acre of landscaping x 4.12 acres = 103 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	230,316.00	51,374.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	690,949.00	79,713.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	690949	79713
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	110.00
tblConstructionPhase	NumDays	300.00	717.00
tblConstructionPhase	NumDays	30.00	131.00
tblConstructionPhase	NumDays	20.00	87.00
tblConstructionPhase	PhaseStartDate	4/1/2023	4/2/2023
tblGrading	AcresOfGrading	327.50	19.78
tblGrading	MaterialImported	0.00	106,461.00
tblProjectCharacteristics	OperationalYear	2014	2023
tblSequestration	NumberOfNewTrees	0.00	103.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2019	6.5936	77.3535	61.8378	0.1380	8.9472	2.9107	11.8579	4.0522	2.6779	6.7301	0.0000	13,382.39 98	13,382.39 98	1.9957	0.0000	13,424.30 92
2020	6.2074	69.9998	59.6225	0.1379	10.9237	2.6645	13.5882	4.5374	2.4514	6.9887	0.0000	13,080.26 54	13,080.26 54	1.9950	0.0000	13,122.15 99
2021	3.7529	25.7718	43.6233	0.1033	4.9318	1.1185	6.0502	1.3258	1.0486	2.3744	0.0000	8,597.937 1	8,597.937 1	0.7829	0.0000	8,614.378 8
2022	3.4912	23.2296	42.3832	0.1032	4.9317	0.9678	5.8995	1.3258	0.9075	2.2333	0.0000	8,544.145 7	8,544.145 7	0.7730	0.0000	8,560.379 6
2023	3.1179	10.0454	14.7880	0.0242	0.8048	0.5022	0.8812	0.2134	0.4620	0.5065	0.0000	2,290.528 2	2,290.528 2	0.7045	0.0000	2,305.322 2
Total	23.1631	206.4002	222.2547	0.5066	30.5391	8.1637	38.2771	11.4547	7.5473	18.8330	0.0000	45,895.27 62	45,895.27 62	6.2511	0.0000	46,026.54 97

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	17.4600	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Energy	0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869
Mobile	0.7872	1.6233	7.4975	0.0222	1.5199	0.0326	1.5524	0.4059	0.0300	0.4360		1,673.6989	1,673.6989	0.0532		1,674.8155
Total	18.2994	2.0985	7.9040	0.0250	1.5199	0.0687	1.5886	0.4059	0.0662	0.4721		2,243.9313	2,243.9313	0.0641	0.0105	2,248.5189

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	17.2575	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Energy	0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413
Mobile	0.7836	1.5991	7.4120	0.0217	1.4895	0.0320	1.5214	0.3978	0.0295	0.4273		1,641.5899	1,641.5899	0.0522		1,642.6868
Total	18.0858	2.0051	7.7604	0.0242	1.4895	0.0628	1.5523	0.3978	0.0604	0.4582		2,128.7820	2,128.7820	0.0616	8.9300e-003	2,132.8446

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.17	4.45	1.82	3.32	2.00	8.52	2.28	2.00	8.77	2.95	0.00	5.13	5.13	3.94	14.55	5.14

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/2/2019	3/2/2020	5	131	
2	Building Construction	Building Construction	3/3/2020	11/30/2022	5	717	
3	Paving	Paving	12/1/2022	3/31/2023	5	87	
4	Architectural Coating	Architectural Coating	4/2/2023	9/1/2023	5	110	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 19.78

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 79,713; Non-Residential Outdoor: 51,374 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	2	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Scrapers	2	8.00	361	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	8	20.00	0.00	13,308.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	362.00	141.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	72.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.2741	0.0000	6.2741	3.3414	0.0000	3.3414			0.0000			0.0000
Off-Road	4.8912	54.1978	40.2888	0.0617		2.5049	2.5049		2.3045	2.3045		6,111.312 1	6,111.312 1	1.9336		6,151.916 7
Total	4.8912	54.1978	40.2888	0.0617	6.2741	2.5049	8.7790	3.3414	2.3045	5.6460		6,111.312 1	6,111.312 1	1.9336		6,151.916 7

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.6445	23.0736	20.6881	0.0737	2.4495	0.4043	2.8538	0.6515	0.3719	1.0234		7,082.730 6	7,082.730 6	0.0531		7,083.845 1
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0579	0.0822	0.8609	2.5400e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		188.3572	188.3572	9.0600e-003		188.5474
Total	1.7024	23.1558	21.5490	0.0763	2.6731	0.4058	3.0789	0.7108	0.3734	1.0841		7,271.087 7	7,271.087 7	0.0621		7,272.392 5

3.2 Grading - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4469	0.0000	2.4469	1.3032	0.0000	1.3032			0.0000			0.0000
Off-Road	4.8912	54.1978	40.2888	0.0617		2.5049	2.5049		2.3045	2.3045	0.0000	6,111.312 1	6,111.312 1	1.9336		6,151.916 7
Total	4.8912	54.1978	40.2888	0.0617	2.4469	2.5049	4.9518	1.3032	2.3045	3.6077	0.0000	6,111.312 1	6,111.312 1	1.9336		6,151.916 7

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.6445	23.0736	20.6881	0.0737	2.4495	0.4043	2.8538	0.6515	0.3719	1.0234		7,082.730 6	7,082.730 6	0.0531		7,083.845 1
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0579	0.0822	0.8609	2.5400e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		188.3572	188.3572	9.0600e-003		188.5474
Total	1.7024	23.1558	21.5490	0.0763	2.6731	0.4058	3.0789	0.7108	0.3734	1.0841		7,271.087 7	7,271.087 7	0.0621		7,272.392 5

3.2 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.2741	0.0000	6.2741	3.3414	0.0000	3.3414			0.0000			0.0000
Off-Road	4.5501	49.3839	38.4257	0.0617		2.2619	2.2619		2.0810	2.0810		5,977.7088	5,977.7088	1.9333		6,018.3084
Total	4.5501	49.3839	38.4257	0.0617	6.2741	2.2619	8.5361	3.3414	2.0810	5.4224		5,977.7088	5,977.7088	1.9333		6,018.3084

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.6035	20.5401	20.3993	0.0736	4.4260	0.4011	4.8271	1.1366	0.3690	1.5056		6,921.9119	6,921.9119	0.0531		6,923.0275
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0538	0.0758	0.7975	2.5400e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		180.6447	180.6447	8.5400e-003		180.8240
Total	1.6573	20.6159	21.1968	0.0762	4.6496	0.4026	5.0521	1.1959	0.3704	1.5663		7,102.5565	7,102.5565	0.0617		7,103.8515

3.2 Grading - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.4469	0.0000	2.4469	1.3032	0.0000	1.3032			0.0000			0.0000
Off-Road	4.5501	49.3839	38.4257	0.0617		2.2619	2.2619		2.0810	2.0810	0.0000	5,977.7088	5,977.7088	1.9333		6,018.3084
Total	4.5501	49.3839	38.4257	0.0617	2.4469	2.2619	4.7089	1.3032	2.0810	3.3842	0.0000	5,977.7088	5,977.7088	1.9333		6,018.3084

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	1.6035	20.5401	20.3993	0.0736	4.4260	0.4011	4.8271	1.1366	0.3690	1.5056		6,921.9119	6,921.9119	0.0531		6,923.0275
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0538	0.0758	0.7975	2.5400e-003	0.2236	1.5200e-003	0.2251	0.0593	1.4100e-003	0.0607		180.6447	180.6447	8.5400e-003		180.8240
Total	1.6573	20.6159	21.1968	0.0762	4.6496	0.4026	5.0521	1.1959	0.3704	1.5663		7,102.5565	7,102.5565	0.0617		7,103.8515

3.3 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465		2,542.4799	2,542.4799	0.6194		2,555.4880
Total	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465		2,542.4799	2,542.4799	0.6194		2,555.4880

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9716	8.4044	13.7862	0.0301	0.8856	0.1512	1.0367	0.2528	0.1391	0.3919		2,813.4199	2,813.4199	0.0208		2,813.8565
Worker	0.9746	1.3725	14.4344	0.0460	4.0463	0.0275	4.0738	1.0731	0.0255	1.0986		3,269.6685	3,269.6685	0.1545		3,272.9140
Total	1.9461	9.7769	28.2206	0.0761	4.9319	0.1786	5.1105	1.3259	0.1645	1.4904		6,083.0884	6,083.0884	0.1753		6,086.7704

3.3 Building Construction - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465	0.0000	2,542.4799	2,542.4799	0.6194		2,555.4880
Total	2.1113	19.0839	16.8084	0.0268		1.1128	1.1128		1.0465	1.0465	0.0000	2,542.4799	2,542.4799	0.6194		2,555.4880

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9716	8.4044	13.7862	0.0301	0.8856	0.1512	1.0367	0.2528	0.1391	0.3919		2,813.4199	2,813.4199	0.0208		2,813.8565
Worker	0.9746	1.3725	14.4344	0.0460	4.0463	0.0275	4.0738	1.0731	0.0255	1.0986		3,269.6685	3,269.6685	0.1545		3,272.9140
Total	1.9461	9.7769	28.2206	0.0761	4.9319	0.1786	5.1105	1.3259	0.1645	1.4904		6,083.0884	6,083.0884	0.1753		6,086.7704

3.3 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979		2,542.7817	2,542.7817	0.6126		2,555.6462
Total	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979		2,542.7817	2,542.7817	0.6126		2,555.6462

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9374	7.1459	13.4397	0.0302	0.8855	0.1357	1.0212	0.2527	0.1249	0.3776		2,821.8783	2,821.8783	0.0212		2,822.3237
Worker	0.9224	1.2857	13.6459	0.0463	4.0463	0.0279	4.0742	1.0731	0.0258	1.0989		3,233.2771	3,233.2771	0.1491		3,236.4090
Total	1.8598	8.4316	27.0856	0.0765	4.9318	0.1636	5.0954	1.3258	0.1507	1.4765		6,055.1554	6,055.1554	0.1704		6,058.7327

3.3 Building Construction - 2021

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979	0.0000	2,542.7817	2,542.7817	0.6126		2,555.6462
Total	1.8931	17.3403	16.5376	0.0268		0.9549	0.9549		0.8979	0.8979	0.0000	2,542.7817	2,542.7817	0.6126		2,555.6462

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9374	7.1459	13.4397	0.0302	0.8855	0.1357	1.0212	0.2527	0.1249	0.3776		2,821.8783	2,821.8783	0.0212		2,822.3237
Worker	0.9224	1.2857	13.6459	0.0463	4.0463	0.0279	4.0742	1.0731	0.0258	1.0989		3,233.2771	3,233.2771	0.1491		3,236.4090
Total	1.8598	8.4316	27.0856	0.0765	4.9318	0.1636	5.0954	1.3258	0.1507	1.4765		6,055.1554	6,055.1554	0.1704		6,058.7327

3.3 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581		2,543.7497	2,543.7497	0.6085		2,556.5286
Total	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581		2,543.7497	2,543.7497	0.6085		2,556.5286

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9192	6.4859	13.2027	0.0301	0.8854	0.1342	1.0196	0.2527	0.1234	0.3762		2,818.7144	2,818.7144	0.0217		2,819.1696
Worker	0.8728	1.2073	12.8529	0.0463	4.0463	0.0279	4.0742	1.0731	0.0259	1.0990		3,181.6817	3,181.6817	0.1428		3,184.6813
Total	1.7920	7.6932	26.0556	0.0764	4.9317	0.1621	5.0938	1.3258	0.1493	1.4752		6,000.3960	6,000.3960	0.1645		6,003.8509

3.3 Building Construction - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581	0.0000	2,543.7497	2,543.7497	0.6085		2,556.5286
Total	1.6992	15.5364	16.3276	0.0268		0.8057	0.8057		0.7581	0.7581	0.0000	2,543.7497	2,543.7497	0.6085		2,556.5286

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.9192	6.4859	13.2027	0.0301	0.8854	0.1342	1.0196	0.2527	0.1234	0.3762		2,818.7144	2,818.7144	0.0217		2,819.1696
Worker	0.8728	1.2073	12.8529	0.0463	4.0463	0.0279	4.0742	1.0731	0.0259	1.0990		3,181.6817	3,181.6817	0.1428		3,184.6813
Total	1.7920	7.6932	26.0556	0.0764	4.9317	0.1621	5.0938	1.3258	0.1493	1.4752		6,000.3960	6,000.3960	0.1645		6,003.8509

3.4 Paving - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0815	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131		2,160.6869	2,160.6869	0.6988		2,175.3619
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5164	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131		2,160.6869	2,160.6869	0.6988		2,175.3619

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0362	0.0500	0.5326	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		131.8376	131.8376	5.9200e-003		131.9619
Total	0.0362	0.0500	0.5326	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		131.8376	131.8376	5.9200e-003		131.9619

3.4 Paving - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0815	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131	0.0000	2,160.6869	2,160.6869	0.6988		2,175.3619
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.5164	10.9108	14.2815	0.0223		0.5577	0.5577		0.5131	0.5131	0.0000	2,160.6869	2,160.6869	0.6988		2,175.3619

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0362	0.0500	0.5326	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		131.8376	131.8376	5.9200e-003		131.9619
Total	0.0362	0.0500	0.5326	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0700e-003	0.0455		131.8376	131.8376	5.9200e-003		131.9619

3.4 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0128	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609		2,160.6139	2,160.6139	0.6988		2,175.2884
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4477	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609		2,160.6139	2,160.6139	0.6988		2,175.2884

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338
Total	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338

3.4 Paving - 2023**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0128	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609	0.0000	2,160.6139	2,160.6139	0.6988		2,175.2884
Paving	0.4349					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4477	9.9983	14.2850	0.0223		0.5010	0.5010		0.4609	0.4609	0.0000	2,160.6139	2,160.6139	0.6988		2,175.2884

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338
Total	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338

3.5 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7618					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8017
Total	2.9534	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8017

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1645	0.2264	2.4147	9.2100e-003	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		623.5885	623.5885	0.0273		624.1622
Total	0.1645	0.2264	2.4147	9.2100e-003	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		623.5885	623.5885	0.0273		624.1622

3.5 Architectural Coating - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	2.7618					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8017
Total	2.9534	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8017

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1645	0.2264	2.4147	9.2100e-003	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		623.5885	623.5885	0.0273		624.1622
Total	0.1645	0.2264	2.4147	9.2100e-003	0.8048	5.5700e-003	0.8104	0.2134	5.1700e-003	0.2186		623.5885	623.5885	0.0273		624.1622

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.7836	1.5991	7.4120	0.0217	1.4895	0.0320	1.5214	0.3978	0.0295	0.4273		1,641.5899	1,641.5899	0.0522		1,642.6868
Unmitigated	0.7872	1.6233	7.4975	0.0222	1.5199	0.0326	1.5524	0.4059	0.0300	0.4360		1,673.6989	1,673.6989	0.0532		1,674.8155

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Place of Worship	18.60	335.86	223.73	198,832	194,855
Total	18.60	335.86	223.73	198,832	194,855

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.465544	0.065242	0.173782	0.157607	0.057427	0.009225	0.016327	0.043721	0.001116	0.001363	0.004759	0.000651	0.003237

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413
NaturalGas Unmitigated	0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	4846.84	0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0523	0.4752	0.3992	2.8500e-003		0.0361	0.0361		0.0361	0.0361		570.2167	570.2167	0.0109	0.0105	573.6869	

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	4.141	0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0447	0.4060	0.3410	2.4400e-003		0.0309	0.0309		0.0309	0.0309		487.1764	487.1764	9.3400e-003	8.9300e-003	490.1413

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	17.2575	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Unmitigated	17.4600	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.3993					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	17.0600					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.8000e-004	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Total	17.4600	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1969					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	17.0600					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	6.8000e-004	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166
Total	17.2575	7.0000e-005	7.3200e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005		0.0157	0.0157	4.0000e-005		0.0166

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy
 Use Water Efficient Irrigation System

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

LYMT Phase III
San Bernardino-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	41.10	1000sqft	0.94	41,097.00	0
Other Asphalt Surfaces	1.46	Acre	1.46	63,597.60	0
Other Non-Asphalt Surfaces	3.44	Acre	3.44	149,846.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2025
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase III building SF = 41,097. ~1.46 acres of onsite roads, ~3.44 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Grading - 5.84 acres graded.

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 61,646 SF, exterior = 20,549 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 61,646 SF, exterior = 20,549 SF

Sequestration - Assuming 25 trees per acre of landscaping x 3.44 acres = 86 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Trips and VMT -

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	127,271.00	20,549.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	381,812.00	61,646.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	381811	61646
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	55.00
tblConstructionPhase	NumDays	230.00	358.00
tblConstructionPhase	NumDays	20.00	66.00
tblConstructionPhase	NumDays	20.00	43.00
tblGrading	AcresOfGrading	33.00	5.84
tblLandUse	LandUseSquareFeet	41,100.00	41,097.00
tblProjectCharacteristics	OperationalYear	2014	2025
tblSequestration	NumberOfNewTrees	0.00	86.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2023	2.0656	18.6338	23.6563	0.0509	6.2836	0.9146	7.1982	3.3648	0.8414	4.2063	0.0000	4,405.3175	4,405.3175	0.9378	0.0000	4,425.0115
2024	1.9526	15.1881	23.3731	0.0511	1.4597	0.6575	2.1173	0.3925	0.6177	1.0101	0.0000	4,412.2452	4,412.2452	0.6469	0.0000	4,425.8293
2025	3.6812	14.1962	23.0621	0.0511	1.4597	0.5722	2.0319	0.3925	0.5374	0.9299	0.0000	4,401.0965	4,401.0965	0.7040	0.0000	4,415.8801
Total	7.6994	48.0181	70.0915	0.1532	9.2030	2.1443	11.3474	4.1497	1.9965	6.1462	0.0000	13,218.6592	13,218.6592	2.2887	0.0000	13,266.7209

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2023	2.0656	18.6338	23.6563	0.0509	2.5529	0.9146	3.4675	1.3394	0.8414	2.1808	0.0000	4,405.3175	4,405.3175	0.9378	0.0000	4,425.0115
2024	1.9526	15.1881	23.3731	0.0511	1.4597	0.6575	2.1173	0.3925	0.6177	1.0101	0.0000	4,412.2451	4,412.2451	0.6469	0.0000	4,425.8293
2025	3.6812	14.1962	23.0621	0.0511	1.4597	0.5722	2.0319	0.3925	0.5374	0.9299	0.0000	4,401.0965	4,401.0965	0.7040	0.0000	4,415.8801
Total	7.6994	48.0181	70.0915	0.1532	5.4723	2.1443	7.6166	2.1243	1.9965	4.1208	0.0000	13,218.6592	13,218.6592	2.2887	0.0000	13,266.7209

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	40.54	0.00	32.88	48.81	0.00	32.95	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	5.3169	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Energy	0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568
Mobile	0.5928	1.1509	5.6165	0.0186	1.1756	0.0254	1.2010	0.3140	0.0234	0.3374		1,379.2130	1,379.2130	0.0394		1,380.0403
Total	5.9501	1.5184	5.9298	0.0208	1.1756	0.0533	1.2290	0.3140	0.0514	0.3654		1,820.1962	1,820.1962	0.0479	8.0800e-003	1,823.7078

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	5.1603	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Energy	0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474
Mobile	0.5900	1.1341	5.5422	0.0183	1.1521	0.0249	1.1770	0.3077	0.0230	0.3307		1,352.7272	1,352.7272	0.0387		1,353.5398
Total	5.7848	1.4481	5.8106	0.0202	1.1521	0.0488	1.2009	0.3077	0.0469	0.3546		1,729.4917	1,729.4917	0.0459	6.9100e-003	1,732.5978

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	2.78	4.63	2.01	3.26	2.00	8.50	2.28	2.00	8.74	2.95	0.00	4.98	4.98	4.05	14.48	5.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/2/2023	12/4/2023	5	66	
2	Building Construction	Building Construction	12/5/2023	4/17/2025	5	358	
3	Paving	Paving	4/18/2025	6/17/2025	5	43	
4	Architectural Coating	Architectural Coating	6/18/2025	9/2/2025	5	55	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 5.84

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 61,646; Non-Residential Outdoor: 20,549 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	1	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	107.00	42.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.1159	0.0000	6.1159	3.3204	0.0000	3.3204			0.0000			0.0000
Off-Road	1.9415	18.5894	21.0065	0.0298		0.9134	0.9134		0.8404	0.8404		2,882.0579	2,882.0579	0.9321		2,901.6323
Total	1.9415	18.5894	21.0065	0.0298	6.1159	0.9134	7.0293	3.3204	0.8404	4.1607		2,882.0579	2,882.0579	0.9321		2,901.6323

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507
Total	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507

3.2 Grading - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.3852	0.0000	2.3852	1.2949	0.0000	1.2949			0.0000			0.0000
Off-Road	1.9415	18.5894	21.0065	0.0298		0.9134	0.9134		0.8404	0.8404	0.0000	2,882.0579	2,882.0579	0.9321		2,901.6323
Total	1.9415	18.5894	21.0065	0.0298	2.3852	0.9134	3.2986	1.2949	0.8404	2.1353	0.0000	2,882.0579	2,882.0579	0.9321		2,901.6323

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507
Total	0.0367	0.0444	0.5977	2.1100e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		142.7312	142.7312	5.6900e-003		142.8507

3.3 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557		2,544.6262	2,544.6262	0.6044		2,557.3191
Total	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557		2,544.6262	2,544.6262	0.6044		2,557.3191

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2378	1.5067	3.1836	8.9900e-003	0.2637	0.0391	0.3029	0.0753	0.0360	0.1113		842.5423	842.5423	5.6000e-003		842.6599
Worker	0.2617	0.3167	4.2635	0.0150	1.1960	8.2800e-003	1.2043	0.3172	7.6800e-003	0.3249		1,018.1490	1,018.1490	0.0406		1,019.0016
Total	0.4995	1.8234	7.4470	0.0240	1.4597	0.0474	1.5071	0.3925	0.0437	0.4361		1,860.6913	1,860.6913	0.0462		1,861.6615

3.3 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557	0.0000	2,544.626 2	2,544.626 2	0.6044		2,557.319 1
Total	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557	0.0000	2,544.626 2	2,544.626 2	0.6044		2,557.319 1

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2378	1.5067	3.1836	8.9900e-003	0.2637	0.0391	0.3029	0.0753	0.0360	0.1113		842.5423	842.5423	5.6000e-003		842.6599
Worker	0.2617	0.3167	4.2635	0.0150	1.1960	8.2800e-003	1.2043	0.3172	7.6800e-003	0.3249		1,018.149 0	1,018.149 0	0.0406		1,019.001 6
Total	0.4995	1.8234	7.4470	0.0240	1.4597	0.0474	1.5071	0.3925	0.0437	0.4361		1,860.691 3	1,860.691 3	0.0462		1,861.661 5

3.3 Building Construction - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744		2,545.1154	2,545.1154	0.6009		2,557.7349
Total	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744		2,545.1154	2,545.1154	0.6009		2,557.7349

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2370	1.5090	3.1327	9.0700e-003	0.2637	0.0385	0.3022	0.0753	0.0354	0.1107		850.1462	850.1462	5.8000e-003		850.2679
Worker	0.2503	0.3017	4.1072	0.0152	1.1960	8.5100e-003	1.2045	0.3172	7.8900e-003	0.3251		1,016.9835	1,016.9835	0.0401		1,017.8265
Total	0.4873	1.8107	7.2399	0.0243	1.4597	0.0470	1.5067	0.3925	0.0433	0.4358		1,867.1297	1,867.1297	0.0459		1,868.0944

3.3 Building Construction - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744	0.0000	2,545.1154	2,545.1154	0.6009		2,557.7349
Total	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744	0.0000	2,545.1154	2,545.1154	0.6009		2,557.7349

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2370	1.5090	3.1327	9.0700e-003	0.2637	0.0385	0.3022	0.0753	0.0354	0.1107		850.1462	850.1462	5.8000e-003		850.2679
Worker	0.2503	0.3017	4.1072	0.0152	1.1960	8.5100e-003	1.2045	0.3172	7.8900e-003	0.3251		1,016.9835	1,016.9835	0.0401		1,017.8265
Total	0.4873	1.8107	7.2399	0.0243	1.4597	0.0470	1.5067	0.3925	0.0433	0.4358		1,867.1297	1,867.1297	0.0459		1,868.0944

3.3 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939		2,545.8905	2,545.8905	0.5975		2,558.4386
Total	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939		2,545.8905	2,545.8905	0.5975		2,558.4386

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2321	1.4987	3.0765	9.0700e-003	0.2637	0.0387	0.3024	0.0753	0.0356	0.1108		850.0015	850.0015	5.8200e-003		850.1237
Worker	0.2390	0.2878	3.9338	0.0152	1.1960	8.5500e-003	1.2046	0.3172	7.9300e-003	0.3251		1,005.2045	1,005.2045	0.0390		1,006.0223
Total	0.4711	1.7865	7.0103	0.0243	1.4597	0.0472	1.5069	0.3925	0.0435	0.4360		1,855.2060	1,855.2060	0.0448		1,856.1460

3.3 Building Construction - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939	0.0000	2,545.8905	2,545.8905	0.5975		2,558.4386
Total	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939	0.0000	2,545.8905	2,545.8905	0.5975		2,558.4386

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2321	1.4987	3.0765	9.0700e-003	0.2637	0.0387	0.3024	0.0753	0.0356	0.1108		850.0015	850.0015	5.8200e-003		850.1237
Worker	0.2390	0.2878	3.9338	0.0152	1.1960	8.5500e-003	1.2046	0.3172	7.9300e-003	0.3251		1,005.2045	1,005.2045	0.0390		1,006.0223
Total	0.4711	1.7865	7.0103	0.0243	1.4597	0.0472	1.5069	0.3925	0.0435	0.4360		1,855.2060	1,855.2060	0.0448		1,856.1460

3.4 Paving - 2025**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8973	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781		2,159.7967	2,159.7967	0.6985		2,174.4656
Paving	0.0890					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9863	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781		2,159.7967	2,159.7967	0.6985		2,174.4656

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0335	0.0403	0.5515	2.1300e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		140.9165	140.9165	5.4600e-003		141.0312
Total	0.0335	0.0403	0.5515	2.1300e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		140.9165	140.9165	5.4600e-003		141.0312

3.4 Paving - 2025**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8973	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781	0.0000	2,159.7967	2,159.7967	0.6985		2,174.4656
Paving	0.0890					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9863	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781	0.0000	2,159.7967	2,159.7967	0.6985		2,174.4656

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0335	0.0403	0.5515	2.1300e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		140.9165	140.9165	5.4600e-003		141.0312
Total	0.0335	0.0403	0.5515	2.1300e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		140.9165	140.9165	5.4600e-003		141.0312

3.5 Architectural Coating - 2025**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	3.4634					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.7705
Total	3.6343	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.7705

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0565	0.7721	2.9900e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		197.2831	197.2831	7.6400e-003		197.4436
Total	0.0469	0.0565	0.7721	2.9900e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		197.2831	197.2831	7.6400e-003		197.4436

3.5 Architectural Coating - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	3.4634					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.7705
Total	3.6343	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.7705

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0565	0.7721	2.9900e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		197.2831	197.2831	7.6400e-003		197.4436
Total	0.0469	0.0565	0.7721	2.9900e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		197.2831	197.2831	7.6400e-003		197.4436

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.5900	1.1341	5.5422	0.0183	1.1521	0.0249	1.1770	0.3077	0.0230	0.3307		1,352.7272	1,352.7272	0.0387		1,353.5398
Unmitigated	0.5928	1.1509	5.6165	0.0186	1.1756	0.0254	1.2010	0.3140	0.0234	0.3374		1,379.2130	1,379.2130	0.0394		1,380.0403

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Place of Worship	14.39	259.75	173.03	153,777	150,701
Total	14.39	259.75	173.03	153,777	150,701

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.463991	0.065653	0.173627	0.157394	0.057911	0.009337	0.016305	0.044597	0.001118	0.001381	0.004677	0.000636	0.003374

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
NaturalGas Mitigated	0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474
NaturalGas Unmitigated	0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	3748.27	0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568	

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Place of Worship	3.20241	0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	5.1603	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Unmitigated	5.3169	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2765					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	5.0399					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	4.3000e-004	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Total	5.3169	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	5.0399					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	4.3000e-004	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Total	5.1603	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy
 Use Water Efficient Irrigation System

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

LYMT Phase III
San Bernardino-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	41.10	1000sqft	0.94	41,097.00	0
Other Asphalt Surfaces	1.46	Acre	1.46	63,597.60	0
Other Non-Asphalt Surfaces	3.44	Acre	3.44	149,846.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2025
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase III building SF = 41,097. ~1.46 acres of onsite roads, ~3.44 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Grading - 5.84 acres graded.

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 61,646 SF, exterior = 20,549 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 61,646 SF, exterior = 20,549 SF

Sequestration - Assuming 25 trees per acre of landscaping x 3.44 acres = 86 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Trips and VMT -

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	127,271.00	20,549.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	381,812.00	61,646.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	381811	61646
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	55.00
tblConstructionPhase	NumDays	230.00	358.00
tblConstructionPhase	NumDays	20.00	66.00
tblConstructionPhase	NumDays	20.00	43.00
tblGrading	AcresOfGrading	33.00	5.84
tblLandUse	LandUseSquareFeet	41,100.00	41,097.00
tblProjectCharacteristics	OperationalYear	2014	2025
tblSequestration	NumberOfNewTrees	0.00	86.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2023	2.0631	18.6365	23.5701	0.0494	6.2836	0.9146	7.1982	3.3648	0.8414	4.2063	0.0000	4,306.6875	4,306.6875	0.9378	0.0000	4,326.3815
2024	1.9504	15.2351	23.2910	0.0497	1.4597	0.6578	2.1176	0.3925	0.6179	1.0104	0.0000	4,313.3206	4,313.3206	0.6471	0.0000	4,326.9096
2025	3.6781	14.2418	22.9891	0.0497	1.4597	0.5725	2.0322	0.3925	0.5377	0.9301	0.0000	4,303.1589	4,303.1589	0.7040	0.0000	4,317.9425
Total	7.6916	48.1134	69.8502	0.1488	9.2030	2.1449	11.3479	4.1497	1.9970	6.1467	0.0000	12,923.1670	12,923.1670	2.2889	0.0000	12,971.2336

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2023	2.0631	18.6365	23.5701	0.0494	2.5529	0.9146	3.4675	1.3394	0.8414	2.1808	0.0000	4,306.6875	4,306.6875	0.9378	0.0000	4,326.3815
2024	1.9504	15.2351	23.2910	0.0497	1.4597	0.6578	2.1176	0.3925	0.6179	1.0104	0.0000	4,313.3206	4,313.3206	0.6471	0.0000	4,326.9096
2025	3.6781	14.2418	22.9891	0.0497	1.4597	0.5725	2.0322	0.3925	0.5377	0.9301	0.0000	4,303.1589	4,303.1589	0.7040	0.0000	4,317.9425
Total	7.6916	48.1134	69.8502	0.1488	5.4723	2.1449	7.6172	2.1243	1.9970	4.1213	0.0000	12,923.1670	12,923.1670	2.2889	0.0000	12,971.2336

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	40.54	0.00	32.88	48.81	0.00	32.95	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	5.3169	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Energy	0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568
Mobile	0.5750	1.1940	5.4761	0.0174	1.1756	0.0255	1.2011	0.3140	0.0235	0.3375		1,293.4013	1,293.4013	0.0395		1,294.2310
Total	5.9322	1.5615	5.7894	0.0196	1.1756	0.0534	1.2291	0.3140	0.0515	0.3655		1,734.3845	1,734.3845	0.0480	8.0800e-003	1,737.8984

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	5.1603	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Energy	0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474
Mobile	0.5723	1.1763	5.4139	0.0170	1.1521	0.0250	1.1772	0.3077	0.0231	0.3308		1,268.5769	1,268.5769	0.0388		1,269.3918
Total	5.7671	1.4903	5.6823	0.0189	1.1521	0.0489	1.2010	0.3077	0.0470	0.3547		1,645.3415	1,645.3415	0.0461	6.9100e-003	1,648.4498

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	2.78	4.56	1.85	3.37	2.00	8.46	2.28	2.00	8.73	2.95	0.00	5.13	5.13	4.02	14.48	5.15

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/2/2023	12/4/2023	5	66	
2	Building Construction	Building Construction	12/5/2023	4/17/2025	5	358	
3	Paving	Paving	4/18/2025	6/17/2025	5	43	
4	Architectural Coating	Architectural Coating	6/18/2025	9/2/2025	5	55	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 5.84

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 61,646; Non-Residential Outdoor: 20,549 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	1	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	107.00	42.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.1159	0.0000	6.1159	3.3204	0.0000	3.3204			0.0000			0.0000
Off-Road	1.9415	18.5894	21.0065	0.0298		0.9134	0.9134		0.8404	0.8404		2,882.0579	2,882.0579	0.9321		2,901.6323
Total	1.9415	18.5894	21.0065	0.0298	6.1159	0.9134	7.0293	3.3204	0.8404	4.1607		2,882.0579	2,882.0579	0.9321		2,901.6323

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338
Total	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338

3.2 Grading - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.3852	0.0000	2.3852	1.2949	0.0000	1.2949			0.0000			0.0000
Off-Road	1.9415	18.5894	21.0065	0.0298		0.9134	0.9134		0.8404	0.8404	0.0000	2,882.0579	2,882.0579	0.9321		2,901.6323
Total	1.9415	18.5894	21.0065	0.0298	2.3852	0.9134	3.2986	1.2949	0.8404	2.1353	0.0000	2,882.0579	2,882.0579	0.9321		2,901.6323

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338
Total	0.0343	0.0472	0.5031	1.9200e-003	0.1677	1.1600e-003	0.1688	0.0445	1.0800e-003	0.0455		129.9143	129.9143	5.6900e-003		130.0338

3.3 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557		2,544.626 2	2,544.626 2	0.6044		2,557.319 1
Total	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557		2,544.626 2	2,544.626 2	0.6044		2,557.319 1

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2525	1.5350	3.7724	8.9200e-003	0.2637	0.0394	0.3031	0.0753	0.0363	0.1115		835.3395	835.3395	5.8300e-003		835.4619
Worker	0.2445	0.3365	3.5884	0.0137	1.1960	8.2800e-003	1.2043	0.3172	7.6800e-003	0.3249		926.7218	926.7218	0.0406		927.5745
Total	0.4970	1.8715	7.3608	0.0226	1.4597	0.0477	1.5074	0.3925	0.0440	0.4364		1,762.061 3	1,762.061 3	0.0464		1,763.036 4

3.3 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557	0.0000	2,544.626 2	2,544.626 2	0.6044		2,557.319 1
Total	1.5661	14.3126	16.2093	0.0268		0.6967	0.6967		0.6557	0.6557	0.0000	2,544.626 2	2,544.626 2	0.6044		2,557.319 1

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2525	1.5350	3.7724	8.9200e-003	0.2637	0.0394	0.3031	0.0753	0.0363	0.1115		835.3395	835.3395	5.8300e-003		835.4619
Worker	0.2445	0.3365	3.5884	0.0137	1.1960	8.2800e-003	1.2043	0.3172	7.6800e-003	0.3249		926.7218	926.7218	0.0406		927.5745
Total	0.4970	1.8715	7.3608	0.0226	1.4597	0.0477	1.5074	0.3925	0.0440	0.4364		1,762.061 3	1,762.061 3	0.0464		1,763.036 4

3.3 Building Construction - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744		2,545.1154	2,545.1154	0.6009		2,557.7349
Total	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744		2,545.1154	2,545.1154	0.6009		2,557.7349

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2512	1.5374	3.7097	9.0000e-003	0.2637	0.0388	0.3025	0.0753	0.0357	0.1109		842.9426	842.9426	6.0300e-003		843.0692
Worker	0.2339	0.3203	3.4482	0.0138	1.1960	8.5100e-003	1.2045	0.3172	7.8900e-003	0.3251		925.2626	925.2626	0.0401		926.1055
Total	0.4851	1.8577	7.1578	0.0228	1.4597	0.0473	1.5070	0.3925	0.0436	0.4360		1,768.2052	1,768.2052	0.0462		1,769.1747

3.3 Building Construction - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744	0.0000	2,545.1154	2,545.1154	0.6009		2,557.7349
Total	1.4653	13.3774	16.1332	0.0268		0.6106	0.6106		0.5744	0.5744	0.0000	2,545.1154	2,545.1154	0.6009		2,557.7349

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2512	1.5374	3.7097	9.0000e-003	0.2637	0.0388	0.3025	0.0753	0.0357	0.1109		842.9426	842.9426	6.0300e-003		843.0692
Worker	0.2339	0.3203	3.4482	0.0138	1.1960	8.5100e-003	1.2045	0.3172	7.8900e-003	0.3251		925.2626	925.2626	0.0401		926.1055
Total	0.4851	1.8577	7.1578	0.0228	1.4597	0.0473	1.5070	0.3925	0.0436	0.4360		1,768.2052	1,768.2052	0.0462		1,769.1747

3.3 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939		2,545.8905	2,545.8905	0.5975		2,558.4386
Total	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939		2,545.8905	2,545.8905	0.5975		2,558.4386

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2457	1.5268	3.6400	9.0000e-003	0.2637	0.0390	0.3027	0.0753	0.0358	0.1111		842.7973	842.7973	6.0500e-003		842.9243
Worker	0.2235	0.3053	3.2973	0.0138	1.1960	8.5500e-003	1.2046	0.3172	7.9300e-003	0.3251		914.4710	914.4710	0.0390		915.2889
Total	0.4692	1.8321	6.9373	0.0228	1.4597	0.0475	1.5072	0.3925	0.0438	0.4362		1,757.2683	1,757.2683	0.0450		1,758.2132

3.3 Building Construction - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939	0.0000	2,545.8905	2,545.8905	0.5975		2,558.4386
Total	1.3615	12.4097	16.0518	0.0269		0.5250	0.5250		0.4939	0.4939	0.0000	2,545.8905	2,545.8905	0.5975		2,558.4386

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2457	1.5268	3.6400	9.0000e-003	0.2637	0.0390	0.3027	0.0753	0.0358	0.1111		842.7973	842.7973	6.0500e-003		842.9243
Worker	0.2235	0.3053	3.2973	0.0138	1.1960	8.5500e-003	1.2046	0.3172	7.9300e-003	0.3251		914.4710	914.4710	0.0390		915.2889
Total	0.4692	1.8321	6.9373	0.0228	1.4597	0.0475	1.5072	0.3925	0.0438	0.4362		1,757.2683	1,757.2683	0.0450		1,758.2132

3.4 Paving - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8973	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781		2,159.7967	2,159.7967	0.6985		2,174.4656
Paving	0.0890					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9863	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781		2,159.7967	2,159.7967	0.6985		2,174.4656

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0313	0.0428	0.4622	1.9400e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		128.1969	128.1969	5.4600e-003		128.3115
Total	0.0313	0.0428	0.4622	1.9400e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		128.1969	128.1969	5.4600e-003		128.3115

3.4 Paving - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8973	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781	0.0000	2,159.7967	2,159.7967	0.6985		2,174.4656
Paving	0.0890					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9863	8.4215	14.2781	0.0223		0.4109	0.4109		0.3781	0.3781	0.0000	2,159.7967	2,159.7967	0.6985		2,174.4656

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0313	0.0428	0.4622	1.9400e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		128.1969	128.1969	5.4600e-003		128.3115
Total	0.0313	0.0428	0.4622	1.9400e-003	0.1677	1.2000e-003	0.1689	0.0445	1.1100e-003	0.0456		128.1969	128.1969	5.4600e-003		128.3115

3.5 Architectural Coating - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	3.4634					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.7705
Total	3.6343	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.7705

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0439	0.0599	0.6471	2.7200e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		179.4756	179.4756	7.6400e-003		179.6361
Total	0.0439	0.0599	0.6471	2.7200e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		179.4756	179.4756	7.6400e-003		179.6361

3.5 Architectural Coating - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	3.4634					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.7705
Total	3.6343	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.7705

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0439	0.0599	0.6471	2.7200e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		179.4756	179.4756	7.6400e-003		179.6361
Total	0.0439	0.0599	0.6471	2.7200e-003	0.2347	1.6800e-003	0.2364	0.0623	1.5600e-003	0.0638		179.4756	179.4756	7.6400e-003		179.6361

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.5723	1.1763	5.4139	0.0170	1.1521	0.0250	1.1772	0.3077	0.0231	0.3308		1,268.5769	1,268.5769	0.0388		1,269.3918
Unmitigated	0.5750	1.1940	5.4761	0.0174	1.1756	0.0255	1.2011	0.3140	0.0235	0.3375		1,293.4013	1,293.4013	0.0395		1,294.2310

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Place of Worship	14.39	259.75	173.03	153,777	150,701
Total	14.39	259.75	173.03	153,777	150,701

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.463991	0.065653	0.173627	0.157394	0.057911	0.009337	0.016305	0.044597	0.001118	0.001381	0.004677	0.000636	0.003374

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474
NaturalGas Unmitigated	0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	3748.27	0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0404	0.3675	0.3087	2.2000e-003		0.0279	0.0279		0.0279	0.0279		440.9731	440.9731	8.4500e-003	8.0800e-003	443.6568

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Place of Worship	3.20241	0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0345	0.3140	0.2637	1.8800e-003		0.0239	0.0239		0.0239	0.0239		376.7545	376.7545	7.2200e-003	6.9100e-003	379.0474

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	5.1603	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Unmitigated	5.3169	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2765					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	5.0399					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	4.3000e-004	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Total	5.3169	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	5.0399					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	4.3000e-004	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106
Total	5.1603	4.0000e-005	4.6800e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005		0.0101	0.0101	3.0000e-005		0.0106

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy
 Use Water Efficient Irrigation System

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

APPENDIX C

CalEEMod Model Annual Emissions Printouts

LYMT Phase I
San Bernardino-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	65.14	1000sqft	1.50	65,138.00	0
Other Asphalt Surfaces	4.13	Acre	4.13	179,902.80	0
Other Non-Asphalt Surfaces	10.35	Acre	10.35	450,846.00	0
Parking Lot	58.00	Space	0.52	23,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase I building SF = 65,138. 58 space parking lot, ~4.35 acres of onsite roads, ~10.35 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Grading - 16.5 acres graded. 33,912 CY imported for planning area 1.

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 97,707 SF, exterior (including parking lot) = 32,726 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 97,707 SF, exterior (including parking lot) = 32,726 SF

Sequestration - Assuming 25 trees per acre of landscaping x 10.35 acres = 259 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	348,291.00	32,726.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	1,044,874.00	97,707.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	1044875	97707
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	110.00
tblConstructionPhase	NumDays	300.00	717.00
tblConstructionPhase	NumDays	30.00	131.00
tblConstructionPhase	NumDays	20.00	86.00
tblConstructionPhase	PhaseEndDate	8/30/2019	9/1/2019
tblConstructionPhase	PhaseEndDate	3/29/2019	3/31/2019
tblGrading	AcresOfGrading	327.50	16.50
tblGrading	MaterialImported	0.00	33,912.00
tblLandUse	LandUseSquareFeet	65,140.00	65,138.00
tblProjectCharacteristics	OperationalYear	2014	2019
tblSequestration	NumberOfNewTrees	0.00	259.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2015	0.3309	3.9536	2.6348	3.8800e-003	0.4481	0.1750	0.6231	0.2295	0.1610	0.3905	0.0000	364.2843	364.2843	0.0786	0.0000	365.9342
2016	0.7667	6.2876	6.7680	0.0119	0.8806	0.3159	1.1965	0.3457	0.2948	0.6406	0.0000	1,015.9619	1,015.9619	0.1230	0.0000	1,018.5438
2017	0.6637	4.9114	6.2144	0.0119	0.5253	0.2546	0.7799	0.1415	0.2386	0.3801	0.0000	978.2864	978.2864	0.0977	0.0000	980.3381
2018	0.5555	4.2121	5.5364	0.0112	0.4847	0.2089	0.6936	0.1305	0.1958	0.3263	0.0000	902.3880	902.3880	0.0943	0.0000	904.3688
2019	0.2263	0.5950	0.7297	1.3700e-003	0.0415	0.0333	0.0747	0.0110	0.0312	0.0422	0.0000	110.9642	110.9642	0.0230	0.0000	111.4478
Total	2.5432	19.9598	21.8833	0.0402	2.3802	0.9876	3.3679	0.8582	0.9214	1.7797	0.0000	3,371.8847	3,371.8847	0.4166	0.0000	3,380.6327

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.6956	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003
Energy	0.0117	0.1063	0.0893	6.4000e-004		8.0800e-003	8.0800e-003		8.0800e-003	8.0800e-003	0.0000	327.9074	327.9074	0.0120	4.1400e-003	329.4420
Mobile	0.0560	0.1551	0.5769	1.3700e-003	0.0923	2.1200e-003	0.0945	0.0247	1.9600e-003	0.0267	0.0000	100.3527	100.3527	3.5700e-003	0.0000	100.4277
Waste						0.0000	0.0000		0.0000	0.0000	75.3705	0.0000	75.3705	4.4543	0.0000	168.9103
Water						0.0000	0.0000		0.0000	0.0000	0.6466	17.7299	18.3765	0.0672	1.7400e-003	20.3267
Total	2.7633	0.2614	0.6680	2.0100e-003	0.0923	0.0102	0.1026	0.0247	0.0101	0.0348	76.0172	445.9933	522.0105	4.5371	5.8800e-003	619.1102

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	2.6503	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003
Energy	9.9900e-003	0.0908	0.0763	5.4000e-004		6.9000e-003	6.9000e-003		6.9000e-003	6.9000e-003	0.0000	292.9932	292.9932	0.0108	3.6600e-003	294.3546
Mobile	0.0557	0.1526	0.5701	1.3500e-003	0.0905	2.0900e-003	0.0926	0.0242	1.9200e-003	0.0261	0.0000	98.4289	98.4289	3.5100e-003	0.0000	98.5026
Waste						0.0000	0.0000		0.0000	0.0000	37.6853	0.0000	37.6853	2.2271	0.0000	84.4551
Water						0.0000	0.0000		0.0000	0.0000	0.5173	16.0001	16.5174	0.0539	1.4100e-003	18.0846
Total	2.7160	0.2435	0.6482	1.8900e-003	0.0905	9.0000e-003	0.0995	0.0242	8.8300e-003	0.0330	38.2026	407.4255	445.6281	2.2954	5.0700e-003	495.4005

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.71	6.86	2.97	5.97	1.99	11.85	2.99	2.02	12.14	4.92	49.74	8.65	14.63	49.41	13.78	19.98

2.3 Vegetation

Vegetation

	CO2e
Category	MT
New Trees	183.3720
Total	183.3720

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/1/2015	3/1/2016	5	131	
2	Building Construction	Building Construction	3/2/2016	11/29/2018	5	717	
3	Paving	Paving	11/30/2018	3/31/2019	5	86	
4	Architectural Coating	Architectural Coating	4/1/2019	9/1/2019	5	110	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 16.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 97,707; Non-Residential Outdoor: 32,726 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	2	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Scrapers	2	8.00	361	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	8	20.00	0.00	4,239.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	302.00	118.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	60.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2015**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.4051	0.0000	0.4051	0.2181	0.0000	0.2181	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2981	3.4781	2.2370	2.7200e-003		0.1673	0.1673		0.1539	0.1539	0.0000	258.9057	258.9057	0.0773	0.0000	260.5289
Total	0.2981	3.4781	2.2370	2.7200e-003	0.4051	0.1673	0.5724	0.2181	0.1539	0.3720	0.0000	258.9057	258.9057	0.0773	0.0000	260.5289

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0290	0.4699	0.3378	1.0400e-003	0.0334	7.6300e-003	0.0410	8.9000e-003	7.0100e-003	0.0159	0.0000	96.4332	96.4332	7.7000e-004	0.0000	96.4493
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.8000e-003	5.7100e-003	0.0600	1.1000e-004	9.6500e-003	8.0000e-005	9.7300e-003	2.5600e-003	7.0000e-005	2.6300e-003	0.0000	8.9453	8.9453	5.1000e-004	0.0000	8.9560
Total	0.0328	0.4756	0.3978	1.1500e-003	0.0430	7.7100e-003	0.0507	0.0115	7.0800e-003	0.0185	0.0000	105.3786	105.3786	1.2800e-003	0.0000	105.4053

3.2 Grading - 2015**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1580	0.0000	0.1580	0.0850	0.0000	0.0850	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2981	3.4781	2.2370	2.7200e-003		0.1673	0.1673		0.1539	0.1539	0.0000	258.9054	258.9054	0.0773	0.0000	260.5286
Total	0.2981	3.4781	2.2370	2.7200e-003	0.1580	0.1673	0.3253	0.0850	0.1539	0.2390	0.0000	258.9054	258.9054	0.0773	0.0000	260.5286

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0290	0.4699	0.3378	1.0400e-003	0.0334	7.6300e-003	0.0410	8.9000e-003	7.0100e-003	0.0159	0.0000	96.4332	96.4332	7.7000e-004	0.0000	96.4493
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.8000e-003	5.7100e-003	0.0600	1.1000e-004	9.6500e-003	8.0000e-005	9.7300e-003	2.5600e-003	7.0000e-005	2.6300e-003	0.0000	8.9453	8.9453	5.1000e-004	0.0000	8.9560
Total	0.0328	0.4756	0.3978	1.1500e-003	0.0430	7.7100e-003	0.0507	0.0115	7.0800e-003	0.0185	0.0000	105.3786	105.3786	1.2800e-003	0.0000	105.4053

3.2 Grading - 2016**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.4051	0.0000	0.4051	0.2181	0.0000	0.2181	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1393	1.6085	1.0565	1.3300e-003		0.0771	0.0771		0.0709	0.0709	0.0000	125.1208	125.1208	0.0377	0.0000	125.9134
Total	0.1393	1.6085	1.0565	1.3300e-003	0.4051	0.0771	0.4822	0.2181	0.0709	0.2890	0.0000	125.1208	125.1208	0.0377	0.0000	125.9134

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0125	0.2025	0.1544	5.1000e-004	0.0303	2.9900e-003	0.0333	7.7900e-003	2.7500e-003	0.0105	0.0000	46.5933	46.5933	3.4000e-004	0.0000	46.6004
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6500e-003	2.5000e-003	0.0263	6.0000e-005	4.7100e-003	4.0000e-005	4.7500e-003	1.2500e-003	3.0000e-005	1.2800e-003	0.0000	4.2136	4.2136	2.3000e-004	0.0000	4.2184
Total	0.0142	0.2050	0.1807	5.7000e-004	0.0350	3.0300e-003	0.0381	9.0400e-003	2.7800e-003	0.0118	0.0000	50.8069	50.8069	5.7000e-004	0.0000	50.8187

3.2 Grading - 2016

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1580	0.0000	0.1580	0.0850	0.0000	0.0850	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1393	1.6085	1.0565	1.3300e-003		0.0771	0.0771		0.0709	0.0709	0.0000	125.1207	125.1207	0.0377	0.0000	125.9132
Total	0.1393	1.6085	1.0565	1.3300e-003	0.1580	0.0771	0.2351	0.0850	0.0709	0.1559	0.0000	125.1207	125.1207	0.0377	0.0000	125.9132

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0125	0.2025	0.1544	5.1000e-004	0.0303	2.9900e-003	0.0333	7.7900e-003	2.7500e-003	0.0105	0.0000	46.5933	46.5933	3.4000e-004	0.0000	46.6004
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6500e-003	2.5000e-003	0.0263	6.0000e-005	4.7100e-003	4.0000e-005	4.7500e-003	1.2500e-003	3.0000e-005	1.2800e-003	0.0000	4.2136	4.2136	2.3000e-004	0.0000	4.2184
Total	0.0142	0.2050	0.1807	5.7000e-004	0.0350	3.0300e-003	0.0381	9.0400e-003	2.7800e-003	0.0118	0.0000	50.8069	50.8069	5.7000e-004	0.0000	50.8187

3.3 Building Construction - 2016**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.3713	3.1072	2.0172	2.9200e-003		0.2145	0.2145		0.2015	0.2015	0.0000	263.9474	263.9474	0.0655	0.0000	265.3222
Total	0.3713	3.1072	2.0172	2.9200e-003		0.2145	0.2145		0.2015	0.2015	0.0000	263.9474	263.9474	0.0655	0.0000	265.3222

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1153	1.1757	1.5015	2.7900e-003	0.0795	0.0187	0.0982	0.0228	0.0172	0.0399	0.0000	253.5191	253.5191	1.8500e-003	0.0000	253.5580
Worker	0.1267	0.1912	2.0121	4.2800e-003	0.3609	2.7300e-003	0.3637	0.0959	2.5100e-003	0.0984	0.0000	322.5677	322.5677	0.0173	0.0000	322.9315
Total	0.2420	1.3669	3.5137	7.0700e-003	0.4405	0.0214	0.4619	0.1186	0.0197	0.1383	0.0000	576.0867	576.0867	0.0192	0.0000	576.4895

3.3 Building Construction - 2016

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.3713	3.1072	2.0172	2.9200e-003		0.2145	0.2145		0.2015	0.2015	0.0000	263.9471	263.9471	0.0655	0.0000	265.3218
Total	0.3713	3.1072	2.0172	2.9200e-003		0.2145	0.2145		0.2015	0.2015	0.0000	263.9471	263.9471	0.0655	0.0000	265.3218

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1153	1.1757	1.5015	2.7900e-003	0.0795	0.0187	0.0982	0.0228	0.0172	0.0399	0.0000	253.5191	253.5191	1.8500e-003	0.0000	253.5580
Worker	0.1267	0.1912	2.0121	4.2800e-003	0.3609	2.7300e-003	0.3637	0.0959	2.5100e-003	0.0984	0.0000	322.5677	322.5677	0.0173	0.0000	322.9315
Total	0.2420	1.3669	3.5137	7.0700e-003	0.4405	0.0214	0.4619	0.1186	0.0197	0.1383	0.0000	576.0867	576.0867	0.0192	0.0000	576.4895

3.3 Building Construction - 2017**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.4033	3.4327	2.3568	3.4900e-003		0.2316	0.2316		0.2175	0.2175	0.0000	311.3228	311.3228	0.0766	0.0000	312.9319
Total	0.4033	3.4327	2.3568	3.4900e-003		0.2316	0.2316		0.2175	0.2175	0.0000	311.3228	311.3228	0.0766	0.0000	312.9319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1269	1.2744	1.7091	3.3200e-003	0.0949	0.0199	0.1147	0.0271	0.0183	0.0454	0.0000	297.3842	297.3842	2.1400e-003	0.0000	297.4291
Worker	0.1336	0.2043	2.1485	5.1000e-003	0.4305	3.1400e-003	0.4336	0.1143	2.8900e-003	0.1172	0.0000	369.5793	369.5793	0.0189	0.0000	369.9771
Total	0.2604	1.4787	3.8576	8.4200e-003	0.5253	0.0230	0.5483	0.1415	0.0212	0.1626	0.0000	666.9635	666.9635	0.0211	0.0000	667.4062

3.3 Building Construction - 2017

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.4033	3.4327	2.3568	3.4900e-003		0.2316	0.2316		0.2175	0.2175	0.0000	311.3225	311.3225	0.0766	0.0000	312.9315
Total	0.4033	3.4327	2.3568	3.4900e-003		0.2316	0.2316		0.2175	0.2175	0.0000	311.3225	311.3225	0.0766	0.0000	312.9315

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1269	1.2744	1.7091	3.3200e-003	0.0949	0.0199	0.1147	0.0271	0.0183	0.0454	0.0000	297.3842	297.3842	2.1400e-003	0.0000	297.4291
Worker	0.1336	0.2043	2.1485	5.1000e-003	0.4305	3.1400e-003	0.4336	0.1143	2.8900e-003	0.1172	0.0000	369.5793	369.5793	0.0189	0.0000	369.9771
Total	0.2604	1.4787	3.8576	8.4200e-003	0.5253	0.0230	0.5483	0.1415	0.0212	0.1626	0.0000	666.9635	666.9635	0.0211	0.0000	667.4062

3.3 Building Construction - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.3189	2.7797	2.0952	3.2000e-003		0.1786	0.1786		0.1679	0.1679	0.0000	282.9398	282.9398	0.0692	0.0000	284.3938
Total	0.3189	2.7797	2.0952	3.2000e-003		0.1786	0.1786		0.1679	0.1679	0.0000	282.9398	282.9398	0.0692	0.0000	284.3938

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1077	1.0735	1.4946	3.0500e-003	0.0872	0.0172	0.1044	0.0249	0.0158	0.0407	0.0000	268.6844	268.6844	1.9500e-003	0.0000	268.7255
Worker	0.1091	0.1694	1.7791	4.6800e-003	0.3957	2.8100e-003	0.3985	0.1051	2.6000e-003	0.1077	0.0000	326.8638	326.8638	0.0161	0.0000	327.2015
Total	0.2168	1.2429	3.2737	7.7300e-003	0.4829	0.0200	0.5029	0.1300	0.0184	0.1484	0.0000	595.5482	595.5482	0.0180	0.0000	595.9269

3.3 Building Construction - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.3189	2.7797	2.0952	3.2000e-003		0.1786	0.1786		0.1679	0.1679	0.0000	282.9394	282.9394	0.0692	0.0000	284.3935
Total	0.3189	2.7797	2.0952	3.2000e-003		0.1786	0.1786		0.1679	0.1679	0.0000	282.9394	282.9394	0.0692	0.0000	284.3935

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1077	1.0735	1.4946	3.0500e-003	0.0872	0.0172	0.1044	0.0249	0.0158	0.0407	0.0000	268.6844	268.6844	1.9500e-003	0.0000	268.7255
Worker	0.1091	0.1694	1.7791	4.6800e-003	0.3957	2.8100e-003	0.3985	0.1051	2.6000e-003	0.1077	0.0000	326.8638	326.8638	0.0161	0.0000	327.2015
Total	0.2168	1.2429	3.2737	7.7300e-003	0.4829	0.0200	0.5029	0.1300	0.0184	0.1484	0.0000	595.5482	595.5482	0.0180	0.0000	595.9269

3.4 Paving - 2018**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0177	0.1888	0.1594	2.5000e-004		0.0103	0.0103		9.5000e-003	9.5000e-003	0.0000	22.4056	22.4056	6.9800e-003	0.0000	22.5521
Paving	1.5600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0193	0.1888	0.1594	2.5000e-004		0.0103	0.0103		9.5000e-003	9.5000e-003	0.0000	22.4056	22.4056	6.9800e-003	0.0000	22.5521

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-004	7.7000e-004	8.1300e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4944	1.4944	7.0000e-005	0.0000	1.4960
Total	5.0000e-004	7.7000e-004	8.1300e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4944	1.4944	7.0000e-005	0.0000	1.4960

3.4 Paving - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0177	0.1888	0.1594	2.5000e-004		0.0103	0.0103		9.5000e-003	9.5000e-003	0.0000	22.4056	22.4056	6.9800e-003	0.0000	22.5521
Paving	1.5600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0193	0.1888	0.1594	2.5000e-004		0.0103	0.0103		9.5000e-003	9.5000e-003	0.0000	22.4056	22.4056	6.9800e-003	0.0000	22.5521

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-004	7.7000e-004	8.1300e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4944	1.4944	7.0000e-005	0.0000	1.4960
Total	5.0000e-004	7.7000e-004	8.1300e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4944	1.4944	7.0000e-005	0.0000	1.4960

3.4 Paving - 2019**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0456	0.4779	0.4597	7.1000e-004		0.0259	0.0259		0.0238	0.0238	0.0000	64.1263	64.1263	0.0203	0.0000	64.5524
Paving	4.5300e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0502	0.4779	0.4597	7.1000e-004		0.0259	0.0259		0.0238	0.0238	0.0000	64.1263	64.1263	0.0203	0.0000	64.5524

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3200e-003	2.0500e-003	0.0214	6.0000e-005	5.2600e-003	4.0000e-005	5.3000e-003	1.4000e-003	3.0000e-005	1.4300e-003	0.0000	4.1645	4.1645	2.0000e-004	0.0000	4.1686
Total	1.3200e-003	2.0500e-003	0.0214	6.0000e-005	5.2600e-003	4.0000e-005	5.3000e-003	1.4000e-003	3.0000e-005	1.4300e-003	0.0000	4.1645	4.1645	2.0000e-004	0.0000	4.1686

3.4 Paving - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0456	0.4779	0.4597	7.1000e-004		0.0259	0.0259		0.0238	0.0238	0.0000	64.1262	64.1262	0.0203	0.0000	64.5523
Paving	4.5300e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0502	0.4779	0.4597	7.1000e-004		0.0259	0.0259		0.0238	0.0238	0.0000	64.1262	64.1262	0.0203	0.0000	64.5523

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3200e-003	2.0500e-003	0.0214	6.0000e-005	5.2600e-003	4.0000e-005	5.3000e-003	1.4000e-003	3.0000e-005	1.4300e-003	0.0000	4.1645	4.1645	2.0000e-004	0.0000	4.1686
Total	1.3200e-003	2.0500e-003	0.0214	6.0000e-005	5.2600e-003	4.0000e-005	5.3000e-003	1.4000e-003	3.0000e-005	1.4300e-003	0.0000	4.1645	4.1645	2.0000e-004	0.0000	4.1686

3.5 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1511					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0147	0.1010	0.1013	1.6000e-004		7.0800e-003	7.0800e-003		7.0800e-003	7.0800e-003	0.0000	14.0429	14.0429	1.1900e-003	0.0000	14.0678
Total	0.1658	0.1010	0.1013	1.6000e-004		7.0800e-003	7.0800e-003		7.0800e-003	7.0800e-003	0.0000	14.0429	14.0429	1.1900e-003	0.0000	14.0678

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.0500e-003	0.0141	0.1473	4.3000e-004	0.0362	2.5000e-004	0.0364	9.6100e-003	2.3000e-004	9.8400e-003	0.0000	28.6306	28.6306	1.3600e-003	0.0000	28.6590
Total	9.0500e-003	0.0141	0.1473	4.3000e-004	0.0362	2.5000e-004	0.0364	9.6100e-003	2.3000e-004	9.8400e-003	0.0000	28.6306	28.6306	1.3600e-003	0.0000	28.6590

3.5 Architectural Coating - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1511					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0147	0.1010	0.1013	1.6000e-004		7.0800e-003	7.0800e-003		7.0800e-003	7.0800e-003	0.0000	14.0429	14.0429	1.1900e-003	0.0000	14.0678
Total	0.1658	0.1010	0.1013	1.6000e-004		7.0800e-003	7.0800e-003		7.0800e-003	7.0800e-003	0.0000	14.0429	14.0429	1.1900e-003	0.0000	14.0678

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.0500e-003	0.0141	0.1473	4.3000e-004	0.0362	2.5000e-004	0.0364	9.6100e-003	2.3000e-004	9.8400e-003	0.0000	28.6306	28.6306	1.3600e-003	0.0000	28.6590
Total	9.0500e-003	0.0141	0.1473	4.3000e-004	0.0362	2.5000e-004	0.0364	9.6100e-003	2.3000e-004	9.8400e-003	0.0000	28.6306	28.6306	1.3600e-003	0.0000	28.6590

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0557	0.1526	0.5701	1.3500e-003	0.0905	2.0900e-003	0.0926	0.0242	1.9200e-003	0.0261	0.0000	98.4289	98.4289	3.5100e-003	0.0000	98.5026
Unmitigated	0.0560	0.1551	0.5769	1.3700e-003	0.0923	2.1200e-003	0.0945	0.0247	1.9600e-003	0.0267	0.0000	100.3527	100.3527	3.5700e-003	0.0000	100.4277

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Place of Worship	22.80	411.68	274.24	243,723	238,848
Total	22.80	411.68	274.24	243,723	238,848

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.469745	0.065359	0.173284	0.156374	0.056542	0.009056	0.016508	0.042061	0.001112	0.001336	0.004986	0.000686	0.002952

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	194.1285	194.1285	8.9200e-003	1.8500e-003	194.8882
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	212.1909	212.1909	9.7500e-003	2.0200e-003	213.0214
NaturalGas Mitigated	9.9900e-003	0.0908	0.0763	5.4000e-004		6.9000e-003	6.9000e-003		6.9000e-003	6.9000e-003	0.0000	98.8647	98.8647	1.8900e-003	1.8100e-003	99.4664
NaturalGas Unmitigated	0.0117	0.1063	0.0893	6.4000e-004		8.0800e-003	8.0800e-003		8.0800e-003	8.0800e-003	0.0000	115.7164	115.7164	2.2200e-003	2.1200e-003	116.4207

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr										MT/yr						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	2.16844e+006	0.0117	0.1063	0.0893	6.4000e-004		8.0800e-003	8.0800e-003		8.0800e-003	8.0800e-003	0.0000	115.7164	115.7164	2.2200e-003	2.1200e-003	116.4207	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0117	0.1063	0.0893	6.4000e-004		8.0800e-003	8.0800e-003		8.0800e-003	8.0800e-003	0.0000	115.7164	115.7164	2.2200e-003	2.1200e-003	116.4207	

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr										MT/yr						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.85265e+006	9.9900e-003	0.0908	0.0763	5.4000e-004		6.9000e-003	6.9000e-003		6.9000e-003	6.9000e-003	0.0000	98.8647	98.8647	1.8900e-003	1.8100e-003	99.4664	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		9.9900e-003	0.0908	0.0763	5.4000e-004		6.9000e-003	6.9000e-003		6.9000e-003	6.9000e-003	0.0000	98.8647	98.8647	1.8900e-003	1.8100e-003	99.4664	

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	20416	5.8424	2.7000e-004	6.0000e-005	5.8653
Place of Worship	721078	206.3486	9.4900e-003	1.9600e-003	207.1561
Total		212.1909	9.7600e-003	2.0200e-003	213.0214

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	20416	5.8424	2.7000e-004	6.0000e-005	5.8653
Place of Worship	657959	188.2861	8.6500e-003	1.7900e-003	189.0229
Total		194.1284	8.9200e-003	1.8500e-003	194.8882

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	2.6503	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003
Unmitigated	2.6956	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0970					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5984					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7000e-004	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003
Total	2.6956	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0517					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	2.5984					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.7000e-004	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003
Total	2.6503	2.0000e-005	1.7700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	0.0000	3.4200e-003	3.4200e-003	1.0000e-005	0.0000	3.6100e-003

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy

Use Water Efficient Irrigation System

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	16.5174	0.0539	1.4100e-003	18.0846
Unmitigated	18.3765	0.0672	1.7400e-003	20.3267

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Place of Worship	2.03816 / 3.18789	18.3765	0.0672	1.7400e-003	20.3267
Total		18.3765	0.0672	1.7400e-003	20.3267

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.63053 / 3.18789	16.5174	0.0539	1.4100e-003	18.0846
Total		16.5174	0.0539	1.4100e-003	18.0846

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	37.6853	2.2271	0.0000	84.4551
Unmitigated	75.3705	4.4543	0.0000	168.9103

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	371.3	75.3705	4.4543	0.0000	168.9103
Total		75.3705	4.4543	0.0000	168.9103

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	185.65	37.6853	2.2271	0.0000	84.4551
Total		37.6853	2.2271	0.0000	84.4551

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

LYMT Phase II
San Bernardino-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	53.14	1000sqft	1.22	53,142.00	0
Other Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Other Non-Asphalt Surfaces	4.12	Acre	4.12	179,467.20	0
Parking Lot	9.49	Acre	9.49	413,384.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2023
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase II building SF = 53,142. A 9.49 acre parking lot, ~4.95 acres of onsite roads, ~4.12 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Trips and VMT -

Grading - 19.78 acres graded. 59,010 CY imported for planning area 2 plus 47,451 CY imported for planning area 3 = 106,461 CY

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 79,713 SF, exterior (including parking lot) = 51,374 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 79,713 SF, exterior (including parking lot) = 51,374 SF

Sequestration - Assuming 25 trees per acre of landscaping x 4.12 acres = 103 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	230,316.00	51,374.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	690,949.00	79,713.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	690949	79713
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	110.00
tblConstructionPhase	NumDays	300.00	717.00
tblConstructionPhase	NumDays	30.00	131.00
tblConstructionPhase	NumDays	20.00	87.00
tblConstructionPhase	PhaseStartDate	4/1/2023	4/2/2023
tblGrading	AcresOfGrading	327.50	19.78
tblGrading	MaterialImported	0.00	106,461.00
tblProjectCharacteristics	OperationalYear	2014	2023
tblSequestration	NumberOfNewTrees	0.00	103.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	0.2865	3.3808	2.7092	6.0100e-003	0.5251	0.1266	0.6517	0.2493	0.1165	0.3657	0.0000	528.6100	528.6100	0.0787	0.0000	530.2634
2020	0.5721	4.7170	6.3175	0.0144	1.0389	0.1993	1.2382	0.3868	0.1859	0.5726	0.0000	1,120.626 1	1,120.626 1	0.1184	0.0000	1,123.111 6
2021	0.4821	3.3883	5.7908	0.0136	0.6317	0.1459	0.7776	0.1701	0.1368	0.3069	0.0000	1,025.505 7	1,025.505 7	0.0926	0.0000	1,027.451 1
2022	0.4257	2.9059	5.2892	0.0127	0.5778	0.1213	0.6991	0.1556	0.1136	0.2692	0.0000	952.1431	952.1431	0.0904	0.0000	954.0423
2023	0.2191	0.4112	0.7186	1.4700e-003	0.0488	0.0205	0.0693	0.0130	0.0192	0.0322	0.0000	113.2344	113.2344	0.0230	0.0000	113.7168
Total	1.9855	14.8031	20.8252	0.0481	2.8223	0.6136	3.4358	0.9747	0.5719	1.5465	0.0000	3,740.119 2	3,740.119 2	0.4031	0.0000	3,748.585 2

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	3.1864	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003
Energy	9.5400e-003	0.0867	0.0729	5.2000e-004		6.5900e-003	6.5900e-003		6.5900e-003	6.5900e-003	0.0000	366.8539	366.8539	0.0143	4.3200e-003	368.4946
Mobile	0.0380	0.0839	0.3889	1.1300e-003	0.0753	1.6400e-003	0.0770	0.0202	1.5100e-003	0.0217	0.0000	77.4908	77.4908	2.4300e-003	0.0000	77.5419
Waste						0.0000	0.0000		0.0000	0.0000	61.4860	0.0000	61.4860	3.6337	0.0000	137.7940
Water						0.0000	0.0000		0.0000	0.0000	0.5275	14.4637	14.9912	0.0548	1.4200e-003	16.5821
Total	3.2339	0.1706	0.4627	1.6500e-003	0.0753	8.2300e-003	0.0836	0.0202	8.1000e-003	0.0283	62.0135	458.8102	520.8236	3.7053	5.7400e-003	600.4145

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	3.1495	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003
Energy	8.1500e-003	0.0741	0.0622	4.4000e-004		5.6300e-003	5.6300e-003		5.6300e-003	5.6300e-003	0.0000	338.3696	338.3696	0.0134	3.9300e-003	339.8690
Mobile	0.0378	0.0826	0.3845	1.1100e-003	0.0738	1.6100e-003	0.0754	0.0198	1.4800e-003	0.0212	0.0000	76.0053	76.0053	2.3900e-003	0.0000	76.0555
Waste						0.0000	0.0000		0.0000	0.0000	30.7430	0.0000	30.7430	1.8169	0.0000	68.8970
Water						0.0000	0.0000		0.0000	0.0000	0.4220	13.0526	13.4746	0.0439	1.1500e-003	14.7531
Total	3.1954	0.1567	0.4476	1.5500e-003	0.0738	7.2400e-003	0.0811	0.0198	7.1100e-003	0.0269	31.1650	427.4293	458.5942	1.8766	5.0800e-003	499.5765

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	1.19	8.14	3.26	6.06	2.00	12.03	2.99	1.99	12.22	4.92	49.74	6.84	11.95	49.35	11.50	16.79

2.3 Vegetation

Vegetation

	CO2e
Category	MT
New Trees	72.9240
	72.9240
Total	72.9240

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/2/2019	3/2/2020	5	131	
2	Building Construction	Building Construction	3/3/2020	11/30/2022	5	717	
3	Paving	Paving	12/1/2022	3/31/2023	5	87	
4	Architectural Coating	Architectural Coating	4/2/2023	9/1/2023	5	110	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 19.78

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 79,713; Non-Residential Outdoor: 51,374 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	2	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Scrapers	2	8.00	361	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	8	20.00	0.00	13,308.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	362.00	141.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	72.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2019**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.4110	0.0000	0.4110	0.2189	0.0000	0.2189	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2128	2.3576	1.7526	2.6800e-003		0.1090	0.1090		0.1003	0.1003	0.0000	241.1679	241.1679	0.0763	0.0000	242.7702
Total	0.2128	2.3576	1.7526	2.6800e-003	0.4110	0.1090	0.5199	0.2189	0.1003	0.3191	0.0000	241.1679	241.1679	0.0763	0.0000	242.7702

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0714	1.0195	0.9178	3.2100e-003	0.1046	0.0176	0.1222	0.0279	0.0162	0.0440	0.0000	279.8940	279.8940	2.0800e-003	0.0000	279.9376
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3900e-003	3.7200e-003	0.0388	1.1000e-004	9.5400e-003	7.0000e-005	9.6100e-003	2.5300e-003	6.0000e-005	2.5900e-003	0.0000	7.5481	7.5481	3.6000e-004	0.0000	7.5556
Total	0.0738	1.0232	0.9566	3.3200e-003	0.1142	0.0176	0.1318	0.0304	0.0162	0.0466	0.0000	287.4421	287.4421	2.4400e-003	0.0000	287.4932

3.2 Grading - 2019**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1603	0.0000	0.1603	0.0854	0.0000	0.0854	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2128	2.3576	1.7526	2.6800e-003		0.1090	0.1090		0.1003	0.1003	0.0000	241.1676	241.1676	0.0763	0.0000	242.7700
Total	0.2128	2.3576	1.7526	2.6800e-003	0.1603	0.1090	0.2692	0.0854	0.1003	0.1856	0.0000	241.1676	241.1676	0.0763	0.0000	242.7700

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0714	1.0195	0.9178	3.2100e-003	0.1046	0.0176	0.1222	0.0279	0.0162	0.0440	0.0000	279.8940	279.8940	2.0800e-003	0.0000	279.9376
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3900e-003	3.7200e-003	0.0388	1.1000e-004	9.5400e-003	7.0000e-005	9.6100e-003	2.5300e-003	6.0000e-005	2.5900e-003	0.0000	7.5481	7.5481	3.6000e-004	0.0000	7.5556
Total	0.0738	1.0232	0.9566	3.3200e-003	0.1142	0.0176	0.1318	0.0304	0.0162	0.0466	0.0000	287.4421	287.4421	2.4400e-003	0.0000	287.4932

3.2 Grading - 2020**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.4110	0.0000	0.4110	0.2189	0.0000	0.2189	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1001	1.0865	0.8454	1.3600e-003		0.0498	0.0498		0.0458	0.0458	0.0000	119.3035	119.3035	0.0386	0.0000	120.1138
Total	0.1001	1.0865	0.8454	1.3600e-003	0.4110	0.0498	0.4607	0.2189	0.0458	0.2646	0.0000	119.3035	119.3035	0.0386	0.0000	120.1138

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0352	0.4590	0.4573	1.6200e-003	0.0954	8.8100e-003	0.1043	0.0245	8.1100e-003	0.0326	0.0000	138.3417	138.3417	1.0500e-003	0.0000	138.3638
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1200e-003	1.7400e-003	0.0182	6.0000e-005	4.8200e-003	3.0000e-005	4.8600e-003	1.2800e-003	3.0000e-005	1.3100e-003	0.0000	3.6612	3.6612	1.7000e-004	0.0000	3.6648
Total	0.0363	0.4608	0.4755	1.6800e-003	0.1003	8.8400e-003	0.1091	0.0258	8.1400e-003	0.0340	0.0000	142.0029	142.0029	1.2200e-003	0.0000	142.0285

3.2 Grading - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1603	0.0000	0.1603	0.0854	0.0000	0.0854	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1001	1.0865	0.8454	1.3600e-003		0.0498	0.0498		0.0458	0.0458	0.0000	119.3034	119.3034	0.0386	0.0000	120.1136
Total	0.1001	1.0865	0.8454	1.3600e-003	0.1603	0.0498	0.2100	0.0854	0.0458	0.1311	0.0000	119.3034	119.3034	0.0386	0.0000	120.1136

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0352	0.4590	0.4573	1.6200e-003	0.0954	8.8100e-003	0.1043	0.0245	8.1100e-003	0.0326	0.0000	138.3417	138.3417	1.0500e-003	0.0000	138.3638
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1200e-003	1.7400e-003	0.0182	6.0000e-005	4.8200e-003	3.0000e-005	4.8600e-003	1.2800e-003	3.0000e-005	1.3100e-003	0.0000	3.6612	3.6612	1.7000e-004	0.0000	3.6648
Total	0.0363	0.4608	0.4755	1.6800e-003	0.1003	8.8400e-003	0.1091	0.0258	8.1400e-003	0.0340	0.0000	142.0029	142.0029	1.2200e-003	0.0000	142.0285

3.3 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2301	2.0802	1.8321	2.9200e-003		0.1213	0.1213		0.1141	0.1141	0.0000	251.4084	251.4084	0.0613	0.0000	252.6947
Total	0.2301	2.0802	1.8321	2.9200e-003		0.1213	0.1213		0.1141	0.1141	0.0000	251.4084	251.4084	0.0613	0.0000	252.6947

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1050	0.9341	1.5328	3.2900e-003	0.0950	0.0164	0.1114	0.0272	0.0151	0.0423	0.0000	279.5871	279.5871	2.0100e-003	0.0000	279.6294
Worker	0.1006	0.1557	1.6316	5.0900e-003	0.4326	2.9900e-003	0.4356	0.1149	2.7800e-003	0.1177	0.0000	328.3243	328.3243	0.0153	0.0000	328.6452
Total	0.2056	1.0897	3.1645	8.3800e-003	0.5276	0.0194	0.5470	0.1421	0.0179	0.1599	0.0000	607.9114	607.9114	0.0173	0.0000	608.2746

3.3 Building Construction - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2301	2.0802	1.8321	2.9200e-003		0.1213	0.1213		0.1141	0.1141	0.0000	251.4081	251.4081	0.0613	0.0000	252.6944
Total	0.2301	2.0802	1.8321	2.9200e-003		0.1213	0.1213		0.1141	0.1141	0.0000	251.4081	251.4081	0.0613	0.0000	252.6944

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1050	0.9341	1.5328	3.2900e-003	0.0950	0.0164	0.1114	0.0272	0.0151	0.0423	0.0000	279.5871	279.5871	2.0100e-003	0.0000	279.6294
Worker	0.1006	0.1557	1.6316	5.0900e-003	0.4326	2.9900e-003	0.4356	0.1149	2.7800e-003	0.1177	0.0000	328.3243	328.3243	0.0153	0.0000	328.6452
Total	0.2056	1.0897	3.1645	8.3800e-003	0.5276	0.0194	0.5470	0.1421	0.0179	0.1599	0.0000	607.9114	607.9114	0.0173	0.0000	608.2746

3.3 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2471	2.2629	2.1582	3.5000e-003		0.1246	0.1246		0.1172	0.1172	0.0000	301.0339	301.0339	0.0725	0.0000	302.5568
Total	0.2471	2.2629	2.1582	3.5000e-003		0.1246	0.1246		0.1172	0.1172	0.0000	301.0339	301.0339	0.0725	0.0000	302.5568

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1211	0.9508	1.7855	3.9500e-003	0.1137	0.0176	0.1314	0.0325	0.0162	0.0488	0.0000	335.7366	335.7366	2.4600e-003	0.0000	335.7883
Worker	0.1139	0.1746	1.8472	6.1400e-003	0.5180	3.6400e-003	0.5216	0.1376	3.3700e-003	0.1409	0.0000	388.7353	388.7353	0.0177	0.0000	389.1060
Total	0.2351	1.1254	3.6326	0.0101	0.6317	0.0213	0.6530	0.1701	0.0196	0.1897	0.0000	724.4718	724.4718	0.0201	0.0000	724.8943

3.3 Building Construction - 2021

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2471	2.2629	2.1582	3.5000e-003		0.1246	0.1246		0.1172	0.1172	0.0000	301.0335	301.0335	0.0725	0.0000	302.5565
Total	0.2471	2.2629	2.1582	3.5000e-003		0.1246	0.1246		0.1172	0.1172	0.0000	301.0335	301.0335	0.0725	0.0000	302.5565

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1211	0.9508	1.7855	3.9500e-003	0.1137	0.0176	0.1314	0.0325	0.0162	0.0488	0.0000	335.7366	335.7366	2.4600e-003	0.0000	335.7883
Worker	0.1139	0.1746	1.8472	6.1400e-003	0.5180	3.6400e-003	0.5216	0.1376	3.3700e-003	0.1409	0.0000	388.7353	388.7353	0.0177	0.0000	389.1060
Total	0.2351	1.1254	3.6326	0.0101	0.6317	0.0213	0.6530	0.1701	0.0196	0.1897	0.0000	724.4718	724.4718	0.0201	0.0000	724.8943

3.3 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2022	1.8488	1.9430	3.1900e-003		0.0959	0.0959		0.0902	0.0902	0.0000	274.6105	274.6105	0.0657	0.0000	275.9900
Total	0.2022	1.8488	1.9430	3.1900e-003		0.0959	0.0959		0.0902	0.0902	0.0000	274.6105	274.6105	0.0657	0.0000	275.9900

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1082	0.7869	1.5963	3.6000e-003	0.1037	0.0159	0.1196	0.0297	0.0146	0.0443	0.0000	305.8080	305.8080	2.2900e-003	0.0000	305.8562
Worker	0.0982	0.1495	1.5868	5.6000e-003	0.4723	3.3200e-003	0.4757	0.1255	3.0800e-003	0.1285	0.0000	348.8269	348.8269	0.0154	0.0000	349.1507
Total	0.2064	0.9364	3.1830	9.2000e-003	0.5760	0.0192	0.5952	0.1551	0.0177	0.1728	0.0000	654.6349	654.6349	0.0177	0.0000	655.0069

3.3 Building Construction - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2022	1.8488	1.9430	3.1900e-003		0.0959	0.0959		0.0902	0.0902	0.0000	274.6101	274.6101	0.0657	0.0000	275.9897
Total	0.2022	1.8488	1.9430	3.1900e-003		0.0959	0.0959		0.0902	0.0902	0.0000	274.6101	274.6101	0.0657	0.0000	275.9897

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1082	0.7869	1.5963	3.6000e-003	0.1037	0.0159	0.1196	0.0297	0.0146	0.0443	0.0000	305.8080	305.8080	2.2900e-003	0.0000	305.8562
Worker	0.0982	0.1495	1.5868	5.6000e-003	0.4723	3.3200e-003	0.4757	0.1255	3.0800e-003	0.1285	0.0000	348.8269	348.8269	0.0154	0.0000	349.1507
Total	0.2064	0.9364	3.1830	9.2000e-003	0.5760	0.0192	0.5952	0.1551	0.0177	0.1728	0.0000	654.6349	654.6349	0.0177	0.0000	655.0069

3.4 Paving - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0119	0.1200	0.1571	2.5000e-004		6.1300e-003	6.1300e-003		5.6400e-003	5.6400e-003	0.0000	21.5616	21.5616	6.9700e-003	0.0000	21.7080
Paving	4.7800e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0167	0.1200	0.1571	2.5000e-004		6.1300e-003	6.1300e-003		5.6400e-003	5.6400e-003	0.0000	21.5616	21.5616	6.9700e-003	0.0000	21.7080

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.8000e-004	5.7000e-004	6.0800e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.3361	1.3361	6.0000e-005	0.0000	1.3373
Total	3.8000e-004	5.7000e-004	6.0800e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.3361	1.3361	6.0000e-005	0.0000	1.3373

3.4 Paving - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0119	0.1200	0.1571	2.5000e-004		6.1300e-003	6.1300e-003		5.6400e-003	5.6400e-003	0.0000	21.5615	21.5615	6.9700e-003	0.0000	21.7080
Paving	4.7800e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0167	0.1200	0.1571	2.5000e-004		6.1300e-003	6.1300e-003		5.6400e-003	5.6400e-003	0.0000	21.5615	21.5615	6.9700e-003	0.0000	21.7080

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.8000e-004	5.7000e-004	6.0800e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.3361	1.3361	6.0000e-005	0.0000	1.3373
Total	3.8000e-004	5.7000e-004	6.0800e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.3361	1.3361	6.0000e-005	0.0000	1.3373

3.4 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0329	0.3249	0.4643	7.3000e-004		0.0163	0.0163		0.0150	0.0150	0.0000	63.7025	63.7025	0.0206	0.0000	64.1351
Paving	0.0141					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0471	0.3249	0.4643	7.3000e-004		0.0163	0.0163		0.0150	0.0150	0.0000	63.7025	63.7025	0.0206	0.0000	64.1351

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0500e-003	1.6000e-003	0.0170	6.0000e-005	5.3500e-003	4.0000e-005	5.3800e-003	1.4200e-003	3.0000e-005	1.4500e-003	0.0000	3.8900	3.8900	1.7000e-004	0.0000	3.8936
Total	1.0500e-003	1.6000e-003	0.0170	6.0000e-005	5.3500e-003	4.0000e-005	5.3800e-003	1.4200e-003	3.0000e-005	1.4500e-003	0.0000	3.8900	3.8900	1.7000e-004	0.0000	3.8936

3.4 Paving - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0329	0.3249	0.4643	7.3000e-004		0.0163	0.0163		0.0150	0.0150	0.0000	63.7024	63.7024	0.0206	0.0000	64.1351
Paving	0.0141					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0471	0.3249	0.4643	7.3000e-004		0.0163	0.0163		0.0150	0.0150	0.0000	63.7024	63.7024	0.0206	0.0000	64.1351

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0500e-003	1.6000e-003	0.0170	6.0000e-005	5.3500e-003	4.0000e-005	5.3800e-003	1.4200e-003	3.0000e-005	1.4500e-003	0.0000	3.8900	3.8900	1.7000e-004	0.0000	3.8936
Total	1.0500e-003	1.6000e-003	0.0170	6.0000e-005	5.3500e-003	4.0000e-005	5.3800e-003	1.4200e-003	3.0000e-005	1.4500e-003	0.0000	3.8900	3.8900	1.7000e-004	0.0000	3.8936

3.5 Architectural Coating - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1519					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0105	0.0717	0.0996	1.6000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	14.0429	14.0429	8.4000e-004	0.0000	14.0605
Total	0.1624	0.0717	0.0996	1.6000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	14.0429	14.0429	8.4000e-004	0.0000	14.0605

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.5500e-003	0.0130	0.1378	5.1000e-004	0.0434	3.1000e-004	0.0437	0.0115	2.8000e-004	0.0118	0.0000	31.5990	31.5990	1.3600e-003	0.0000	31.6276
Total	8.5500e-003	0.0130	0.1378	5.1000e-004	0.0434	3.1000e-004	0.0437	0.0115	2.8000e-004	0.0118	0.0000	31.5990	31.5990	1.3600e-003	0.0000	31.6276

3.5 Architectural Coating - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1519					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0105	0.0717	0.0996	1.6000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	14.0429	14.0429	8.4000e-004	0.0000	14.0605
Total	0.1624	0.0717	0.0996	1.6000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	14.0429	14.0429	8.4000e-004	0.0000	14.0605

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.5500e-003	0.0130	0.1378	5.1000e-004	0.0434	3.1000e-004	0.0437	0.0115	2.8000e-004	0.0118	0.0000	31.5990	31.5990	1.3600e-003	0.0000	31.6276
Total	8.5500e-003	0.0130	0.1378	5.1000e-004	0.0434	3.1000e-004	0.0437	0.0115	2.8000e-004	0.0118	0.0000	31.5990	31.5990	1.3600e-003	0.0000	31.6276

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0378	0.0826	0.3845	1.1100e-003	0.0738	1.6100e-003	0.0754	0.0198	1.4800e-003	0.0212	0.0000	76.0053	76.0053	2.3900e-003	0.0000	76.0555
Unmitigated	0.0380	0.0839	0.3889	1.1300e-003	0.0753	1.6400e-003	0.0770	0.0202	1.5100e-003	0.0217	0.0000	77.4908	77.4908	2.4300e-003	0.0000	77.5419

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Place of Worship	18.60	335.86	223.73	198,832	194,855
Total	18.60	335.86	223.73	198,832	194,855

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.465544	0.065242	0.173782	0.157607	0.057427	0.009225	0.016327	0.043721	0.001116	0.001363	0.004759	0.000651	0.003237

5.0 Energy Detail

4.4 Fleet Mix

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	257.7121	257.7121	0.0119	2.4500e-003	258.7206
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	272.4481	272.4481	0.0125	2.5900e-003	273.5143
NaturalGas Mitigated	8.1500e-003	0.0741	0.0622	4.4000e-004		5.6300e-003	5.6300e-003		5.6300e-003	5.6300e-003	0.0000	80.6575	80.6575	1.5500e-003	1.4800e-003	81.1484
NaturalGas Unmitigated	9.5400e-003	0.0867	0.0729	5.2000e-004		6.5900e-003	6.5900e-003		6.5900e-003	6.5900e-003	0.0000	94.4058	94.4058	1.8100e-003	1.7300e-003	94.9803

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr										MT/yr						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.7691e+006	9.5400e-003	0.0867	0.0729	5.2000e-004		6.5900e-003	6.5900e-003		6.5900e-003	6.5900e-003	0.0000	94.4058	94.4058	1.8100e-003	1.7300e-003	94.9803	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		9.5400e-003	0.0867	0.0729	5.2000e-004		6.5900e-003	6.5900e-003		6.5900e-003	6.5900e-003	0.0000	94.4058	94.4058	1.8100e-003	1.7300e-003	94.9803	

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr										MT/yr						
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.51146e+006	8.1500e-003	0.0741	0.0622	4.4000e-004		5.6300e-003	5.6300e-003		5.6300e-003	5.6300e-003	0.0000	80.6575	80.6575	1.5500e-003	1.4800e-003	81.1484	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		8.1500e-003	0.0741	0.0622	4.4000e-004		5.6300e-003	5.6300e-003		5.6300e-003	5.6300e-003	0.0000	80.6575	80.6575	1.5500e-003	1.4800e-003	81.1484	

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	363778	104.1013	4.7900e-003	9.9000e-004	104.5087
Place of Worship	588282	168.3468	7.7400e-003	1.6000e-003	169.0056
Total		272.4481	0.0125	2.5900e-003	273.5143

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	363778	104.1013	4.7900e-003	9.9000e-004	104.5087
Place of Worship	536787	153.6108	7.0600e-003	1.4600e-003	154.2119
Total		257.7121	0.0119	2.4500e-003	258.7206

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	3.1495	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003
Unmitigated	3.1864	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0729					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	3.1135					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003
Total	3.1864	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0359					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	3.1135					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003
Total	3.1495	1.0000e-005	9.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.7800e-003	1.7800e-003	0.0000	0.0000	1.8800e-003

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy

Use Water Efficient Irrigation System

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	13.4746	0.0439	1.1500e-003	14.7531
Unmitigated	14.9912	0.0548	1.4200e-003	16.5821

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.66269 / 2.60062	14.9912	0.0548	1.4200e-003	16.5821
Total		14.9912	0.0548	1.4200e-003	16.5821

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.33015 / 2.60062	13.4746	0.0439	1.1500e-003	14.7531
Total		13.4746	0.0439	1.1500e-003	14.7531

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	30.7430	1.8169	0.0000	68.8970
Unmitigated	61.4860	3.6337	0.0000	137.7940

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	302.9	61.4860	3.6337	0.0000	137.7940
Total		61.4860	3.6337	0.0000	137.7940

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	151.45	30.7430	1.8169	0.0000	68.8970
Total		30.7430	1.8169	0.0000	68.8970

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

	Total CO2	CH4	N2O	CO2e
Category	MT			
Unmitigated	183.3720	0.0000	0.0000	183.3720

10.2 Net New Trees

Species Class

	Number of Trees	Total CO2	CH4	N2O	CO2e
		MT			
Miscellaneous	259	183.3720	0.0000	0.0000	183.3720
Total		183.3720	0.0000	0.0000	183.3720

	Total CO2	CH4	N2O	CO2e
Category	MT			
Unmitigated	72.9240	0.0000	0.0000	72.9240

10.2 Net New Trees

Species Class

	Number of Trees	Total CO2	CH4	N2O	CO2e
		MT			
Miscellaneous	103	72.9240	0.0000	0.0000	72.9240
Total		72.9240	0.0000	0.0000	72.9240

LYMT Phase III
San Bernardino-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Place of Worship	41.10	1000sqft	0.94	41,097.00	0
Other Asphalt Surfaces	1.46	Acre	1.46	63,597.60	0
Other Non-Asphalt Surfaces	3.44	Acre	3.44	149,846.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2025
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	630.89	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Phase III building SF = 41,097. ~1.46 acres of onsite roads, ~3.44 acres of landscape areas and fuel modification zones

Construction Phase - Timing from developer

Grading - 5.84 acres graded.

Architectural Coating - SCAQMD Rule 1113. Interior to be painted = 61,646 SF, exterior = 20,549 SF

Vehicle Trips - Trip rates calculated from TIA. Daily trip rate corresponds to 0.35 per TSF, Sat trip rate = "factored major special event" rate 6.32 per TSF and Sunday = major special event rate 4.21 per TSF

Area Coating - SCAQMD Rule 1113. Interior to be painted = 61,646 SF, exterior = 20,549 SF

Sequestration - Assuming 25 trees per acre of landscaping x 3.44 acres = 86 trees

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation -

Area Mitigation - SCAQMD Rule 1113

Energy Mitigation - 2013 Title 24 standards are 30% more efficient than 2008 Title 24 standards. Energy Star appliances to be installed as needed.

Water Mitigation - Green Building standards require 20% reduction in indoor water usage. Water-efficient irrigation systems reduce water use by 6.1%

Waste Mitigation - AB 939 or something

Trips and VMT -

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	127,271.00	20,549.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	381,812.00	61,646.00
tblArchitecturalCoating	EF_Nonresidential_Exterior	250.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	250.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	250	50
tblAreaCoating	Area_Nonresidential_Interior	381811	61646
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	250	50
tblConstructionPhase	NumDays	20.00	55.00
tblConstructionPhase	NumDays	230.00	358.00
tblConstructionPhase	NumDays	20.00	66.00
tblConstructionPhase	NumDays	20.00	43.00
tblGrading	AcresOfGrading	33.00	5.84
tblLandUse	LandUseSquareFeet	41,100.00	41,097.00
tblProjectCharacteristics	OperationalYear	2014	2025
tblSequestration	NumberOfNewTrees	0.00	86.00
tblVehicleTrips	ST_TR	10.37	6.32
tblVehicleTrips	SU_TR	36.63	4.21
tblVehicleTrips	WD_TR	9.11	0.35

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2023	0.0846	0.7693	0.9362	1.5200e-003	0.2209	0.0373	0.2581	0.1147	0.0344	0.1491	0.0000	127.5069	127.5069	0.0337	0.0000	128.2143
2024	0.2534	2.0017	3.0749	6.5400e-003	0.1877	0.0862	0.2738	0.0505	0.0809	0.1315	0.0000	514.8221	514.8221	0.0769	0.0000	516.4367
2025	0.1928	0.7653	1.2772	2.6000e-003	0.0650	0.0324	0.0974	0.0175	0.0303	0.0478	0.0000	207.1769	207.1769	0.0367	0.0000	207.9485
Total	0.5308	3.5362	5.2883	0.0107	0.4736	0.1558	0.6294	0.1827	0.1457	0.3283	0.0000	849.5060	849.5060	0.1473	0.0000	852.5995

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2023	0.0846	0.7693	0.9362	1.5200e-003	0.0978	0.0373	0.1350	0.0478	0.0344	0.0823	0.0000	127.5068	127.5068	0.0337	0.0000	128.2142
2024	0.2534	2.0017	3.0749	6.5400e-003	0.1877	0.0862	0.2738	0.0505	0.0809	0.1315	0.0000	514.8217	514.8217	0.0769	0.0000	516.4363
2025	0.1928	0.7653	1.2772	2.6000e-003	0.0650	0.0324	0.0974	0.0175	0.0303	0.0478	0.0000	207.1768	207.1768	0.0367	0.0000	207.9483
Total	0.5308	3.5362	5.2883	0.0107	0.3505	0.1558	0.5062	0.1159	0.1457	0.2615	0.0000	849.5053	849.5053	0.1473	0.0000	852.5988

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	26.00	0.00	19.56	36.58	0.00	20.36	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.9703	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003
Energy	7.3800e-003	0.0671	0.0563	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	203.1979	203.1979	7.3800e-003	2.5800e-003	204.1517
Mobile	0.0277	0.0617	0.2839	8.9000e-004	0.0583	1.2800e-003	0.0596	0.0156	1.1800e-003	0.0168	0.0000	59.8808	59.8808	1.8100e-003	0.0000	59.9187
Waste						0.0000	0.0000		0.0000	0.0000	47.5547	0.0000	47.5547	2.8104	0.0000	106.5731
Water						0.0000	0.0000		0.0000	0.0000	0.4080	11.1866	11.5946	0.0424	1.1000e-003	12.8251
Total	1.0054	0.1288	0.3408	1.2900e-003	0.0583	6.3800e-003	0.0647	0.0156	6.2800e-003	0.0219	47.9627	274.2664	322.2291	2.8620	3.6800e-003	383.4698

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.9417	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003
Energy	6.3000e-003	0.0573	0.0481	3.4000e-004		4.3500e-003	4.3500e-003		4.3500e-003	4.3500e-003	0.0000	181.1698	181.1698	6.6600e-003	2.2700e-003	182.0143
Mobile	0.0276	0.0608	0.2807	8.7000e-004	0.0571	1.2600e-003	0.0584	0.0153	1.1600e-003	0.0164	0.0000	58.7324	58.7324	1.7700e-003	0.0000	58.7696
Waste						0.0000	0.0000		0.0000	0.0000	23.7774	0.0000	23.7774	1.4052	0.0000	53.2866
Water						0.0000	0.0000		0.0000	0.0000	0.3264	10.0952	10.4216	0.0340	8.9000e-004	11.4105
Total	0.9756	0.1181	0.3294	1.2100e-003	0.0571	5.6100e-003	0.0627	0.0153	5.5100e-003	0.0208	24.1037	249.9985	274.1022	1.4476	3.1600e-003	305.4821

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	2.96	8.30	3.36	6.20	2.01	12.07	3.00	1.99	12.26	4.94	49.74	8.85	14.94	49.42	14.13	20.34

2.3 Vegetation

Vegetation

	CO2e
Category	MT
New Trees	60.8880
Total	60.8880

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Grading	Grading	9/2/2023	12/4/2023	5	66	
2	Building Construction	Building Construction	12/5/2023	4/17/2025	5	358	
3	Paving	Paving	4/18/2025	6/17/2025	5	43	
4	Architectural Coating	Architectural Coating	6/18/2025	9/2/2025	5	55	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 5.84

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 61,646; Non-Residential Outdoor: 20,549 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Grading	Excavators	1	8.00	162	0.38
Grading	Graders	1	8.00	174	0.41
Grading	Rubber Tired Dozers	1	8.00	255	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Cranes	1	7.00	226	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	125	0.42
Paving	Paving Equipment	2	8.00	130	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Grading	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	107.00	42.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Grading - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.2018	0.0000	0.2018	0.1096	0.0000	0.1096	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0641	0.6135	0.6932	9.8000e-004		0.0301	0.0301		0.0277	0.0277	0.0000	86.2804	86.2804	0.0279	0.0000	86.8665
Total	0.0641	0.6135	0.6932	9.8000e-004	0.2018	0.0301	0.2320	0.1096	0.0277	0.1373	0.0000	86.2804	86.2804	0.0279	0.0000	86.8665

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0700e-003	1.6200e-003	0.0172	6.0000e-005	5.4300e-003	4.0000e-005	5.4700e-003	1.4400e-003	4.0000e-005	1.4800e-003	0.0000	3.9499	3.9499	1.7000e-004	0.0000	3.9535
Total	1.0700e-003	1.6200e-003	0.0172	6.0000e-005	5.4300e-003	4.0000e-005	5.4700e-003	1.4400e-003	4.0000e-005	1.4800e-003	0.0000	3.9499	3.9499	1.7000e-004	0.0000	3.9535

3.2 Grading - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0787	0.0000	0.0787	0.0427	0.0000	0.0427	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0641	0.6135	0.6932	9.8000e-004		0.0301	0.0301		0.0277	0.0277	0.0000	86.2803	86.2803	0.0279	0.0000	86.8663
Total	0.0641	0.6135	0.6932	9.8000e-004	0.0787	0.0301	0.1089	0.0427	0.0277	0.0705	0.0000	86.2803	86.2803	0.0279	0.0000	86.8663

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0700e-003	1.6200e-003	0.0172	6.0000e-005	5.4300e-003	4.0000e-005	5.4700e-003	1.4400e-003	4.0000e-005	1.4800e-003	0.0000	3.9499	3.9499	1.7000e-004	0.0000	3.9535
Total	1.0700e-003	1.6200e-003	0.0172	6.0000e-005	5.4300e-003	4.0000e-005	5.4700e-003	1.4400e-003	4.0000e-005	1.4800e-003	0.0000	3.9499	3.9499	1.7000e-004	0.0000	3.9535

3.3 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0149	0.1360	0.1540	2.5000e-004		6.6200e-003	6.6200e-003		6.2300e-003	6.2300e-003	0.0000	21.9302	21.9302	5.2100e-003	0.0000	22.0396
Total	0.0149	0.1360	0.1540	2.5000e-004		6.6200e-003	6.6200e-003		6.2300e-003	6.2300e-003	0.0000	21.9302	21.9302	5.2100e-003	0.0000	22.0396

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.3700e-003	0.0149	0.0364	9.0000e-005	2.4700e-003	3.7000e-004	2.8400e-003	7.1000e-004	3.4000e-004	1.0500e-003	0.0000	7.2352	7.2352	5.0000e-005	0.0000	7.2362
Worker	2.2000e-003	3.3300e-003	0.0354	1.3000e-004	0.0112	8.0000e-005	0.0112	2.9600e-003	7.0000e-005	3.0300e-003	0.0000	8.1112	8.1112	3.5000e-004	0.0000	8.1186
Total	4.5700e-003	0.0182	0.0717	2.2000e-004	0.0136	4.5000e-004	0.0141	3.6700e-003	4.1000e-004	4.0800e-003	0.0000	15.3464	15.3464	4.0000e-004	0.0000	15.3548

3.3 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0149	0.1360	0.1540	2.5000e-004		6.6200e-003	6.6200e-003		6.2300e-003	6.2300e-003	0.0000	21.9302	21.9302	5.2100e-003	0.0000	22.0396
Total	0.0149	0.1360	0.1540	2.5000e-004		6.6200e-003	6.6200e-003		6.2300e-003	6.2300e-003	0.0000	21.9302	21.9302	5.2100e-003	0.0000	22.0396

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.3700e-003	0.0149	0.0364	9.0000e-005	2.4700e-003	3.7000e-004	2.8400e-003	7.1000e-004	3.4000e-004	1.0500e-003	0.0000	7.2352	7.2352	5.0000e-005	0.0000	7.2362
Worker	2.2000e-003	3.3300e-003	0.0354	1.3000e-004	0.0112	8.0000e-005	0.0112	2.9600e-003	7.0000e-005	3.0300e-003	0.0000	8.1112	8.1112	3.5000e-004	0.0000	8.1186
Total	4.5700e-003	0.0182	0.0717	2.2000e-004	0.0136	4.5000e-004	0.0141	3.6700e-003	4.1000e-004	4.0800e-003	0.0000	15.3464	15.3464	4.0000e-004	0.0000	15.3548

3.3 Building Construction - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1920	1.7524	2.1135	3.5200e-003		0.0800	0.0800		0.0752	0.0752	0.0000	302.4646	302.4646	0.0714	0.0000	303.9643
Total	0.1920	1.7524	2.1135	3.5200e-003		0.0800	0.0800		0.0752	0.0752	0.0000	302.4646	302.4646	0.0714	0.0000	303.9643

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0325	0.2056	0.4927	1.1900e-003	0.0340	5.0600e-003	0.0391	9.7200e-003	4.6500e-003	0.0144	0.0000	100.6728	100.6728	7.0000e-004	0.0000	100.6875
Worker	0.0290	0.0437	0.4688	1.8400e-003	0.1537	1.1100e-003	0.1548	0.0408	1.0300e-003	0.0419	0.0000	111.6847	111.6847	4.7700e-003	0.0000	111.7848
Total	0.0614	0.2493	0.9615	3.0300e-003	0.1877	6.1700e-003	0.1939	0.0505	5.6800e-003	0.0562	0.0000	212.3575	212.3575	5.4700e-003	0.0000	212.4724

3.3 Building Construction - 2024

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1920	1.7524	2.1135	3.5200e-003		0.0800	0.0800		0.0752	0.0752	0.0000	302.4642	302.4642	0.0714	0.0000	303.9639
Total	0.1920	1.7524	2.1135	3.5200e-003		0.0800	0.0800		0.0752	0.0752	0.0000	302.4642	302.4642	0.0714	0.0000	303.9639

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0325	0.2056	0.4927	1.1900e-003	0.0340	5.0600e-003	0.0391	9.7200e-003	4.6500e-003	0.0144	0.0000	100.6728	100.6728	7.0000e-004	0.0000	100.6875
Worker	0.0290	0.0437	0.4688	1.8400e-003	0.1537	1.1100e-003	0.1548	0.0408	1.0300e-003	0.0419	0.0000	111.6847	111.6847	4.7700e-003	0.0000	111.7848
Total	0.0614	0.2493	0.9615	3.0300e-003	0.1877	6.1700e-003	0.1939	0.0505	5.6800e-003	0.0562	0.0000	212.3575	212.3575	5.4700e-003	0.0000	212.4724

3.3 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0524	0.4778	0.6180	1.0300e-003		0.0202	0.0202		0.0190	0.0190	0.0000	88.9193	88.9193	0.0209	0.0000	89.3576
Total	0.0524	0.4778	0.6180	1.0300e-003		0.0202	0.0202		0.0190	0.0190	0.0000	88.9193	88.9193	0.0209	0.0000	89.3576

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	9.3200e-003	0.0600	0.1419	3.5000e-004	9.9900e-003	1.4900e-003	0.0115	2.8600e-003	1.3700e-003	4.2300e-003	0.0000	29.5820	29.5820	2.1000e-004	0.0000	29.5863
Worker	8.1300e-003	0.0122	0.1318	5.4000e-004	0.0452	3.3000e-004	0.0455	0.0120	3.1000e-004	0.0123	0.0000	32.4410	32.4410	1.3600e-003	0.0000	32.4696
Total	0.0175	0.0722	0.2737	8.9000e-004	0.0552	1.8200e-003	0.0570	0.0149	1.6800e-003	0.0165	0.0000	62.0230	62.0230	1.5700e-003	0.0000	62.0559

3.3 Building Construction - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0524	0.4778	0.6180	1.0300e-003		0.0202	0.0202		0.0190	0.0190	0.0000	88.9192	88.9192	0.0209	0.0000	89.3575
Total	0.0524	0.4778	0.6180	1.0300e-003		0.0202	0.0202		0.0190	0.0190	0.0000	88.9192	88.9192	0.0209	0.0000	89.3575

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	9.3200e-003	0.0600	0.1419	3.5000e-004	9.9900e-003	1.4900e-003	0.0115	2.8600e-003	1.3700e-003	4.2300e-003	0.0000	29.5820	29.5820	2.1000e-004	0.0000	29.5863
Worker	8.1300e-003	0.0122	0.1318	5.4000e-004	0.0452	3.3000e-004	0.0455	0.0120	3.1000e-004	0.0123	0.0000	32.4410	32.4410	1.3600e-003	0.0000	32.4696
Total	0.0175	0.0722	0.2737	8.9000e-004	0.0552	1.8200e-003	0.0570	0.0149	1.6800e-003	0.0165	0.0000	62.0230	62.0230	1.5700e-003	0.0000	62.0559

3.4 Paving - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0193	0.1811	0.3070	4.8000e-004		8.8300e-003	8.8300e-003		8.1300e-003	8.1300e-003	0.0000	42.1257	42.1257	0.0136	0.0000	42.4118
Paving	1.9100e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0212	0.1811	0.3070	4.8000e-004		8.8300e-003	8.8300e-003		8.1300e-003	8.1300e-003	0.0000	42.1257	42.1257	0.0136	0.0000	42.4118

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.4000e-004	9.6000e-004	0.0103	4.0000e-005	3.5400e-003	3.0000e-005	3.5600e-003	9.4000e-004	2.0000e-005	9.6000e-004	0.0000	2.5397	2.5397	1.1000e-004	0.0000	2.5419
Total	6.4000e-004	9.6000e-004	0.0103	4.0000e-005	3.5400e-003	3.0000e-005	3.5600e-003	9.4000e-004	2.0000e-005	9.6000e-004	0.0000	2.5397	2.5397	1.1000e-004	0.0000	2.5419

3.4 Paving - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0193	0.1811	0.3070	4.8000e-004		8.8300e-003	8.8300e-003		8.1300e-003	8.1300e-003	0.0000	42.1256	42.1256	0.0136	0.0000	42.4118
Paving	1.9100e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0212	0.1811	0.3070	4.8000e-004		8.8300e-003	8.8300e-003		8.1300e-003	8.1300e-003	0.0000	42.1256	42.1256	0.0136	0.0000	42.4118

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.4000e-004	9.6000e-004	0.0103	4.0000e-005	3.5400e-003	3.0000e-005	3.5600e-003	9.4000e-004	2.0000e-005	9.6000e-004	0.0000	2.5397	2.5397	1.1000e-004	0.0000	2.5419
Total	6.4000e-004	9.6000e-004	0.0103	4.0000e-005	3.5400e-003	3.0000e-005	3.5600e-003	9.4000e-004	2.0000e-005	9.6000e-004	0.0000	2.5397	2.5397	1.1000e-004	0.0000	2.5419

3.5 Architectural Coating - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0952					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.7000e-003	0.0315	0.0498	8.0000e-005		1.4200e-003	1.4200e-003		1.4200e-003	1.4200e-003	0.0000	7.0215	7.0215	3.8000e-004	0.0000	7.0295
Total	0.0999	0.0315	0.0498	8.0000e-005		1.4200e-003	1.4200e-003		1.4200e-003	1.4200e-003	0.0000	7.0215	7.0215	3.8000e-004	0.0000	7.0295

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1400e-003	1.7200e-003	0.0185	8.0000e-005	6.3300e-003	5.0000e-005	6.3800e-003	1.6800e-003	4.0000e-005	1.7200e-003	0.0000	4.5478	4.5478	1.9000e-004	0.0000	4.5518
Total	1.1400e-003	1.7200e-003	0.0185	8.0000e-005	6.3300e-003	5.0000e-005	6.3800e-003	1.6800e-003	4.0000e-005	1.7200e-003	0.0000	4.5478	4.5478	1.9000e-004	0.0000	4.5518

3.5 Architectural Coating - 2025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0952					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.7000e-003	0.0315	0.0498	8.0000e-005		1.4200e-003	1.4200e-003		1.4200e-003	1.4200e-003	0.0000	7.0214	7.0214	3.8000e-004	0.0000	7.0295
Total	0.0999	0.0315	0.0498	8.0000e-005		1.4200e-003	1.4200e-003		1.4200e-003	1.4200e-003	0.0000	7.0214	7.0214	3.8000e-004	0.0000	7.0295

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1400e-003	1.7200e-003	0.0185	8.0000e-005	6.3300e-003	5.0000e-005	6.3800e-003	1.6800e-003	4.0000e-005	1.7200e-003	0.0000	4.5478	4.5478	1.9000e-004	0.0000	4.5518
Total	1.1400e-003	1.7200e-003	0.0185	8.0000e-005	6.3300e-003	5.0000e-005	6.3800e-003	1.6800e-003	4.0000e-005	1.7200e-003	0.0000	4.5478	4.5478	1.9000e-004	0.0000	4.5518

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Improve Pedestrian Network

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0276	0.0608	0.2807	8.7000e-004	0.0571	1.2600e-003	0.0584	0.0153	1.1600e-003	0.0164	0.0000	58.7324	58.7324	1.7700e-003	0.0000	58.7696
Unmitigated	0.0277	0.0617	0.2839	8.9000e-004	0.0583	1.2800e-003	0.0596	0.0156	1.1800e-003	0.0168	0.0000	59.8808	59.8808	1.8100e-003	0.0000	59.9187

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Place of Worship	14.39	259.75	173.03	153,777	150,701
Total	14.39	259.75	173.03	153,777	150,701

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Place of Worship	16.60	8.40	6.90	0.00	95.00	5.00	64	25	11

LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
0.463991	0.065653	0.173627	0.157394	0.057911	0.009337	0.016305	0.044597	0.001118	0.001381	0.004677	0.000636	0.003374

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Exceed Title 24

Install Energy Efficient Appliances

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	118.7938	118.7938	5.4600e-003	1.1300e-003	119.2587
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	130.1899	130.1899	5.9800e-003	1.2400e-003	130.6994
NaturalGas Mitigated	6.3000e-003	0.0573	0.0481	3.4000e-004		4.3500e-003	4.3500e-003		4.3500e-003	4.3500e-003	0.0000	62.3759	62.3759	1.2000e-003	1.1400e-003	62.7555
NaturalGas Unmitigated	7.3800e-003	0.0671	0.0563	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	73.0081	73.0081	1.4000e-003	1.3400e-003	73.4524

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.36812e+006	7.3800e-003	0.0671	0.0563	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	73.0081	73.0081	1.4000e-003	1.3400e-003	73.4524
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		7.3800e-003	0.0671	0.0563	4.0000e-004		5.1000e-003	5.1000e-003		5.1000e-003	5.1000e-003	0.0000	73.0081	73.0081	1.4000e-003	1.3400e-003	73.4524

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Place of Worship	1.16888e+006	6.3000e-003	0.0573	0.0481	3.4000e-004		4.3500e-003	4.3500e-003		4.3500e-003	4.3500e-003	0.0000	62.3759	62.3759	1.2000e-003	1.1400e-003	62.7555
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		6.3000e-003	0.0573	0.0481	3.4000e-004		4.3500e-003	4.3500e-003		4.3500e-003	4.3500e-003	0.0000	62.3759	62.3759	1.2000e-003	1.1400e-003	62.7555

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	454944	130.1899	5.9800e-003	1.2400e-003	130.6994
Total		130.1899	5.9800e-003	1.2400e-003	130.6994

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	415121	118.7938	5.4600e-003	1.1300e-003	119.2587
Total		118.7938	5.4600e-003	1.1300e-003	119.2587

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.9417	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003
Unmitigated	0.9703	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0505					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.9198					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	5.0000e-005	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003
Total	0.9703	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0219					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.9198					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	5.0000e-005	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003
Total	0.9417	1.0000e-005	5.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.1400e-003	1.1400e-003	0.0000	0.0000	1.2000e-003

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy

Use Water Efficient Irrigation System

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	10.4216	0.0340	8.9000e-004	11.4105
Unmitigated	11.5946	0.0424	1.1000e-003	12.8251

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.28597 / 2.0114	11.5946	0.0424	1.1000e-003	12.8251
Total		11.5946	0.0424	1.1000e-003	12.8251

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Place of Worship	1.02878 / 2.0114	10.4216	0.0340	8.9000e-004	11.4105
Total		10.4216	0.0340	8.9000e-004	11.4105

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	23.7774	1.4052	0.0000	53.2866
Unmitigated	47.5547	2.8104	0.0000	106.5731

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	234.27	47.5547	2.8104	0.0000	106.5731
Total		47.5547	2.8104	0.0000	106.5731

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Place of Worship	117.135	23.7774	1.4052	0.0000	53.2866
Total		23.7774	1.4052	0.0000	53.2866

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Vegetation

	Total CO2	CH4	N2O	CO2e
Category	MT			
Unmitigated	60.8880	0.0000	0.0000	60.8880

10.2 Net New Trees

Species Class

	Number of Trees	Total CO2	CH4	N2O	CO2e
		MT			
Miscellaneous	86	60.8880	0.0000	0.0000	60.8880
Total		60.8880	0.0000	0.0000	60.8880



KUNZMAN ASSOCIATES, INC.

OVER 35 YEARS OF EXCELLENT SERVICE

1111 Town & Country Road, Suite 34
Orange, California 92868
(714) 973-8383

www.traffic-engineer.com