

#### **Department of Behavioral Health**

### **ADULT (21+) ASAM LEVEL OF CARE SCREENING**

#### Screener Instructions:

- 1. Complete the Immediate Need Profile. Complete all six dimensions, checking "yes" or "no" to these questions and obtaining from the caller sufficient data to assess for immediate needs.
- 2. Answer all questions, leave no blanks. If something is not applicable, indicate: N/A.
- 3. Include sufficient information to allow anyone reviewing this document to have a complete, clear picture of the client's perception of their situation. (Please limit the use of acronyms and abbreviations that are not widely known or defined.)
- 4. **Screener inform the client**: "I am a mandated reporter which requires me to report any suspicion of child/elder abuse or neglect to the appropriate authorities."
- 5. Additional instructions for completing this form can be found on the DBH website.

Date:										
Screener:	Screener: Title:									
Provider:	Location:									
A. CLIENT INFORMATION										
Last Name:	First Name:									
Current location/address: (this may be different from your home address)										
Phone number:	,									
B. IMMEDIATE NEED PROFILE										
Acute intoxication and/or withdrawal potential										
a. Currently having severe, life-threatening, and/or similar	withdrawal symptoms?		□ Yes	□ No						
	· ·									
2. Biomedical Conditions and Complications										
Any current, severe physical health problems (e.g., ble hours; recent unstable hypertension; recent, severe pair			П.V							
in balance, gait, sensory, or motor abilities not related to		ant problems	□ Yes	□ No						
-	•									
3. Emotional/ Behavioral / Cognitive Conditions and Cor	mplications									
a. Imminent danger of harming self or someone else (e.g to succeed; homicidal or violent ideation; impulses and to			□ Yes	□ No						
means to act on)?										
b. Unable to function in activities of daily living or care for	or self with imminent, dangerous o	onsequences								
(e.g., unable to bathe, feed, groom, and care for sei intoxication with threat to imminent safety or self or othe			☐ Yes	□ No						
		,.								
4. Readiness to Change										
The second secon										
a. Does client appear to need alcohol or other drug treatme										
ambivalent or feels it unnecessary (e.g., severe add psychotic, but blames a conspiracy)?	liction, but client feels controlled	use still OK;	□ Yes	□ No						
b. Client has been coerced, mandated, or required to have	e assessment and/or treatment by	mental health								
court or criminal justice system, health or social service	s, work or school, or family or sign	ificant other?	☐ Yes	□ No						
This confidential information is provided to you in accordance	e with State and Federal laws and	Name:								
regulations including, but not limited to, applicable Welfare a	and Institutions Code, Civil Code,	DOB:								
HIPAA Privacy Standards, and 42 CFR Part 2. Duplication		Chart #:								
disclosure is prohibited without the prior written author		Program:								

5. Relapse, Continued Use, or Continued Problem Potential			
a. Is client under the influence and/or acutely psychotic, manic, suicidal?		☐ Yes	□ No
b. Is client likely to continue to use or have active, acute symptoms in an immediately dangero	us manner.		
without immediate secure placement?	ao mamor,	☐ Yes	□ No
c. Is client's most troubling presenting problem(s) that brings the client for assessment dange or others?	erous to self	☐ Yes	□ No
6. Recovery Environment			
a. Are there any dangerous family; significant others; living, work, or school situations threater safety, immediate wellbeing, and/or sobriety (e.g., living with a drug dealer; physically abuse or significant other; homeless in freezing temperatures)?		☐ Yes	□ No
KEY			
"Yes" answer to questions 1, 2 and/or 3 require that the client immediately receive medical of acute, inpatient care.	r psychiatric	care for evaluation	on of need for
"Yes" answer to questions 4a and b, or 4b alone require, the client to be seen for assessmen	ıt within 48 h	ours. and prefera	ble earlier, for
motivational strategies, unless client is imminently likely to walk out and needs more structured	ntervention.	F	
For a "yes" answer to questions <b>5a</b> , assess further for need for immediate intervention (e.g., taki	ng kevs of ca	ar away: haying a	relative/friend
pick client up if severely intoxicated and unsafe; evaluate need for immediate psychiatric interve	ntion).		
"Yes" to questions 5b, 5c, and/or 6 without any "yes" answer in questions 1, 2, or 3 req	uire that the	aliant ha rafarra	d to a sofo or
supervised environment (e.g., shelter, alternative safe living environment, or residential or su severity and impulsivity).			
Immediate Need Profile Determination  If yes was answered to questions in dimension 1, 2 and/or 3 consult with Supervisor/LPHA/Physician	and rafar to a	morgonov oor ioo	
Outcome of Immediate Needs Profile:	and refer to e	mergency service	s as necessary.
			_
	Name:		
1 0 · · · · · · · · · · · · · · · · · ·	DOB: Chart #:		
disclosure is prohibited without the prior written authorization of the client/authorized	Program:		
representative to whom it pertains unless otherwise permitted by law.	J		

# ADULT (21+) ASAM LEVEL OF CARE SCREENING

Date:			Servi	ce Type: ☐ Initial – A	SAM Level o	of Care Scree	ning 🗆 Upo	date
Screener:			Title:					
Provider:			Locat	ion:				
			•					
			Client	Information				
Last			First	Name:		Middle		
Name: DOB:	Λαο:	SS	<u></u>		Pace/Ethnic	Name:		
DOB:       Age:       SS#:       Race/Ethnicity:         Phone Number:       Is it ok to leave a voice mail? ☐ Yes ☐ No								
Address:			13 11 011 10 11	dave a voice mair:	1103 🗀110			
City:			Zip Code:		County:			
Primary Language:				erred Language:				
Medi-Cal:		□ No		-Cal ID Number:				
Additional Funding	□ CFS	☐ CalWORKs	□ Post Re	lease Community Sup	ervision ( <i>PR</i>	CS-AB109)	☐ Block Gra	ant
Source	□ TAP	□ Drug Court	□ Perinata	l				
Self-Identified Gender:	□ Male		□ Fe	male	☐ Other:			
Living Arrangemen	t: 🗆 Homele	ss	□ Ind	dependent Living	□ Depende	ent Living	☐ Conserva	atee
Priority Population:		☐ Pregnant	☐ Intravenous □	orug Use ☐ All C	thers			
The fello			·	ute Intoxication, Wit			aiv mantha	
The follow	Recent	s will assist us if			en abusing	over the last		
Alcohol and/or Drug Types	Use? (Past 6	Prior Use	Route (IV, Smoke,	Frequency (Daily, Weekly,	Age Of	Quantity	Duration At This	Date of
2.49.7600		(Lifetime)	Snort, Oral)	Monthly)	First Use	Used	Quantity	Last Use
Amphetamines	Months)					Used		Last Use
Amphetamines Alcohol	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine Spice	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine Spice Bath Salts	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine Spice Bath Salts Kratom	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine Spice Bath Salts Kratom Benzodiazepines	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine Spice Bath Salts Kratom	Months)					Used		Last Use
Amphetamines Alcohol Cocaine/Crack Heroin Marijuana Fentanyl Other Opioid Pain Medications Sedatives Hallucinogens Inhalants Over the Counter Medications Nicotine Spice Bath Salts Kratom Benzodiazepines Other:	Months)	ed to you in accord	dance with State and ons Code, Civil Code,		tions Name			Last Use

1. Screener – If opiate of briefly explain:	use is indicated as the client: \	Have you been prescribed Nar	can in the last 30 days? <i>If ye</i> .	s, □ Yes □ No
2. Have you ever been	hospitalized due to your alcoh	ol/drug use? If yes, briefly	explain:	☐ Yes ☐ No
3. Within the last 30 da briefly explain:	ys, has your alcohol and/or di	rug use increased or changed	the route of administration?	If yes, □ Yes □ No
include information on t		s seizures, or life-threatening s as withdrawing from and spec		
5. Have you ever taken	medication [methadone, bupr	enorphine (suboxone)] to man	age cravings? <i>If yes, briefly</i> e	explain: □ Yes □ No
6. Would you be interes	sted in Medication Assisted Tr	reatment (MAT)? neck the level of severity that	t applies:	Yes No
Se	verity Rating – Dimension 1	- Substance Abuse, Acute I	ntoxication, Withdrawal Po	tential
0 □ None	1 □ Mild	2 ☐ Moderate	3 □ Severe	4 □ Very Severe
No signs of withdrawal/ intoxication present.	Mild/moderate intoxication interferes with daily function, Minimal risk of severe withdrawal. No danger to self/others.	May have severe intoxication but responds to support. Moderate risk of severe withdrawal. No danger to self/others.	Severe intoxication with imminent risk of danger to self/others. Risk of severe manageable withdrawal.	Incapacitated. Severe signs and symptoms. Presents danger, i.e. seizures. Continued substance use poses an imminent threat to life.
Narrative justification	for risk rating:			
This confidential information	ation is provided to you in ac-	cordance with State and Fede	ural laws Name:	
		le Welfare and Institutions Co		
Code, HIPAA Privacy S	Standards, and 42 CFR Part	2. Duplication of this information	ation for Chart #:	
	nibiled wilhout the prior writter it pertains unless otherwise p	n authorization of the client/au ermitted bv law.	thorized Program:	

	Dimension 2	: Biomedical Conditions and	Complications	
	current physical health probl in the last 12 months? <i>If yes</i>	ems (Seizures, Allergies) or h , <b>briefly explain:</b>	ave you been hospitalized fo	or any □ Yes □ No
Are you currently p	rescribed or taking any medic	ations for a medical issue? If	yes, list medication:	☐ Yes ☐ No
3. If female, are you p	oregnant? <i>If yes, how many</i> v	veeks/months?		□ Yes □ No □ N/A
4. Do you have a phy needed). If yes, b		ntially limits a major life activit	y? (Indicate if accommodatio	ns are □ Yes □ No
, , , , , , , , , , , , , , , , , , , ,	original to			
	Please	check the level of severity th	at applies:	
	Severity Rating - Dim	ension 2 - Biomedical Condi	tions and Complications	
0 □ None	1 □ Mild	2 ☐ Moderate	3 □ Severe	4 □ Very Severe
Full functional/able to cope with discomfort	Mild/moderate symptoms	Some difficulty tolerating physical problems. Acute,	Serious medical problems neglected during outpatient	Incapacitated with severe medical
or pain	interfering with daily functioning. Adequate	nonlife threatening	or intensive outpatient	problems.
	ability to cope with physical discomfort.	problems present, or serious biomedical	treatment. Severe medical problems present but stable	
	priysical discomfort.	problems are neglected	Poor ability to cope with	
Narrative justification	for risk rating:		physical problems.	
			II IN	,
		cordance with State and Fede le Welfare and Institutions Cod		
Code, HIPAA Privacy S	Standards, and 42 CFR Part	2. Duplication of this information	ation for Chart #:	
	hibited without the prior writte it pertains unless otherwise p	n authorization of the client/aut	thorized Program:	

	Dimension 3:	Emotional, Behavio	oral, or Cognitive Conditions and Complication	ns
1. <i>If</i> v	Do you ever hear or see things that others do not?  yes, briefly explain:	□ Yes □ No	If yes, do they occur mostly when using or withdrawing from alcohol and/or other drugs?	es □ No
<i></i> y	co, briefly explain.			
2.	Have you been hospitalized for any mental h	ealth conditions? (De	escribe reason and dates of hospitalization). <b>If ye</b> s	s, 🗆 Yes 🗆 No
3.	Are you currently taking any medications for	a mental health cond	ition(s)? If yes, list medications:	☐ Yes ☐ No
4.	Have you ever attempted suicide? If yes, wh	nen was the date of l	last attempt and briefly explain:	☐ Yes ☐ No
5.	Do you currently have thoughts of suicide?	☐ Yes ☐ No	If yes, do you have a plan?	☐ Yes ☐ No
(If	yes, consult with LPHA) briefly explain:			
	, , , , , , , , , , , , , , , , , , , ,			
TL:	a confidential information is associated to very	a accordance with Ot	ote and Foderal laws Name:	
	is confidential information is provided to you in d regulations including, but not limited to, appli			
Cod	de, HIPAA Privacy Standards, and 42 CFR F	Part 2. Duplication o	of this information for Chart #:	
	ther disclosure is prohibited without the prior w		the client/authorized   Program:	

6. Do you currently have yourself (cutting) or ot		Yes □ No If yes, do yo	ou have a plan?	☐ Yes ☐ No
(If yes, consult with LPH	A) please explain:			
mental health condition 3.3 residential care)	n that requires a slower pac Please c	ad trauma such as concussion to and residential level of care theck the level of severity that	indicated, consider referra	il to level □ Yes □ No
Severity I	Rating – Dimension 3 - En	notional, Behavioral, or Cogn	itive Conditions and Cor	nplications
0 □ None	1 □ Mild	2 ☐ Moderate	3 □ Severe	4 □ Very Severe
Good impulse control and coping skills. No dangerousness, good social functioning and self-care, no interference with recovery.	Suspect diagnosis of EBC, requires intervention, but does not interfere with recovery. Some relationship impairment.	Persistent EBC. Symptoms distract from recovery, but no immediate threat to self/others. Does not prevent independent functioning.	Severe EBC, but does not require acute level of care. Impulse to harm self or others, but not dangerous in a 24-hr setting.	Severe EBC. Requires acute level of care. Exhibits severe and acute life-threatening symptoms (posing imminent danger to self/others).
Narrative justification for	r risk rating:			
Type of Clearance Need  ☐ Medical Clearance	ded:	ychiatric clearance will be ne □ Medical and Psy		into a residential program.
☐ Psychiatric Clearance		☐ Not Needed		
	Din	nension 4: Readiness to Cha	nge	
How often have you muse?	nissed important social, occi	upational, educational or recrea	ational activities as a result	of your alcohol or drug
□ Never		Sometimes	Regularly	☐ All the Time
2. On a scale of 1-10 how and 10 being the mos		ing or using? <i>(On a Scale of 1</i>	to 10 - with 1 being least ii	mportant
		ordance with State and Feder		
		e Welfare and Institutions Cod  2. Duplication of this informat		
further disclosure is prohib		authorization of the client/auth		

Do you feel your di	rinking and/or substance use	is affecting other areas of your	family life?	? If yes, briefly (	explain:	☐ Yes ☐ No
4. Have you received	d help for alcohol and/or drug	problems in the past? If yes, ap	pproxima	te dates/level o	f care:	☐ Yes ☐ No
5. Are there potential	I barriers to your recovery?	(e.g. financial, transportation, re	elationship	, etc.) Briefly e	explain:	□ Yes □ No
	Please	e check the level of severity th	at applies	s:		
	Severity R	ating – Dimension 4 - Readine	ess to Cha	ange		
0 □ None	1 □ Mild	2 🗆 Moderate		B □ Severe		☐ Very Severe
Willing to engage in treatment.	Willing to enter treatment, but ambivalent to the	Reluctant to agree to treatment. Low commitment		e of need to Unwilling or		villing to change. Iling/unable to
	need to change.	to change substance use.  Passive engagement in	partially through	able to follow with	follov treati	v through with
		treatment.		endations of		nmendations.
Narrative justification	for risk rating:		treatmen	н		
	Dimension 5: Relap	ose, Continued Use, or Contin	ued Prob	lem Potential		
		s or urges to use alcohol and/or				
□ 1 (None)	□ 2 (Slight Urge)	☐ 3 (Moderate urge)	□ 4	(Considerate Ur	ge) □ :	5 (Extreme Urge)
2. In the past 7 d	lays, how frequent are these	cravings or urges to use alcohol	l and/or dr	ugs?		
☐ Hourly	□ Daily	□ Weekly		<b>-</b> 1	None	
<ol><li>Do you feel th</li></ol>	nat you will continue to use su	ubstances without help or addition	onal suppo	ort?		□ Yes □ No
•						
		ccordance with State and Fede		Name:		
and regulations including	ng, but not limited to, applica	ble Welfare and Institutions Codt 2. Duplication of this informa	de, Civil	DOB: Chart #:		
further disclosure is pro		en authorization of the client/aut		Program:		

4. What is the lon	gest	t time you have gone witho	ut using alcohol and/or drugs	? <b>B</b> r	riefly explain:		
5. Are there impor apply)	tant	stressors or triggers in you	ur life that contribute to your s	ubsta	ance use? (Check a	all tha	at □ Yes □ No
☐ Academic/School Issue	es	☐ Family Issues			Jnemployment		Strong Cravings
☐ Peer Pressure		☐ Relationship Problems	3		Sexual Victimization		Living Environment
☐ Physical Health Issues		☐ Bullying		□F	inancial Stressors		Chronic Pain
☐ Mental Health Issues		☐ Gang Involvement		□V	Weight Issues		Sexual Orientation
☐ Work Pressure		☐ Difficulty Dealing with	Feelings		Gender Identity		Other:
Immigration Issues			obation, Court mandate, etc.)	4	mlian.		
Se	veri		eck the level of severity that - Relapse, Continued Use, o			oten	tial
0 □ None		1 □ Mild	2 ☐ Moderate		3 □ Severe		4 □ Very Severe
Low/no potential for		nimal relapse potential.	Impaired recognition of risk		_ittle recognition of r		No coping skills for
relapse. Good ability to cope.		ome risk, but fair coping d relapse prevention	for relapse. Able to self- manage with prompting.		for relapse, poor skil to cope with relapse		relapse/ addiction problems. Substance
•		ills.					use/behavior, places
							self/other in imminent danger.
Narrative justification f	or r	isk rating:					o e
-							
		Dimensi	on 6: Recovery/Living Envir	onm	nent		
		• •	s. other people's couches, liven Living with family	-	=	-	artner) rith partner or spouse
		•		·g		g	nar pararer or opened
□ Other							
This confidential informa	tion	is provided to you in acco	rdance with State and Federa	al lav	ws Name:		
and regulations including	ı, bu	t not limited to, applicable	Welfare and Institutions Cod	e, Ci	ivil DOB:		
			Duplication of this informat authorization of the client/auth				
		tains unless otherwise per		1 12	i logialli.		

2.	Do you have rela peers/friends, men	tionships that are supported tor, coach, teacher, etc.,	portive of you stopping or ). If yes, briefly explain:	reducing your substance	use? <i>(e.g.,</i>	family, □ Yes □ No
3.		in an environment whe	ere others use substances? s, briefly explain:	(e.g., family, friends/peers	s, significant	others, □ Yes □ No
4.	Are you currently ir	nvolved with any of the fo ☐ Court Mandated	ollowing? <i>(Check all that app</i> d Treatment ☐ Probati	= -	e	□ CalWORKs
5.	Have you ever bee	n convicted of arson, a	sexual offense or any violent	crime? (If yes, please exp	olain)	Yes □ No □
			case management) services′ othing, Medical/Dental Care		, Housing & S	Shelter, Yes No
ŀ		y client that they will b	ne assigned a County Care	Coordinator once they ar	re placed in a	a residential facility.
,		y client that they will b		Coordinator once they arty that applies:	•	a residential facility.
ı		y client that they will b	pe assigned a County Care se check the level of severi	Coordinator once they arty that applies:		a residential facility.  4 □ Very Severe
Ablenv	Screener – Notif	y client that they will b Pleas Severity R	pe assigned a County Care se check the level of severi tating – Dimension 6 - Reco  2   Moderate Unsupportive	Coordinator once they are ty that applies:  overy/Living Environment  3 □ Severe  Unsupportive	Environ recovical and the	
Abl- env sup	Screener - Notify  0 □ None le to cope in vironment/	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.	e assigned a County Care se check the level of severi cating – Dimension 6 - Reco  2	Coordinator once they are ty that applies: overy/Living Environment  3	Environ recovical and the	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abl- env sup	Screener - Notife  0 □ None le to cope in vironment/ oportive.	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.	e assigned a County Care se check the level of severi cating – Dimension 6 - Reco  2	Coordinator once they are ty that applies: overy/Living Environment  3	Environ recovical and the	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abli env sup	Screener - Notife  0 □ None le to cope in vironment/ oportive.	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.	e assigned a County Care se check the level of severi cating – Dimension 6 - Reco  2	Coordinator once they are ty that applies: overy/Living Environment  3	Environ recovical and the	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abl env supp	Screener - Notife  0 □ None le to cope in vironment/ oportive.  rrative justification	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.	e assigned a County Care se check the level of severi cating – Dimension 6 - Reco  2	Coordinator once they are ty that applies:  Overy/Living Environment  3	Environ recovical and the	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abli env supp	Screener - Notification  O	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.	e assigned a County Care se check the level of severi cating – Dimension 6 - Reco  2	Coordinator once they are ty that applies:  Divery/Living Environment  3	Environ recovical and the	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abli env sup	Screener - Notife  0 □ None le to cope in vironment/ oportive.  rrative justification  creener Name: gnature: elephone:  This confidential info	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.  for risk rating:	pe assigned a County Care se check the level of severicating – Dimension 6 - Record  2	Coordinator once they are ty that applies:  Divery/Living Environment  3	Environ recovical and the pose of the second	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abl env sup	Screener - Notife  0 □ None le to cope in vironment/ oportive.  rrative justification  creener Name: gnature: elephone:  This confidential infregulations including	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.  for risk rating:	pe assigned a County Care se check the level of severicating – Dimension 6 - Record  2	Coordinator once they are ty that applies:  Divery/Living Environment  3	Environ recovition in and the pose of the	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may
Abli envisup	Screener - Notife  0 □ None le to cope in vironment/ oportive.  rrative justification  creener Name: gnature: elephone:  This confidential infregulations including Privacy Standards, prohibited without the	Pleas Severity R  1  Mild Passive/disinterested social support, but still able to cope.  for risk rating:  ormation is provided to but not limited to, applicand 42 CFR Part 2.	pe assigned a County Care se check the level of severicating – Dimension 6 - Record  2	Coordinator once they are ty that applies:  Divery/Living Environment  3	Environ recovical and the pose of the second	4 □ Very Severe  conment toxic/hostile to ery. Unable to cope the environment may

Instructions: For each dimension, indicate the least intensive level of care that is appropriate based on the client's severity/functioning and service needs.

		Dimension 1 Dimension 2							1	Dimens				Dimens		J		Dimens				Dimen	sion 6		
LEVEL OF CARE DETERMINATION TOOL	Level			Use, Acı Withdra ntial		_	nedical id Comp			Cogn		ehaviora nditions cations		Readiness to Change				se, Con ontinue Poter	d Prob		Recovery/Living Environment				
							Crite	eria Lev	el of C	are – W	ithdrawa	al Manag	jemen	t											
Severity/Impairment Rati	ing	None	Mild	Mod	Sev	None	Mild	Mod	Sev	None	Mild	Mod	Sev	None	Mild	Mod	Sev	None	Mild	Mod	Sev	None	Mild	Mod	Sev
Ambulatory Withdrawal Management without Extended On-Site Monitoring	1 - W M																								
Ambulatory Withdrawal Management with Extended On- Site Monitoring	2 - W M																								
Clinically Managed Residential Withdrawal Management	3.2 - W M																								
Medically Monitored Inpatient Withdrawal Management	3.7 – W M																								
Medically Managed Intensive Inpatient Withdrawal Management	4 - W M																								
Criteria Level of Care - Other Treatment and Recovery Services																									
Severity/Impairment Rati	ing	None	Mild	Mod	Sev	None	Mild	Mod	Sev	None	Mild	Mod		None	Mild	Mod	Sev	None	Mild	Mod	Sev	None	Mild	Mod	Sev
Early Intervention	0.5												ity												
Outpatient Services	1												nt facil												
Intensive Outpatient Treatment	2.1												atmer												
Partial Hospitalization Services	2.5												th tre												
Clinically Managed Low-Intensity Residential Services	3.1												al heal												
Clinically Managed Population- Specific High-Intensity Residential Services	3.3												il to mental health treatment facility												
Clinically Managed High- Intensity Residential Services	3.5												referral t												
Medically Monitored Intensive Inpatient Services	3.7												Consider												
Medically Managed Intensive Inpatient Services	4.0												රි												
Opioid Treatment Program (OTP)	1																								
This confidential information is provided to you in accordance with State and Federal laws and regulations including, but not limited to, applicable Welfare and Institutions Code, Civil Code, HIPAA Privacy Standards, and 42 CFR Part 2. Duplication of this information for further disclosure is prohibited without the prior written authorization of the client/authorized representative to whom it pertains unless otherwise permitted by law.    Name:   DOB:   Chart #:   Program:																									

## **Residential Treatment Pre-Authorization**

\*This form is to be used by SUDRS only to Pre-Authorize a Residential Treatment Episode.

Priority Population	n: ☐ Pregnant ☐ Intravenous Drug Us	se   All Others		
LEVEL OF CAR	E PRE-AUTHORIZED BY THE COUNTY			
☐ Adult Withdrav ☐ Adult Resident ☐ Adult Resident	wal Management (WM) – Level 3.2 tial □ 3.1 □ 3.3 □ 3.5 tial w/Children □ 3.1 □ 3.5			
	ERE CLIENT IS BEING REFERRED			
Provider Name:	☐ Cedar House Life Change Center	☐ Inland Valley Recove	•	□ VARP
	☐ St. John of God Health Care Services	☐ Tarzana Treatment C	enters	Phoenix House
	dential Treatment episodes in the last 12 mo	onths? □ 0 □ 1	□2 □	More than 2
Comments:				
Screener Name:			Title:	
Signature:			Date:	
Telephone:		Fax:		
laws and regulati Code, Civil Code information for fu	information is provided to you in accordance ions including, but not limited to, applicable V r, HIPAA Privacy Standards, and 42 CFR Par rther disclosure is prohibited without the prior zed representative to whom it pertains unless	Velfare and Institutions t 2. Duplication of this written authorization of	Name: DOB: Chart #: Program:	