


SYPHILIS SYMPTOMS

- The first symptom is a painless sore that may appear inside or near the mouth, genitals or anal areas.
- A second symptom may be a rash that appears on the palms of hands, bottom of feet, or on the body between the arm pits and upper thighs.
- Syphilis symptoms may appear and disappear.
- To cure syphilis medical testing and treatment are required.



TEST TODAY

- If experiencing signs or symptoms
- If being tested for other STDs
- If sexually active (testing recommended every 6-12 months)
- If engaging in unprotected sex (testing recommended every 6 months)
- If you have multiple sex partners (testing recommended every 6 months)
- If you are a man having sex with other men (testing recommended every 3- 6 months)
- If you plan to get pregnant in the future




That sore might be SYPHILIS

Syphilis and other STDs are on the rise in San Bernardino County
GET FACTS. GET TESTED. GET CURED.
Free & confidential testing & information:
1-800-722-4777 • <http://wp.sbcounty.gov/dph/>

SYPHILIS SYMPTOMS

- The first symptom is a painless sore that may appear inside or near the mouth, genitals or anal areas.
- A second symptom may be a rash that appears on the palms of hands, bottom of feet, or on the body between the arm pits and upper thighs.
- Syphilis symptoms may appear and disappear.
- To cure syphilis medical testing and treatment are required.



TEST TODAY

- If experiencing signs or symptoms
- If being tested for other STDs
- If sexually active (testing recommended every 6-12 months)
- If engaging in unprotected sex (testing recommended every 6 months)
- If you have multiple sex partners (testing recommended every 6 months)
- If you are a man having sex with other men (testing recommended every 3- 6 months)
- If you plan to get pregnant in the future



That sore might be SYPHILIS

Syphilis and other STDs are on the rise in San Bernardino County
GET FACTS. GET TESTED. GET CURED.
Free & confidential testing & information:
1-800-722-4777 • <http://wp.sbcounty.gov/dph/>


It's their health too

SYPHILIS

and other STDs can harm your baby

GET FACTS. GET TESTED. GET CURED.

Free & confidential testing & information:
1-800-722-4777 • <http://wp.sbcounty.gov/dph/>



SYPHILIS IN WOMEN

- Syphilis in women is increasing in San Bernardino County
- If a woman is infected with syphilis while pregnant, it can lead to birth defects, miscarriage, premature birth or stillbirth
- **Good News:** Syphilis can be treated and cured even during pregnancy with a shot of antibiotics

IF YOU ARE PREGNANT:

- Prenatal care is very important to keep you and your baby healthy
- You should be tested for syphilis 3 times during your pregnancy: during the 1st trimester, early in the 3rd trimester (between 28-32 weeks) and at delivery
- If you don't have a regular doctor, call **(800) 722-4777** to find out where to get tested and treated


It's their health too

SYPHILIS

and other STDs can harm your baby

GET FACTS. GET TESTED. GET CURED.

Free & confidential testing & information:
1-800-722-4777 • <http://wp.sbcounty.gov/dph/>



SYPHILIS IN WOMEN

- Syphilis in women is increasing in San Bernardino County
- If a woman is infected with syphilis while pregnant, it can lead to birth defects, miscarriage, premature birth or stillbirth
- **Good News:** Syphilis can be treated and cured even during pregnancy with a shot of antibiotics

IF YOU ARE PREGNANT:

- Prenatal care is very important to keep you and your baby healthy
- You should be tested for syphilis 3 times during your pregnancy: during the 1st trimester, early in the 3rd trimester (between 28-32 weeks) and at delivery
- If you don't have a regular doctor, call **(800) 722-4777** to find out where to get tested and treated