

CONTINUATION OF CARE

I. PURPOSE

To develop a system that ensures the rapid transport of patients upon arrival at a receiving hospital that requires urgent transfer to a higher level of care.

This policy shall only be used for:

- Rapid transport of STEMI, stroke and trauma patients from referral hospitals to the appropriate Specialty Care Center.
- Specialty Care Center to Specialty Care Center when higher level of care is required.
- EMS providers that are transporting unstable patients to a STEMI, Stroke or Trauma Center but need to stop at the closest receiving hospital for stabilization before continuing to a Specialty Care Center.

It is <u>not</u> to be used for interfacility transfer of patients.

II. INCLUSION CRITERIA

- Patients meeting ICEMA Reference #9040 Trauma Triage Criteria, who arrive at a non-trauma hospital.
- Upon recognition of any critically injured patient that require urgent transfer from one trauma receiving center to a higher level of care trauma receiving center.
- Patients requiring subspecialty services that are not a requirement for trauma center designation (i.e., reimplantation, hand surgery, burn, etc.) are not covered by this policy and must be managed through the normal interfacility transfer process compliant with all applicable regulations.
- Any patient with a positive STEMI requiring EMS transport to a STEMI Receiving Center (refer to ICEMA Reference #4040 ST Elevation Myocardial Infarction Critical Care System Designation).
- Any patient with a positive mLAPSS requiring EMS transport to a Stroke Receiving Center, (refer to ICEMA Reference #4070 Stroke Critical Care System Designation).
- Any stroke patient identified with a Large Vessel Occlusion (LVO) requiring rapid EMS transport to higher level of care for Endovascular Stroke Treatment.

III. INITIAL TREATMENT GOALS AT REFERRAL HOSPITAL

- Initiate resuscitative measures within the capabilities of the facility.
- Ensure patient stabilization is adequate for subsequent transport.

CONTINU	ATION O	FCARE	Reference No. 9010 Effective Date: 05/01/24 Supersedes: 04/01/23 Page 2 of 3
	 <u>Do not delay transport</u> by initiating any diagnostic procedures that do not have diagnostic procedures that do not have diagnostic on immediate resuscitative measures. 		
		> GOAL FOR USE OF CONTINU	JATION OF CARE POLICY
		Less than 30 minutes door-to-i	al hospital (door-in/door-out). ete ALS continuation of care transport. ntervention at Specialty Care Center. identification of a LVO at a primary stroke center.
	•	Referral hospital shall contact the a directly without calling for an inpatient b	ppropriate Specialty Care Center ED physician bed assignment.
	•	Specialty Care Centers should route their transfer center triage process.	requests directly to the ED physician and bypass
	•	EMS providers shall make contact with time of arrival.	n Specialty Care Centers to notify of the estimated
	•	meeting criteria in this policy unless the	all referred STEMI, stroke and trauma patients hey are on Internal Disaster as defined in ICEMA bulance Redirection and Hospital Diversion (San
	•		physician at the Specialty Care Center and will Team according to internal policies or protocols.
	•	The referral hospital ED physician will for the patient.	determine the appropriate mode of transportation
	•	Simultaneously call 9-1-1 and utilize th	e following script to dispatch:
		"This is a continuation of care from Center"	hospital to STEMI, Stroke or Trauma
		Fire departments will not be dispa dispatchers will only dispatch trans	tched for 9-1-1 continuation of care calls, the porting ALS ambulances.
	•	Referral hospital ED physician will pr Specialty Care Center.	ovide a verbal report to the ED physician at the
	•		records, test results, radiologic evaluations to the ELAY TRANSPORT - these documents may be Specialty Care Center.
IV.	V. SPECIAL CONSIDERATIONS FOR REFERRAL HOSPITALS		
	•		l via EMS field personnel, a physician may request d immediately transport the patient once minimal
	•	the tPA administration window (greater	ng to a non-designated stroke center is outside of r than 4.5 hours from "last seen normal"), consider able or comprehensive stroke center to determine -1-1 script.

CONTINUATION OF CARE	Reference No. 9010
	Effective Date: 05/01/24
	Supersedes: 04/01/23
	Page 3 of 3

- Unless medically necessary, avoid using medications or IV drips that are outside of the EMT-P scope of practice to avoid delays in transferring of patients.
- The referral hospital may consider sending one of its nurses or physician with the transporting ALS ambulance if deemed necessary due to the patient's condition or scope of practice limitations per ICEMA Reference #8010 Interfacility Transfer Guidelines.
- Do not call 9-1-1 dispatch if the patient requires Critical Care Transport (CCT) or Specialty Care Transport (SCT). The referral hospital must make direct contact with the EMS Providers Dispatch Center.
- Diversion is not permitted except for Internal Disaster. However, to avoid prolonged doorto-intervention times when STEMI, Stroke and Trauma Centers are over capacity, base hospitals may facilitate alternative STEMI, Stroke or Trauma Centers as the best destination for the patient. Base hospitals must ensure physician to physician contact when facilitating the use of an alternate destination.

V. REFERENCES

Number	Name
4040	ST Elevation Myocardial Infarction Critical Care System Designation (San
	Bernardino County Only)
4070	Stroke Critical Care System Designation (San Bernardino County Only)
8010	Interfacility Transfer Guidelines
8050	Requests for Ambulance Redirection and Hospital Diversion (San Bernardino
	County Only)
9040	Trauma Triage Criteria
	-